

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09884

Sample Name: S1

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : B-Protein | Batch
No : BPCH 240306 | Unit Qty : 500g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	3.93	µg/kg	0.5
3	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	7.25	µg/kg	0.5
4	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	11.18	µg/kg	0.5

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09885

Sample Name: S3

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Complian
NUTRIGO | Batch No : A03973 | Unit Qty : 400g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sampled Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09886

Sample Name: S4

Sample quantity: 40g x 2 nos

Sample Appearance: Off White Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : D-Protein | Batch

No : DPVAE 241008 | Unit Qty : 500g | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025 Sampling

Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable Seal

No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	2.35	µg/kg	0.5
2	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	4.72	µg/kg	0.5
3	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	7.06	µg/kg	0.5

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09887

Sample Name: S5

Sample quantity: 40g x 2 nos

Sample Appearance: Light Yellow Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Ensure - Diabetic |
Batch No : 70003MN 1 D | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sampled Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09888

Sample Name: S6

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Ensure - High
Protein | Batch No : 724742UH | Unit Qty : 400g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sampled Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025 Sampling

Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09889

Sample Name: S7

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Ensure - Normal |
Batch No : 71023MN1 D | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sampled Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09890

Sample Name: S8

Sample quantity: 40g x 2 nos

Sample Appearance: Light Yellow Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Horlicks - Protein

Plus | Batch No : 0607BC1B 02 | Unit Qty : 400g |

Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sampled Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09891

Sample Name: S9

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Prohance | Batch

No : ZRB0252 | Unit Qty : 400g | Time of Sample

Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sampled Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09892

Sample Name: S10

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Jan Oushadhi -
Whey | Batch No : ZJWC241K07 | Unit Qty : 1000g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sampled Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09893

Sample Name: S11

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Nak Pro Whey -
Gold | Batch No : GM0125 | Unit Qty : 1000g | Time
of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sampled Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09894

Sample Name: S12

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Nak Pro Whey -
Platinum | Batch No : PCO1124 | Unit Qty : 500g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sampled Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09895

Sample Name: S13

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Pediasure | Batch
No : 68041MN3D | Unit Qty : 200g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sampled Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09896

Sample Name: S14

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Protinex | Batch No
: PRCF004315 | Unit Qty : 400g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sampled Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	2.35	µg/kg	0.5
2	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	4.72	µg/kg	0.5
3	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	7.06	µg/kg	0.5
4	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09897

Sample Name: S15

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Resource - High
Protein | Batch No : 42260451HA | Unit Qty : 200g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sampled Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09898

Sample Name: S16

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Whole Truth -
Concentrate | Batch No : F2WCU144 | Unit Qty :
1000g | Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sampled Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09899

Sample Name: S17

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Whole Truth -
Isolate | Batch No : F2WIU129 | Unit Qty : 1000g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sampled Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09900

Sample Name: S18

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Celevida-LIV |
Batch No : DRL24017 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09901

Sample Name: S19

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Kabi - Pro | Batch

No : 82SL20D037 | Unit Qty : 200g | Time of Sample

Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sampled Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09902

Sample Name: S20

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Pentasure - HP |
Batch No : HND2409017 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sampled Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09903

Sample Name: S21

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Naturaltein | Batch

No : NWP I C250502 | Unit Qty : 300g | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sampled Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09904

Sample Name: S22

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : TrueBasics Whey
Isolate | Batch No : MMCWPV002 | Unit Qty : 1000g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sampled Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09905

Sample Name: S23

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Impact Whey
Isolate | Batch No : W419927786 | Unit Qty : 250g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sampled Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09906

Sample Name: S24

Sample quantity: 30g x 5 nos

Sample Appearance: Off White Colour Powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : As-It-Is Whey
Isolate | Batch No : AW 5053 | Unit Qty : 250g | Time
of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sampled Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09907

Sample Name: S25

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Fresubin HP |
Batch No : ZHPV020325 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09908

Sample Name: S26

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Hepa PRO | Batch
No : HPMFE 250301 (L2) | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09909

Sample Name: S27

Sample quantity: 40g x 2 nos

Sample Appearance: Light Yellow Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Lamino HP | Batch

No : ZLHP051124 | Unit Qty : 7 sachets | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09910

Sample Name: S28

Sample quantity: 40g x 2 nos

Sample Appearance: Off White Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Pedia GOLD |
Batch No : HND2407023 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09911

Sample Name: S30

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : IsoPure Whey |
Batch No : ISC25021 | Unit Qty : 1000g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09912

Sample Name: S31

Sample quantity: 36g x 4 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : Trunativ | Batch No
: TNWBM-008 | Unit Qty : 400g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09913

Sample Name: S32

Sample quantity: 40g x 2 nos

Sample Appearance: Off White Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : MN Whey

Concentrate | Batch No : MNWPCUF-25051 | Unit Qty

: 400g | Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09914

Sample Name: S33

Sample quantity: 33g x 4 nos

Sample Appearance: Light Yellow Colour Powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : Phab Whey | Batch
No : JP/SIB-16/25 | Unit Qty : 213g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09915

Sample Name: S34

Sample quantity: 33g x 4 nos

Sample Appearance: Off White Colour Powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : MAXN Whey |
Batch No : WPAF 040625 | Unit Qty : 264g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-07-00484

Sample Name: S2

Sample quantity: 40g x 2 nos

Sample Appearance: Off White Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : BYBV-Concentrate

| Batch No : NLBYMWM1-004 | Unit Qty : 1000g |

Time of Sample Collection : 03:00 pm

Received On: 02/07/2025

Analysed between: 03/07/2025 to 04/07/2025

Sampling Details: Sampled By Eureka

Sampling Procedure: eka-msp-17

Sampling date: 01/07/2025

Sampling Location: Rajagiri Hospital Aluva

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-07-00485

Sample Name: S29

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Avvatar Whey

Isolate | Batch No : AAVT25E11G | Unit Qty : 1000g |

Time of Sample Collection : 03:00 pm

Received On: 02/07/2025

Analysed between: 03/07/2025 to 04/07/2025

Sampling Details: Sampled By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 01/07/2025

Sampling Location: Rajagiri Hospital Aluva

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
Mycotoxin						
1	E1MTI03	Aflatoxin B1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
2	E1MTI08	Aflatoxin B2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
3	E1MTI13	Aflatoxin G1	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
4	E1MTI18	Aflatoxin G2	EKA-CHE-SOP-55	BLQ	µg/kg	0.5
5	E1MTI24	Total Aflatoxins (Sum of aflatoxins B1, B2, G1, G2)	EKA-CHE-SOP-55	BLQ	µg/kg	0.5

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****