

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09852

Sample Name: S1

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : B-Protein | Batch
No : BPCH 240306 | Unit Qty : 500g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1I175	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E1I125	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1I176	Cadmium as Cd	EKA-CHE-SOP-47	0.015	mg/kg	0.01
4	E1I187	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09853

Sample Name: S3

Sample quantity: 40g x 2 nos

Sample Appearance: Off white Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Complian
NUTRIGO | Batch No : A03973 | Unit Qty : 400g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1II75	Arsenic as As	EKA-CHE-SOP-47	0.532	mg/kg	0.05
2	E1II25	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1II76	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E1II87	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09854

Sample Name: S4

Sample quantity: 40g x 2 nos

Sample Appearance: Off White Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : D-Protein | Batch

No : DPVAE 241008 | Unit Qty : 500g | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E11175	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E11125	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E11176	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E11187	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09855

Sample Name: S5

Sample quantity: 40g x 2 nos

Sample Appearance: Light Yellow Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Ensure - Diabetic |
Batch No : 70003MN 1 D | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E11175	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E11125	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E11176	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E11187	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09856

Sample Name: S6

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Ensure - High
Protein | Batch No : 724742UH | Unit Qty : 400g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1II75	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E1II25	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1II76	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E1II87	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09857

Sample Name: S7

Sample quantity: 40g x 2 nos

Sample Appearance: Off White Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Ensure - Normal |
Batch No : 71023MN1 D | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1I175	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E1I125	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1I176	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E1I187	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09858

Sample Name: S8

Sample quantity: 40g x 2 nos

Sample Appearance: Light Yellow Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Horlicks - Protein

Plus | Batch No : 0607BC1B 02 | Unit Qty : 400g |

Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1II75	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E1II25	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1II76	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E1II87	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09859

Sample Name: S9

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Prohance | Batch

No : ZRB0252 | Unit Qty : 400g | Time of Sample

Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1I175	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E1I125	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1I176	Cadmium as Cd	EKA-CHE-SOP-47	0.030	mg/kg	0.01
4	E1I187	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09860

Sample Name: S10

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Jan Oushadhi -
Whey | Batch No : ZJWC241K07 | Unit Qty : 1000g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E11175	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E11125	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E11176	Cadmium as Cd	EKA-CHE-SOP-47	0.031	mg/kg	0.01
4	E11187	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09861

Sample Name: S11

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Nak Pro Whey -
Gold | Batch No : GM0125 | Unit Qty : 1000g | Time
of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E11175	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E11125	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E11176	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E11187	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09862

Sample Name: S12

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Nak Pro Whey -
Platinum | Batch No : PCO1124 | Unit Qty : 500g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E11175	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E11125	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E11176	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E11187	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09863

Sample Name: S13

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Pediasure | Batch
No : 68041MN3D | Unit Qty : 200g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1II75	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E1II25	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1II76	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E1II87	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09864

Sample Name: S14

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Protinex | Batch No
: PRCF004315 | Unit Qty : 400g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E11175	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E11125	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E11176	Cadmium as Cd	EKA-CHE-SOP-47	0.100	mg/kg	0.01
4	E11187	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09865

Sample Name: S15

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Resource - High
Protein | Batch No : 42260451HA | Unit Qty : 200g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1II75	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E1II25	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1II76	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E1II87	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09866

Sample Name: S16

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Whole Truth -
Concentrate | Batch No : F2WCU144 | Unit Qty :
1000g | Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E11175	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E11125	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E11176	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E11187	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09867

Sample Name: S17

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Whole Truth -
Isolate | Batch No : F2WIU129 | Unit Qty : 1000g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1II75	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E1II25	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1II76	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E1II87	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09868

Sample Name: S18

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Celevida-LIV |
Batch No : DRL24017 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E11175	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E11125	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E11176	Cadmium as Cd	EKA-CHE-SOP-47	0.022	mg/kg	0.01
4	E11187	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09869

Sample Name: S19

Sample quantity: 40g x 2 nos

Sample Appearance: Off White Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Kabi - Pro | Batch
No : 82SL20D037 | Unit Qty : 200g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1I175	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E1I125	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1I176	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E1I187	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09870

Sample Name: S20

Sample quantity: 40g x 2 nos

Sample Appearance: Off White Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Pentasure - HP |
Batch No : HND2409017 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1II75	Arsenic as As	EKA-CHE-SOP-47	0.066	mg/kg	0.05
2	E1II25	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1II76	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E1II87	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09871

Sample Name: S21

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Naturaltein | Batch

No : NWP I C250502 | Unit Qty : 300g | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E11175	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E11125	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E11176	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E11187	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09872

Sample Name: S22

Sample quantity: 40g x 2 nos

Sample Appearance: Off White Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : TrueBasics Whey
Isolate | Batch No : MMCWPV002 | Unit Qty : 1000g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1II75	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E1II25	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1II76	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E1II87	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09873

Sample Name: S23

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Impact Whey
Isolate | Batch No : W419927786 | Unit Qty : 250g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1II75	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E1II25	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1II76	Cadmium as Cd	EKA-CHE-SOP-47	0.025	mg/kg	0.01
4	E1II87	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09874

Sample Name: S24

Sample quantity: 30g x 5 nos

Sample Appearance: Off White Colour Powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : As-It-Is Whey
Isolate | Batch No : AW 5053 | Unit Qty : 250g | Time
of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1II75	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E1II25	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1II76	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E1II87	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09875

Sample Name: S25

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Fresubin HP |
Batch No : ZHPV020325 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1II75	Arsenic as As	EKA-CHE-SOP-47	0.072	mg/kg	0.05
2	E1II25	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1II76	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E1II87	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09876

Sample Name: S26

Sample quantity: 40g x 2 nos

Sample Appearance: Off White Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Hepa PRO | Batch
No : HPMFE 250301 (L2) | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1I175	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E1I125	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1I176	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E1I187	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09877

Sample Name: S27

Sample quantity: 40g x 2 nos

Sample Appearance: Light Yellow Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Lamino HP | Batch

No : ZLHP051124 | Unit Qty : 7 sachets | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1I125	Lead as Pb	EKA-CHE-SOP-47	0.062	mg/kg	0.05
2	E1I175	Arsenic as As	EKA-CHE-SOP-47	0.447	mg/kg	0.05
3	E1I176	Cadmium as Cd	EKA-CHE-SOP-47	0.037	mg/kg	0.01
4	E1I187	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09878

Sample Name: S28

Sample quantity: 40g x 2 nos

Sample Appearance: Off White Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Pedia GOLD |
Batch No : HND2407023 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E11175	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E11125	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E11176	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E11187	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09879

Sample Name: S30

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : IsoPure Whey |
Batch No : ISC25021 | Unit Qty : 1000g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1II75	Arsenic as As	EKA-CHE-SOP-47	0.061	mg/kg	0.05
2	E1II25	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1II76	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E1II87	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09880

Sample Name: S31

Sample quantity: 36g x 4 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : Trunativ | Batch No

: TNWBM-008 | Unit Qty : 400g | Time of Sample

Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1II75	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E1II25	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1II76	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E1II87	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09881

Sample Name: S32

Sample quantity: 40g x 2 nos

Sample Appearance: Off White Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : MN Whey

Concentrate | Batch No : MNWPCUF-25051 | Unit Qty

: 400g | Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1II75	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E1II25	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1II76	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E1II87	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09882

Sample Name: S33

Sample quantity: 33g x 4 nos

Sample Appearance: Light Yellow Colour Powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : Phab Whey | Batch

No : JP/SIB-16/25 | Unit Qty : 213g | Time of Sample

Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1I175	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E1I125	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1I176	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E1I187	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09883

Sample Name: S34

Sample quantity: 33g x 4 nos

Sample Appearance: Off White Colour Powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : MAXN Whey |
Batch No : WPAF 040625 | Unit Qty : 264g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E11175	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E11125	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E11176	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E11187	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.



Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-07-00482

Sample Name: S2

Sample quantity: 40g x 2 nos

Sample Appearance: Light Orange Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : BYBV-Concentrate

| Batch No : NLBYMWM1-004 | Unit Qty : 1000g |

Time of Sample Collection : 03:00 pm

Received On: 02/07/2025

Analysed between: 03/07/2025 to 03/07/2025

Sampling Details: Sampled By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 01/07/2025

Sampling Location: Rajagiri Hospital Aluva

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1I175	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E1I125	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1I176	Cadmium as Cd	EKA-CHE-SOP-47	BLQ	mg/kg	0.01
4	E1I187	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification ,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-07-00483

Sample Name: S29

Sample quantity: 40g x 2 nos

Sample Appearance: Light Orange Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand: Avvatar Whey
Isolate | Batch No: AAVT25E11G | Unit Qty: 1000g |
Time of Sample Collection: 03:00 pm

Received On: 02/07/2025

Analysed between: 03/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 01/07/2025

Sampling Location: Rajagiri Hospital Aluva

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Code	Test Parameter	Test Method	Result	Unit	LOQ
INORGANIC						
1	E1I175	Arsenic as As	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
2	E1I125	Lead as Pb	EKA-CHE-SOP-47	BLQ	mg/kg	0.05
3	E1I176	Cadmium as Cd	EKA-CHE-SOP-47	0.044	mg/kg	0.01
4	E1I187	Mercury as Hg	EKA-CHE-SOP-47	BLQ	mg/kg	0.01

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Umesh J M

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732