

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09980

Sample Name: S1

Sample quantity: 40g x 2 nos

Sample Appearance: Brown color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : B-Protein | Batch
No : BPCH 240306 | Unit Qty : 500g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	4.207	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	4.207	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	4.207	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	4.207	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxypop-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-09980

Sample Name: S1

Sample quantity: 40g x 2 nos

Sample Appearance: Brown color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : B-Protein | Batch
No : BPCH 240306 | Unit Qty : 500g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09981

Sample Name: S3

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Complian
NUTRIGO | Batch No : A03973 | Unit Qty : 400g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	3.506	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	3.506	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	3.506	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	3.506	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxypop-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-09981

Sample Name: S3

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Complian
NUTRIGO | Batch No : A03973 | Unit Qty : 400g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09982

Sample Name: S4

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : D-Protein | Batch

No : DPVAE 241008 | Unit Qty : 500g | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	1.269	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	1.269	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	1.269	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	1.269	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxypop-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-09982

Sample Name: S4

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : D-Protein | Batch

No : DPVAE 241008 | Unit Qty : 500g | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09983

Sample Name: S5

Sample quantity: 40g x 2 nos

Sample Appearance: Light yellow color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Ensure - Diabetic |

Batch No : 70003MN 1 D | Unit Qty : 400g | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	11.76	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	11.76	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	11.76	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	11.76	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxypop-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-09983

Sample Name: S5

Sample quantity: 40g x 2 nos

Sample Appearance: Light yellow color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Ensure - Diabetic |
Batch No : 70003MN 1 D | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09984

Sample Name: S6

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Ensure - High
Protein | Batch No : 724742UH | Unit Qty : 400g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	4.507	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	4.507	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	4.507	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	4.507	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etioazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxyp-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-09984

Sample Name: S6

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Ensure - High
Protein | Batch No : 724742UH | Unit Qty : 400g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09985

Sample Name: S7

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Ensure - Normal |
Batch No : 71023MN1 D | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	4.993	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	4.993	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	4.993	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	4.993	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etiozazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxyp-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-09985

Sample Name: S7

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Ensure - Normal |
Batch No : 71023MN1 D | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09986

Sample Name: S8

Sample quantity: 40g x 2 nos

Sample Appearance: Light yellow color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Horlicks - Protein

Plus | Batch No : 0607BC1B 02 | Unit Qty : 400g |

Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	1.287	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	1.287	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	1.287	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	1.287	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etioazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxyp-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triaccontanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-09986

Sample Name: S8

Sample quantity: 40g x 2 nos

Sample Appearance: Light yellow color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Horlicks - Protein

Plus | Batch No : 0607BC1B 02 | Unit Qty : 400g |

Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09987

Sample Name: S9

Sample quantity: 40g x 2 nos

Sample Appearance: Brown color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Prohance | Batch

No : ZRB0252 | Unit Qty : 400g | Time of Sample

Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	6.346	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	6.346	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	6.346	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	6.346	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxypop-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-09987

Sample Name: S9

Sample quantity: 40g x 2 nos

Sample Appearance: Brown color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Prohance | Batch

No : ZRB0252 | Unit Qty : 400g | Time of Sample

Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09988

Sample Name: S10

Sample quantity: 40g x 2 nos

Sample Appearance: Brown color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Jan Oushadhi -
Whey | Batch No : ZJWC241K07 | Unit Qty : 1000g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	2.401	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	2.401	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	2.401	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	2.401	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxyp-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triaccontanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-09988

Sample Name: S10

Sample quantity: 40g x 2 nos

Sample Appearance: Brown color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Jan Oushadhi -
Whey | Batch No : ZJWC241K07 | Unit Qty : 1000g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09989

Sample Name: S11

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Nak Pro Whey -
Gold | Batch No : GM0125 | Unit Qty : 1000g | Time
of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	0.682	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	0.682	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	0.682	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	0.682	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxypop-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triaccontanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-09989

Sample Name: S11

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Nak Pro Whey -
Gold | Batch No : GM0125 | Unit Qty : 1000g | Time
of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09990

Sample Name: S12

Sample quantity: 40g x 2 nos

Sample Appearance: Brown color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Nak Pro Whey -
Platinum | Batch No : PCO1124 | Unit Qty : 500g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	2.461	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	2.461	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	2.461	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	2.461	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxypop-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-09990

Sample Name: S12

Sample quantity: 40g x 2 nos

Sample Appearance: Brown color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Nak Pro Whey -
Platinum | Batch No : PCO1124 | Unit Qty : 500g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09991

Sample Name: S13

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Pediasure | Batch
No : 68041MN3D | Unit Qty : 200g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	4.114	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	4.114	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	4.114	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	4.114	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etioazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxypop-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-09991

Sample Name: S13

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Pediasure | Batch
No : 68041MN3D | Unit Qty : 200g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09992

Sample Name: S14

Sample quantity: 40g x 2 nos

Sample Appearance: Brown color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Protinex | Batch No

: PRCF004315 | Unit Qty : 400g | Time of Sample

Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	7.998	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	7.998	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	7.998	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	7.998	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etioazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxypop-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triaccontanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-09992

Sample Name: S14

Sample quantity: 40g x 2 nos

Sample Appearance: Brown color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Protinex | Batch No
: PRCF004315 | Unit Qty : 400g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09993

Sample Name: S15

Sample quantity: 40g x 2 nos

Sample Appearance: Of white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Resource - High
Protein | Batch No : 42260451HA | Unit Qty : 200g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	BLQ	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	BLQ	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	BLQ	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	BLQ	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxypop-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-09993

Sample Name: S15

Sample quantity: 40g x 2 nos

Sample Appearance: Of white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Resource - High
Protein | Batch No : 42260451HA | Unit Qty : 200g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09994

Sample Name: S16

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Whole Truth -
Concentrate | Batch No : F2WCU144 | Unit Qty :
1000g | Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	0.869	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	0.869	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	0.869	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	0.869	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etioazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxyp-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-09994

Sample Name: S16

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Whole Truth -
Concentrate | Batch No : F2WCU144 | Unit Qty :
1000g | Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09995

Sample Name: S17

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Whole Truth -
Isolate | Batch No : F2WIU129 | Unit Qty : 1000g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	BLQ	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	BLQ	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	BLQ	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	BLQ	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxyp-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-09995

Sample Name: S17

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Whole Truth -
Isolate | Batch No : F2WIU129 | Unit Qty : 1000g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09996

Sample Name: S18

Sample quantity: 40g x 2 nos

Sample Appearance: Brown color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Celevida-LIV |

Batch No : DRL24017 | Unit Qty : 400g | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	2.822	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	2.822	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	2.822	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	2.822	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etioazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxyp-p-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triaccontanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-09996

Sample Name: S18

Sample quantity: 40g x 2 nos

Sample Appearance: Brown color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Celevida-LIV |
Batch No : DRL24017 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09997

Sample Name: S19

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Kabi - Pro | Batch
No : 82SL20D037 | Unit Qty : 200g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	33.056	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	33.056	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	33.056	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	33.056	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etioazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxyp-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-09997

Sample Name: S19

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Kabi - Pro | Batch
No : 82SL20D037 | Unit Qty : 200g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09998

Sample Name: S20

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Pentasure - HP |
Batch No : HND2409017 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	26.902	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	26.902	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	26.902	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	26.902	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxypop-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-09998

Sample Name: S20

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Pentasure - HP |
Batch No : HND2409017 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)**

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09999

Sample Name: S21

Sample quantity: 40g x 2 nos

Sample Appearance: Brown color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Naturaltein | Batch

No : NWP I C250502 | Unit Qty : 300g | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	3.434	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	3.434	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	3.434	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	3.434	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxyp-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-09999

Sample Name: S21

Sample quantity: 40g x 2 nos

Sample Appearance: Brown color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Naturaltein | Batch

No : NWP I C250502 | Unit Qty : 300g | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)**

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10000

Sample Name: S22

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : TrueBasics Whey
Isolate | Batch No : MMCWPV002 | Unit Qty : 1000g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	0.688	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	0.688	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	0.688	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	0.688	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxyp-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triaccontanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-10000

Sample Name: S22

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : TrueBasics Whey
Isolate | Batch No : MMCWPV002 | Unit Qty : 1000g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10001

Sample Name: S23

Sample quantity: 40g x 2 nos

Sample Appearance: Brown color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Impact Whey
Isolate | Batch No : W419927786 | Unit Qty : 250g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	3.231	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	3.231	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	3.231	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	3.231	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxyp-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triaccontanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-10001

Sample Name: S23

Sample quantity: 40g x 2 nos

Sample Appearance: Brown color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Impact Whey
Isolate | Batch No : W419927786 | Unit Qty : 250g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10002

Sample Name: S24

Sample quantity: 30g x 5 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : As-It-Is Whey
Isolate | Batch No : AW 5053 | Unit Qty : 250g | Time
of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	BLQ	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	BLQ	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	BLQ	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	BLQ	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxyp-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-10002

Sample Name: S24

Sample quantity: 30g x 5 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : As-It-Is Whey
Isolate | Batch No : AW 5053 | Unit Qty : 250g | Time
of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)**

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10003

Sample Name: S25

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Fresubin HP |
Batch No : ZHPV020325 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	6.739	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	6.739	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	6.739	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	6.739	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxypop-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-10003

Sample Name: S25

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Fresubin HP |
Batch No : ZHPV020325 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10004

Sample Name: S26

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Hepa PRO | Batch
No : HPMFE 250301 (L2) | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	0.991	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	0.991	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	0.991	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	0.991	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxypop-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-10004

Sample Name: S26

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Hepa PRO | Batch
No : HPMFE 250301 (L2) | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10005

Sample Name: S27

Sample quantity: 40g x 2 nos

Sample Appearance: Light yellow color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Lamino HP | Batch

No : ZLHP051124 | Unit Qty : 7 sachets | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	12.487	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	12.487	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	12.487	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	12.487	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etioazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxyp-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-10005

Sample Name: S27

Sample quantity: 40g x 2 nos

Sample Appearance: Light yellow color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Lamino HP | Batch

No : ZLHP051124 | Unit Qty : 7 sachets | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10006

Sample Name: S28

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Pedia GOLD |
Batch No : HND2407023 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	3.831	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	3.831	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	3.831	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	3.831	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxypop-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-10006

Sample Name: S28

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Pedia GOLD |
Batch No : HND2407023 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10007

Sample Name: S30

Sample quantity: 40g x 2 nos

Sample Appearance: Brown color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : IsoPure Whey |
Batch No : ISC25021 | Unit Qty : 1000g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	2.828	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	2.828	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	2.828	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	2.828	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etioazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxyp-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-10007

Sample Name: S30

Sample quantity: 40g x 2 nos

Sample Appearance: Brown color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : IsoPure Whey |
Batch No : ISC25021 | Unit Qty : 1000g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10008

Sample Name: S31

Sample quantity: 36g x 4 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : Trunativ | Batch No

: TNWBM-008 | Unit Qty : 400g | Time of Sample

Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	1.387	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	1.387	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	1.387	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	1.387	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etioazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxyp-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-10008

Sample Name: S31

Sample quantity: 36g x 4 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : Trunativ | Batch No
: TNWBM-008 | Unit Qty : 400g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10009

Sample Name: S32

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : MN Whey

Concentrate | Batch No : MNWPCUF-25051 | Unit Qty

: 400g | Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	0.829	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	0.829	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	0.829	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	0.829	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etioazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxyp-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-10009

Sample Name: S32

Sample quantity: 40g x 2 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : MN Whey
Concentrate | Batch No : MNWPCUF-25051 | Unit Qty
: 400g | Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10010

Sample Name: S33

Sample quantity: 33g x 4 nos

Sample Appearance: Light yellow color powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : Phab Whey | Batch

No : JP/SIB-16/25 | Unit Qty : 213g | Time of Sample

Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not ApplicableNot Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	0.531	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	0.531	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	0.531	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	0.531	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etioazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxypop-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-10010

Sample Name: S33

Sample quantity: 33g x 4 nos

Sample Appearance: Light yellow color powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : Phab Whey | Batch

No : JP/SIB-16/25 | Unit Qty : 213g | Time of Sample

Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not ApplicableNot Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10011

Sample Name: S34

Sample quantity: 33g x 4 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : MAXN Whey |
Batch No : WPAF 040625 | Unit Qty : 264g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	0.929	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	0.929	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	0.929	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	0.929	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	Other Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diiflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01

63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etioazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxyp-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
83	Fipronil	0.005	200	Spirotetramat	0.01
84	Flonicamid	0.01	201	Metrafenone	0.01
85	Fluazifop-p-butyl	0.01	202	Fluxapyroxad	0.01
86	Flubendiamide	0.01	203	Tetraconazole	0.01
87	Fluchloralin	0.01	204	Abamectin	0.01
88	Flufenacet	0.01	205	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
89	Flusilazole	0.01	206	Sulfoxaflor	0.01
90	Fluvalinate	0.01	207	Ferbam as CS2	0.01
91	Forchlorfenuron	0.01	208	Oxadiazon	0.01
92	Fosetyl-Al	0.01	209	Cinmethylen	0.01
93	Glufosinate Ammonium	0.01	210	Triacantanol	0.01
94	Glyphosate	0.01	211	Milbemectin	0.01
95	Halosulfuron methyl	0.01	212	Sodium Aceflurofen	0.01
96	Hexaconazole	0.01	213	Sodium Para Nitro Phenolate	0.01
97	Hexazinone	0.01	214	Hydrogen Cyanamide	/
98	Hexythiazox	0.01		Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Aldicarb	0.01
100	Imazethapyr	0.01	216	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	217	Chlordane	0.01
102	Indoxacarb	0.01	218	Heptachlor	0.01
103	Iprobenfos	0.01	219	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	220	Endosulfan	0.01
105	Isoprothiolane	0.01	221	Carbofuran	0.01
106	Isoproturon	0.01	222	Methomyl	0.01
107	Kasugamycin	0.01	223	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	224	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	225	Formothion	0.01
110	Linuron	0.01	226	Simazine	0.01
111	Lufenuron	0.01	227	Diazinon	0.01
112	Malathion	0.01	228	D.D.T	0.01
113	Mandipropamid	0.01	229	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	230	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	231	Methyl Parathion	0.01
116	Metaflumizone	0.01	232	Ethyl Parathion	0.01
117	Metalaxyl	0.01	233	Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

**Mission for Ethics and Science in Healthcare
(MESH)****Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby****ANALYTICAL REPORT**

Sample code: EKA1-25-06-10011

Sample Name: S34

Sample quantity: 33g x 4 nos

Sample Appearance: Off white color powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : MAXN Whey |
Batch No : WPAF 040625 | Unit Qty : 264g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 02/07/2025

Sampling Details: Sample collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****



Scan for Scope



Scan for Authentication

Mission for Ethics and Science in Healthcare MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

ANALYTICAL REPORT

Sample code: EKA1-25-07-00490

Sample Name: S2

Sample quantity: 40g x 2 nos

Sample Appearance: Off White colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : BYBV-Concentrate

| Batch No : NLBYMWM1-004 | Unit Qty : 1000g |

Time of Sampling: 03:00 PM

Received On: 02/07/2025

Analysed between: 02/07/2025 to 04/07/2025

Sampling Details: Sampled collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 01/07/2025

Sampling Location: Rajagiri Hospital Aluva

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	4.400	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	4.400	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	4.400	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	4.400	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacontanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	All Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01
4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01
7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diapenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diflubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01
63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01
66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01

68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoxazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxypop-RMethyl	0.01
				Sulfentrazone and its metabolite	
82	Fenvalerate	0.01	199	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
				Spirotetramat	0.01
83	Fipronil	0.005	200	Metrafenone	0.01
84	Flonicamid	0.01	201	Fluxapyroxad	0.01
85	Fluazifop-p-butyl	0.01	202	Tetraconazole	0.01
86	Flubendiamide	0.01	203	Abamectin	0.01
87	Fluchloralin	0.01	204	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
88	Flufenacet	0.01	205	Sulfoxaflor	0.01
89	Flusilazole	0.01	206	Ferbam as CS2	0.01
90	Fluvalinate	0.01	207	Oxadiazon	0.01
91	Forchlorfenuron	0.01	208	Cinmethylen	0.01
92	Fosetyl-Al	0.01	209	Triacantanol	0.01
93	Glufosinate Ammonium	0.01	210	Milbemectin	0.01
94	Glyphosate	0.01	211	Sodium Aceflurofen	0.01
95	Halosulfuron methyl	0.01	212	Sodium Para Nitro Phenolate	0.01
96	Hexaconazole	0.01	213	Banned pesticides	
97	Hexazinone	0.01		Aldicarb	0.01
98	Hexythiazox	0.01	214	Aldrin, dieldrin	0.01
99	Iodosulfuron Methyl Sodium	0.01	215	Chlordane	0.01
100	Imazethapyr	0.01	216	Heptachlor	0.01
101	Imidacloprid	0.01	217	Lindane Gamma-HCH	0.01
102	Indoxacarb	0.01	218	Endosulfan	0.01
103	Iprobenfos	0.01	219	Carbofuran	0.01
104	Iprodione	0.01	220	Methomyl	0.01
105	Isoprothiolane	0.01	221	Phosphamidon	0.01
106	Isoproturon	0.01	222	Captafol 8	0.01
107	Kasugamycin	0.01	223	Formothion	0.01
108	Kresoxim Methyl	0.01	224	Simazine	0.01
109	Lambda cyhalothrin	0.01	225	Diazinon	0.01
110	Linuron	0.01	226	D.D.T	0.01
111	Lufenuron	0.01	227	Fenitrothion	0.01
112	Malathion	0.01	228	Fenthion	0.01
113	Mandipropamid	0.01	229	Methyl Parathion	0.01
114	Mepiquat Chloride	0.01	230	Ethyl Parathion	0.01
115	Mesosulfuron Methyl	0.01	231	Monocrotophos	0.01
116	Metaflumizone	0.01	232		
117	Metaxyl	0.01			

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare MESH)**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

ANALYTICAL REPORT

Sample code: EKA1-25-07-00490

Sample Name: S2

Sample quantity: 40g x 2 nos

Sample Appearance: Off White colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : BYBV-Concentrate

| Batch No : NLBYMWM1-004 | Unit Qty : 1000g |

Time of Sampling: 03:00 PM

Received On: 02/07/2025

Analysed between: 02/07/2025 to 04/07/2025

Sampling Details: Sampled Collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 01/07/2025

Sampling Location: Rajagiri Hospital Aluva

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-07-00491

Sample Name: S29

Sample quantity: 40g x 2 nos

Sample Appearance: Brown colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Avvatar Whey

Isolate | Batch No : AAVT25E11G | Unit Qty : 1000g |

Time of Sampling: 03:00 PM

Received On: 02/07/2025

Analysed between: 02/07/2025 to 04/07/2025

Sampling Details: Sample Collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 01/07/2025

Sampling Location: Rajagiri Hospital Aluva

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Copper Oxychloride	EKA-CHE-SOP-47	3.778	mg/kg	0.5
2	Copper Oxide	EKA-CHE-SOP-47	3.778	mg/kg	0.5
3	Copper Sulphate	EKA-CHE-SOP-47	3.778	mg/kg	0.5
4	Copper Hydroxide	EKA-CHE-SOP-47	3.778	mg/kg	0.5
5	Fosetyl-Al (sum, fosetyl-Aland phosphonic acid)	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
6	Chlormequat	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
7	Cartap Hydrochloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
8	Ethephon	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
9	Kasugamycin	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
10	Mepiquat Chloride	EKA-CHE-SOP-52	BLQ	mg/kg	0.01
11	Dithiocarbamates CS2	EKA-CHE-SOP-33	BLQ	mg/kg	0.01
12	Glyphosate	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
13	Glufosinate- ammonium	EKA-CHE-SOP-53	BLQ	mg/kg	0.01
14	Paraquat	EKA-CHE-SOP-54	BLQ	mg/kg	0.01
15	Dinocap	EKA-CHE-SOP-49	BLQ	mg/kg	0.01
16	Triacantanol	EKA-CHE-SOP-134	BLQ	mg/kg	0.01
17	All Analysed Pesticides	EKA-CHE-SOP-63	BLQ	mg/kg	-

List of molecules analysed by LC-MSMS & GC-MSMS (LOQ-mg/kg)

SL.No	Parameter Name	LOQ mg/kg	SL.No	Parameter Name	LOQ mg/kg
1	2,4-DichlorophenoxyAceticAcid	0.01	118	Metalaxyl-M	0.01
2	Acephate	0.01	119	Methabenzthiazuron	0.01
3	Acetamiprid	0.01	120	Methomyl	0.01
4	Alachlor	0.01	121	Methyl Chlorophenoxy Acetic Acid (MCPA)	0.01
5	Alpha cypermethrin	0.01	122	Methyl Parathion	0.01
6	Alpha naphthyl Acetic Acid	0.01	123	Metolachlor	0.01

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

7	Ametroctradin	0.01	124	Metribuzin	0.01
8	Anilophos	0.01	125	Metsulfuron Methyl	0.01
9	Atrazine	0.01	126	Monocrotophos	0.01
10	Azimsulfuron	0.01	127	Myclobutanil	0.01
11	Azoxystrobin	0.01	128	Novaluron	0.01
12	Benfuracarb	0.01	129	Orthosulfamuron	0.01
13	Sum of benomyl and carbendazim expressed as carbendazim	0.01	130	Oxadiargyl	0.01
14	Bensulfuron Methyl	0.01	131	Oxydemeton-Methyl	0.01
15	Beta Cyfluthrin	0.01	132	Oxyfluorfen	0.01
16	Bifenthrin	0.01	133	Paclobutrazol	0.01
17	BispyribacSodium	0.01	134	Paraquat dichloride	0.01
18	Bitertanol	0.01	135	Penconazole	0.01
19	Buprofezin	0.01	136	Pencycuron	0.01
20	Butachlor	0.01	137	Pendimethalin	0.01
21	Captan	0.01	138	Penoxuslum	0.01
22	Carbaryl	0.01	139	Permethrin	0.01
23	Carbendazim	0.01	140	Phenthoate	0.01
24	Carbofuran	0.002	141	Phorate	0.01
25	Carbosulfan	0.01	142	Phosalone	0.01
26	CarfentrazoneEthyl	0.01	143	Picoxystrobin	0.01
27	Carpropamid	0.01	144	Pinoxaden	0.01
28	Cartap Hydrochloride	0.01	145	Pretilachlor	0.01
29	Chlorantraniliprole	0.01	146	Pirimiphos-methyl	0.01
30	Chlorfenapyr	0.01	147	Profenofos	0.01
31	Chlorfluazuron	0.01	148	Prohexadione calcium	0.01
32	Chlorimuronethyl	0.01	149	Propaquizafop	0.01
33	Chlormequat Chloride(CCC)	0.01	150	Propargite	0.01
34	Chlorothalonil	0.01	151	Propiconazole	0.01
35	Chlorpropham	0.01	152	Propineb	0.01
36	Chlorpyrifos	0.01	153	Pyraclostrobin	0.01
37	Chlothianidin	0.01	154	Pyrazosulfuron ethyl	0.01
38	Chromafenozide	0.01	155	Pyridalyl	0.01
39	Clodinafop-propargyl	0.01	156	Pyriproxyfen	0.01
40	Clomazone	0.01	157	Pyriithiolac Sodium	0.01
41	Copper Hydroxide (Copper determined as elemental copper)	0.5	158	Pymetrozine	0.01
42	Copper Oxychloride (Copper determined as elemental copper)	0.5	159	Quinalphos	0.01
43	Copper Sulphate (Copper determined as elemental copper)	0.5	160	Quizalofopethyl	0.01
44	Cuprous Oxide (Copper determined as elemental copper)	0.5	161	Quizalofop-P-tefuryl	0.01
45	Cyantranilipole	0.01	162	Spinosad	0.01
46	Cyazofamid	0.01	163	Spiromesifen	0.01
47	Cyhalofop-butyl	0.01	164	Sulfosulfuron	0.01
48	Cymoxanil	0.01	165	Tebuconazole	0.01
49	Cypermethrin	0.01	166	Thiacloprid	0.01
50	Deltamethrin	0.01	167	Thifluzamide	0.01
51	Diafenthiuron	0.01	168	Thiodicarb	0.01
52	Dichlorvos	0.01	169	Thiamethoxam	0.01
53	Diclofop	0.01	170	Thiometon	0.01
54	Diclosulam	0.01	171	Thiophanate-Methyl	0.01
55	Dicofol	0.01	172	Tolfenpyrad	0.01
56	Difenoconazole	0.01	173	Trichlorfon	0.01
57	Diffubenzuron	0.01	174	Triadimefon	0.01
58	Dimethoate	0.01	175	Trifloxystrobin	0.01
59	Dimethomorph	0.01	176	Triallate	0.01
60	Dinocap	0.01	177	Triasulfuron	0.01
61	Dinotefuran	0.01	178	Triazophos	0.01
62	Dithianon	0.01	179	Tricyclazole	0.01
63	Dithiocarbamates as CS2	0.01	180	Tridemorph	0.01
64	Diuron	0.01	181	Trifluralin	0.01
65	Dodine	0.01	182	Validamycin	0.01

66	Edifenphos	0.01	183	Fluopicolide	0.01
67	Emamectin Benzoate	0.01	184	Tembotrione	0.01
68	Epoxyconazole	0.01	185	Propanil	0.01
69	Ethephon	0.01	186	Fluopyram and its metabolites	0.01
70	Ethion	0.01	187	Topramezone	0.01
71	Ethofenprox	0.01	188	Thiocyclam Hydrogen Oxalate	0.01
72	Ethoxysulfuron	0.01	189	2,4-D Amine Salt	0.01
73	Etoxazole	0.01	190	Ametyrn	0.01
74	Famoxadone	0.01	191	Fomesafen	0.01
75	Fenamidone	0.01	192	Imazamox	0.01
76	Fenarimol	0.01	193	Spinetoram and its metabolites	0.01
77	Fenazaquin	0.01	194	Bentazone	0.01
78	Fenobucarb	0.01	195	Cyflumetofen	0.01
79	Fenoxaprop-p-ethyl	0.01	196	Boscalid	0.01
80	Fenpropathrin	0.01	197	Flucetosulfuron	0.01
81	Fenpyroximate	0.01	198	Haloxyp-RMethyl	0.01
82	Fenvalerate	0.01	199	Sulfentrazone and its metabolite	0.01
83	Fipronil	0.005	200	Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	0.01
84	Flonicamid	0.01	201	Spirotetramat	0.01
85	Fluazifop-p-butyl	0.01	202	Metrafenone	0.01
86	Flubendiamide	0.01	203	Fluxapyroxad	0.01
87	Fluchloralin	0.01	204	Tetraconazole	0.01
88	Flufenacet	0.01	205	Abamectin	0.01
89	Flusilazole	0.01	206	Flupyradifurone and its metabolites Difluroacetic Acid and Difluroethylamino-furanone	0.01
90	Fluvalinate	0.01	207	Sulfoxaflor	0.01
91	Forchlorfenuron	0.01	208	Ferbam as CS2	0.01
92	Fosetyl-Al	0.01	209	Oxadiazon	0.01
93	Glufosinate Ammonium	0.01	210	Cinmethylen	0.01
94	Glyphosate	0.01	211	Triacantanol	0.01
95	Halosulfuron methyl	0.01	212	Milbemectin	0.01
96	Hexaconazole	0.01	213	Sodium Acefloufen	0.01
97	Hexazinone	0.01	214	Sodium Para Nitro Phenolate	0.01
98	Hexythiazox	0.01	215	Banned pesticides	0.01
99	Iodosulfuron Methyl Sodium	0.01	216	Aldicarb	0.01
100	Imazethapyr	0.01	217	Aldrin, dieldrin	0.01
101	Imidacloprid	0.01	218	Chlordane	0.01
102	Indoxacarb	0.01	219	Heptachlor	0.01
103	Iprobenfos	0.01	220	Lindane Gamma-HCH	0.01
104	Iprodione	0.01	221	Endosulfan	0.01
105	Isoprothiolane	0.01	222	Carbofuran	0.01
106	Isoproturon	0.01	223	Methomyl	0.01
107	Kasugamycin	0.01	224	Phosphamidon	0.01
108	Kresoxim Methyl	0.01	225	Captafol 8	0.01
109	Lambda cyhalothrin	0.01	226	Formothion	0.01
110	Linuron	0.01	227	Simazine	0.01
111	Lufenuron	0.01	228	Diazinon	0.01
112	Malathion	0.01	229	D.D.T	0.01
113	Mandipropamid	0.01	230	Fenitrothion	0.01
114	Mepiquat Chloride	0.01	231	Fenthion	0.01
115	Mesosulfuron Methyl	0.01	232	Methyl Parathion	0.01
116	Metaflumizone	0.01		Ethyl Parathion	0.01
117	Metaxyl	0.01		Monocrotophos	0.01

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare (MESH)**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****ANALYTICAL REPORT**

Sample code: EKA1-25-07-00491

Sample Name: S29

Sample quantity: 40g x 2 nos

Sample Appearance: Brown colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Avvatar Whey

Isolate | Batch No : AAVT25E11G | Unit Qty : 1000g |

Time of Sampling: 03:00 PM

Received On: 02/07/2025

Analysed between: 02/07/2025 to 04/07/2025

Sampling Details: Sample Collected By Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 01/07/2025

Sampling Location: Rajagiri Hospital Aluva

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
PESTICIDES					
1	Hydrogen Cyanamide	EKA-CHE-SOP-155	<10.0	µg/kg	10.0

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****