

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09916

Sample Name: S1

Sample quantity: 40g x 2 nos

Sample Appearance: Brown colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand: B-Protein | Batch
No : BPCH 240306 | Unit Qty : 500g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 10.12 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043
Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09917

Sample Name: S3

Sample quantity: 40g x 2 nos

Sample Appearance: Off White colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Complian
NUTRIGO | Batch No : A03973 | Unit Qty : 400g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 13.62 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09918

Sample Name: S4

Sample quantity: 40g x 2 nos

Sample Appearance: Off White colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : D-Protein | Batch

No : DPVAE 241008 | Unit Qty : 500g | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 13.57 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09919

Sample Name: S5

Sample quantity: 40g x 2 nos

Sample Appearance: Light Yellow colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Ensure - Diabetic |
Batch No : 70003MN 1 D | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 21.45 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09920

Sample Name: S6

Sample quantity: 40g x 2 nos

Sample Appearance: Cream colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Ensure - High
Protein | Batch No : 724742UH | Unit Qty : 400g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 32.78 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09921

Sample Name: S7

Sample quantity: 40g x 2 nos

Sample Appearance: Off White colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Ensure - Normal |
Batch No : 71023MN1 D | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 16.27 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09922

Sample Name: S8

Sample quantity: 40g x 2 nos

Sample Appearance: Light Yellow colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Horlicks - Protein

Plus | Batch No : 0607BC1B 02 | Unit Qty : 400g |

Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 38.09 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09923

Sample Name: S9

Sample quantity: 40g x 2 nos

Sample Appearance: Brown colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Prohance | Batch

No : ZRB0252 | Unit Qty : 400g | Time of Sample

Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 19.96 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09924

Sample Name: S10

Sample quantity: 40g x 2 nos

Sample Appearance: Brown colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Jan Oushadhi -
Whey | Batch No : ZJWC241K07 | Unit Qty : 1000g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 68.52 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09925

Sample Name: S11

Sample quantity: 40g x 2 nos

Sample Appearance: Cream colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Nak Pro Whey -
Gold | Batch No : GM0125 | Unit Qty : 1000g | Time
of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 67.53 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09926

Sample Name: S12

Sample quantity: 40g x 2 nos

Sample Appearance: Brown colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Nak Pro Whey -
Platinum | Batch No : PCO1124 | Unit Qty : 500g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 68.02 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09927

Sample Name: S13

Sample quantity: 40g x 2 nos

Sample Appearance: Cream colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Pediasure | Batch
No : 68041MN3D | Unit Qty : 200g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 17.03 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09928

Sample Name: S14

Sample quantity: 40g x 2 nos

Sample Appearance: Brown colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Protinex | Batch No
: PRCF004315 | Unit Qty : 400g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 38.13 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09929

Sample Name: S15

Sample quantity: 40g x 2 nos

Sample Appearance: Cream colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Resource - High
Protein | Batch No : 42260451HA | Unit Qty : 200g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 44.67 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09930

Sample Name: S16

Sample quantity: 40g x 2 nos

Sample Appearance: Cream colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Whole Truth -
Concentrate | Batch No : F2WCU144 | Unit Qty :
1000g | Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 78.24 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09931

Sample Name: S17

Sample quantity: 40g x 2 nos

Sample Appearance: Cream colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Whole Truth -
Isolate | Batch No : F2WIU129 | Unit Qty : 1000g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 86.81 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09932

Sample Name: S18

Sample quantity: 40g x 2 nos

Sample Appearance: Brown colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Celevida-LIV |
Batch No : DRL24017 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 50.61 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024****Dr. Cyriac Abby**

Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09933

Sample Name: S19

Sample quantity: 40g x 2 nos

Sample Appearance: Off White colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Kabi - Pro | Batch
No : 82SL20D037 | Unit Qty : 200g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|-----------------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 44.79 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,



Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09934

Sample Name: S20

Sample quantity: 40g x 2 nos

Sample Appearance: Off White colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Pentasure - HP |
Batch No : HND2409017 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 46.08 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09935

Sample Name: S21

Sample quantity: 40g x 2 nos

Sample Appearance: Brown colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Naturaltein | Batch

No : NWP I C250502 | Unit Qty : 300g | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 80.16 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09936

Sample Name: S22

Sample quantity: 40g x 2 nos

Sample Appearance: Of White colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : TrueBasics Whey

Isolate | Batch No : MMCWPV002 | Unit Qty : 1000g |

Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 82.07 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09937

Sample Name: S23

Sample quantity: 40g x 2 nos

Sample Appearance: Brown colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Impact Whey
Isolate | Batch No : W419927786 | Unit Qty : 250g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 81.91 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09938

Sample Name: S24

Sample quantity: 30g x 5 nos

Sample Appearance: Off White colour Powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : As-It-Is Whey
Isolate | Batch No : AW 5053 | Unit Qty : 250g | Time
of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 83.14 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09939

Sample Name: S25

Sample quantity: 40g x 2 nos

Sample Appearance: Cream colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Fresubin HP |
Batch No : ZHPV020325 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 21.62 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09940

Sample Name: S26

Sample quantity: 40g x 2 nos

Sample Appearance: Off White colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Hepa PRO | Batch
No : HPMFE 250301 (L2) | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 14.10 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,



Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09941

Sample Name: S27

Sample quantity: 40g x 2 nos

Sample Appearance: Light Yellow colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Lamino HP | Batch

No : ZLHP051124 | Unit Qty : 7 sachets | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 63.78 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09942

Sample Name: S28

Sample quantity: 40g x 2 nos

Sample Appearance: Off White colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Pedia GOLD |
Batch No : HND2407023 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 17.12 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09943

Sample Name: S30

Sample quantity: 40g x 2 nos

Sample Appearance: Brown colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : IsoPure Whey |
Batch No : ISC25021 | Unit Qty : 1000g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 81.20 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09944

Sample Name: S31

Sample quantity: 36g x 4 nos

Sample Appearance: Cream colour Powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : Trunativ | Batch No
: TNWBM-008 | Unit Qty : 400g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 74.24 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,



Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09945

Sample Name: S32

Sample quantity: 40g x 2 nos

Sample Appearance: Off White colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : MN Whey

Concentrate | Batch No : MNWPCUF-25051 | Unit Qty

: 400g | Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 80.22 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,



Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09946

Sample Name: S33

Sample quantity: 33g x 4 nos

Sample Appearance: Light Yellow colour Powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : Phab Whey | Batch
No : JP/SIB-16/25 | Unit Qty : 213g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 76.08 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,



Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare (MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-09947

Sample Name: S34

Sample quantity: 33g x 4 nos

Sample Appearance: Off White colour Powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : MAXN Whey |
Batch No : WPAF 040625 | Unit Qty : 264g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 02/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|----------|-----------|----------------|---------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI833 | Protein | IS 7219: 1973 | 73.07 | g/100 g | 0.1 |

LOQ: Limit of Quantification ,

Ms Ramadevi

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-07-00486

Sample Name: S2

Sample quantity: 40g x 2 nos

Sample Appearance: Off White Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : BYBV-Concentrate

| Batch No : NLBYMWM1-004 | Unit Qty : 1000g |

Time of Sample Collection : 03:00 pm

Received On: 02/07/2025

Analysed between: 03/07/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 01/07/2025

Sampling Location: Rajagiri Hospital Aluva

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|-----------------|-----------|----------------|--------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI3267 | Protein | IS 7219:1973 | 57.16 | g/100 g | 0.1 |

LOQ: Limit of Quantification,

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024



Scan for Scope



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-07-00487

Sample Name: S29

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Avvatar Whey
Isolate | Batch No : AAVT25E11G | Unit Qty : 1000g |
Time of Sample Collection : 03:00 pm

Received On: 02/07/2025

Analysed between: 03/07/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 01/07/2025

Sampling Location: Rajagiri Hospital Aluva

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

| Sr.No. | Test Code | Test Parameter | Test Method | Result | Unit | LOQ |
|-----------------|-----------|----------------|--------------|--------|---------|-----|
| CHEMICAL | | | | | | |
| 1 | E1NI3267 | Protein | IS 7219:1973 | 71.29 | g/100 g | 0.1 |

LOQ: Limit of Quantification,

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****