

**Mission for Ethics and Science in Healthcare
(MESH)**

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10012

Sample Name: S1

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : B-Protein | Batch
No : BPCH 240306 | Unit Qty : 500g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STERIODS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	0.00291	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10013

Sample Name: S3

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Complian
NUTRIGO | Batch No : A03973 | Unit Qty : 400g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10014

Sample Name: S4

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : D-Protin | Batch

No : DPVAE 241008 | Unit Qty : 500g | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10015

Sample Name: S5

Sample quantity: 40g x 2 nos

Sample Appearance: Light Yellow colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Ensure - Diabetic |
Batch No : 70003MN 1 D | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

**Mission for Ethics and Science in Healthcare
(MESH)**

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10016

Sample Name: S6

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Ensure - High
Protein | Batch No : 724742UH | Unit Qty : 400g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemica

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

**Mission for Ethics and Science in Healthcare
(MESH)**

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10017

Sample Name: S7

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Ensure - Normal |
Batch No : 71023MN1 D | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10018

Sample Name: S8

Sample quantity: 40g x 2 nos

Sample Appearance: Light Yellow colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Horlicks - Protein

Plus | Batch No : 0607BC1B 02 | Unit Qty : 400g |

Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10019

Sample Name: S9

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Prohance | Batch

No : ZRB0252 | Unit Qty : 400g | Time of Sample

Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10020

Sample Name: S10

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Jan Oushadhi -
Whey | Batch No : ZJWC241K07 | Unit Qty : 1000g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10021

Sample Name: S11

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Nak Pro Whey -
Gold | Batch No : GM0125 | Unit Qty : 1000g | Time
of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10022

Sample Name: S12

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Nak Pro Whey -
Platinum | Batch No : PCO1124 | Unit Qty : 500g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10023

Sample Name: S13

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Pediasure | Batch
No : 68041MN3D | Unit Qty : 200g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

**Mission for Ethics and Science in Healthcare
(MESH)**

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10024

Sample Name: S14

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Protinex | Batch No
: PRCF004315 | Unit Qty : 400g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10025

Sample Name: S15

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Resource - High
Protein | Batch No : 42260451HA | Unit Qty : 200g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10026

Sample Name: S16

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Whole Truth -
Concentrate | Batch No : F2WCU144 | Unit Qty :
1000g | Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10027

Sample Name: S17

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Whole Truth -
Isolate | Batch No : F2WIU129 | Unit Qty : 1000g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

**Mission for Ethics and Science in Healthcare
(MESH)**

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10028

Sample Name: S18

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Celevida-LIV |
Batch No : DRL24017 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10029

Sample Name: S19

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Kabi - Pro | Batch
No : 82SL20D037 | Unit Qty : 200g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10030

Sample Name: S20

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Pentasure - HP |
Batch No : HND2409017 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10031
Sample Name: S21
Sample quantity: 40g x 2 nos
Sample Appearance: Brown Colour Powder
Condition on receipt: Good
Sample packing: Sealed Plastic Container
Environmental Condition: Not Applicable
Customer provided details: Brand : Naturaltein | Batch
No : NWP I C250502 | Unit Qty : 300g | Time of
Sample Collection : 12:00

Received On: 28/06/2025
Analysed between: 30/06/2025 to 04/07/2025
Sampling Details: Sample Collected by Eureka
Sampling Procedure: EKA-MSP-17
Sampling date: 27/06/2025
Sampling Location: Aluva Rajagiri Hospital
Job File Reference: Not Applicable
Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	0.00362	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,
BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu
Authorised Signatory
Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.
Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10032

Sample Name: S22

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : TrueBasics Whey
Isolate | Batch No : MMCWPV002 | Unit Qty : 1000g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10033

Sample Name: S23

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Impact Whey
Isolate | Batch No : W419927786 | Unit Qty : 250g |
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

**Mission for Ethics and Science in Healthcare
(MESH)**

**Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024**

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10034

Sample Name: S24

Sample quantity: 30g x 5 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : As-It-Is Whey
Isolate | Batch No : AW 5053 | Unit Qty : 250g | Time
of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10035

Sample Name: S25

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Fresubin HP |
Batch No : ZHPV020325 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10036

Sample Name: S26

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Hepa PRO | Batch
No : HPMFE 250301 (L2) | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10037

Sample Name: S27

Sample quantity: 40g x 2 nos

Sample Appearance: Light Yellow colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Lamino HP | Batch

No : ZLHP051124 | Unit Qty : 7 sachets | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	0.0015	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10038

Sample Name: S28

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Pedia GOLD |
Batch No : HND2407023 | Unit Qty : 400g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10039

Sample Name: S30

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : IsoPure Whey |
Batch No : ISC25021 | Unit Qty : 1000g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10040

Sample Name: S31

Sample quantity: 36g x 4 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : Trunativ | Batch No
: TNWBM-008 | Unit Qty : 400g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10041

Sample Name: S32

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : MN Whey
Concentrate | Batch No : MNWPCUF-25051 | Unit Qty
: 400g | Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10042

Sample Name: S33

Sample quantity: 33g x 4 nos

Sample Appearance: Light Yellow colour powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : Phab Whey | Batch
No : JP/SIB-16/25 | Unit Qty : 213g | Time of Sample
Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,
Trivandrum-695024

Dr. Cyriac Abby



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA1-25-06-10043

Sample Name: S34

Sample quantity: 33g x 4 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : MAXN Whey |
Batch No : WPAF 040625 | Unit Qty : 264g | Time of
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 30/06/2025 to 04/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
STEROIDS					
1	17-beta-Estradiol	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
2	Medroxyprogesterone-17-acetate	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
3	Progesterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005
4	17-alpha-Methyltestosterone	EKA-CHE-SOP-132	BLQ	mg/kg	0.0005

LOQ: Limit of Quantification,

BLQ: Below Limit of Quantification.

Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

***** END OF REPORT *****

Eureka Analytical Services Pvt Ltd,

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732