

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10044

Sample Name: S1

Sample quantity: 40g x 2 nos

Sample Appearance: Brown colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : B-Protein | Batch  
No : BPCH 240306 | Unit Qty : 500g | Time of Sample  
Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva, Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	4.83	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	< 0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	0.79	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	1.93	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	0.51	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	0.27	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	0.22	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	0.38	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	0.31	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	0.33	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	0.42	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	0.07	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	0.44	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	0.24	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.55	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	0.51	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

17	Isoleucine	EKA-CHE-SOP-84	0.37	g/100 g	0.01
18	Leucine	EKA-CHE-SOP-84	0.61	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	0.78	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	< 0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	0.71	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10045

Sample Name: S3

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Complian  
NUTRIGO | Batch No : A03973 | Unit Qty : 400g |  
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	8.90	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	< 0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	1.35	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	2.90	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	0.76	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	0.39	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	0.25	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	0.75	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	0.37	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	0.55	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	0.53	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	0.18	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	0.67	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	0.38	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.50	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	0.65	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

17	Isoleucine	EKA-CHE-SOP-84	0.65	g/100 g	0.01
18	Leucine	EKA-CHE-SOP-84	1.24	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	1.42	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	< 0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	1.14	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10046

Sample Name: S4

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : D-Protein | Batch

No : DPVAE 241008 | Unit Qty : 500g | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	< 0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	< 0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	1.18	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	3.12	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	0.78	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	0.47	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	0.28	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	0.59	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	0.48	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	0.50	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	0.65	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	0.11	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	0.70	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	0.39	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.30	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	0.76	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

17	Isoleucine	EKA-CHE-SOP-84	0.59	g/100 g	0.01
18	Leucine	EKA-CHE-SOP-84	1.20	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	1.38	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	< 0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	1.15	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*



Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10047

Sample Name: S5

Sample quantity: 40g x 2 nos

Sample Appearance: Light Yellow Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Ensure - Diabetic |  
Batch No : 70003MN 1 D | Unit Qty : 400g | Time of  
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	< 0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	9.77	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	1.71	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	5.07	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	1.27	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	0.77	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	0.40	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	0.94	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	0.81	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	0.71	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	1.12	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	0.10	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	1.20	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	0.63	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.35	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	1.25	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

17	Isoleucine	EKA-CHE-SOP-84	0.95	g/100 g	0.01
18	Leucine	EKA-CHE-SOP-84	1.89	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	2.12	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	1.70	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*



Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10048

Sample Name: S6

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Ensure - High  
Protein | Batch No : 724742UH | Unit Qty : 400g |  
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	1.29	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	3.04	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	7.03	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	1.81	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.12	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	0.82	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	1.31	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	1.45	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	1.23	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	1.44	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	0.28	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	1.57	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	0.83	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.53	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	1.74	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

17	Isoleucine	EKA-CHE-SOP-84	1.36	g/100 g	0.01
18	Leucine	EKA-CHE-SOP-84	2.78	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	3.15	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	2.41	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10049

Sample Name: S7

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Ensure - Normal |  
Batch No : 71023MN1 D | Unit Qty : 400g | Time of  
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	4.81	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	1.41	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	3.72	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	0.94	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	0.56	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	0.33	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	0.72	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	0.59	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	0.60	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	0.79	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	0.13	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	0.88	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	0.48	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.40	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	0.91	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

17	Isoleucine	EKA-CHE-SOP-84	0.74	g/100 g	0.01
18	Leucine	EKA-CHE-SOP-84	1.42	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	1.73	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	1.33	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10050

Sample Name: S8

Sample quantity: 40g x 2 nos

Sample Appearance: Light Yellow Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Horlicks - Protein

Plus | Batch No : 0607BC1B 02 | Unit Qty : 400g |

Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	< 0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	1.51	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	3.86	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	7.79	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	2.05	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.01	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	1.73	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	1.98	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	1.46	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	1.93	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	1.29	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	0.49	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	1.84	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	0.91	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.51	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	1.62	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

17	Isoleucine	EKA-CHE-SOP-84	1.86	g/100 g	0.01
18	Leucine	EKA-CHE-SOP-84	3.15	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	3.68	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	2.71	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*



Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10051

Sample Name: S9

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Prohance | Batch

No : ZRB0252 | Unit Qty : 400g | Time of Sample

Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	6.23	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	2.09	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	4.07	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	1.04	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	0.58	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	0.49	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	0.84	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	0.85	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	0.82	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	0.81	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	0.27	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	0.92	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	0.47	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.41	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	1.00	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	0.86	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732



18	Leucine	EKA-CHE-SOP-84	1.42	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	2.26	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	1.64	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10052

Sample Name: S10

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Jan Oushadhi -  
Whey | Batch No : ZJWC241K07 | Unit Qty : 1000g |  
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	4.83	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	< 0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	8.28	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	12.86	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	3.98	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.6	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	1.28	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	5.01	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	1.92	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	4.16	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	2.1	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	1.86	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	3.29	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	1.81	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.83	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	2.38	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

17	Isoleucine	EKA-CHE-SOP-84	3.73	g/100 g	0.01
18	Leucine	EKA-CHE-SOP-84	7.53	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	7.97	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	5.52	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10053

Sample Name: S11

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Nak Pro Whey -  
Gold | Batch No : GM0125 | Unit Qty : 1000g | Time  
of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	7.80	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	13.02	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	3.88	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.64	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	1.24	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	4.64	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	1.87	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	3.87	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	2.18	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	1.66	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	3.24	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	1.82	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.89	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	2.48	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	3.48	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

18	Leucine	EKA-CHE-SOP-84	5.91	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	9.06	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	5.72	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10054

Sample Name: S12

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Nak Pro Whey -  
Platinum | Batch No : PCO1124 | Unit Qty : 500g |  
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	7.74	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	12.64	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	3.82	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.69	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	1.29	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	4.71	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	1.97	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	3.81	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	2.15	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	1.79	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	3.32	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	1.77	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.90	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	2.49	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	3.63	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

18	Leucine	EKA-CHE-SOP-84	6.97	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	8.25	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	5.45	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*



Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10055

Sample Name: S13

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Pediasure | Batch

No : 68041MN3D | Unit Qty : 200g | Time of Sample

Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	4.70	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	1.30	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	3.35	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	0.85	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	0.52	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	0.31	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	0.67	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	1.22	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	0.55	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	0.74	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	0.15	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	0.80	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	0.45	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.32	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	0.85	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	0.67	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

18	Leucine	EKA-CHE-SOP-84	1.12	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	1.67	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	1.26	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10056

Sample Name: S14

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Protinex | Batch No

: PRCF004315 | Unit Qty : 400g | Time of Sample

Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	3.43	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	4.05	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	7.68	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	1.99	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.16	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	1.43	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	1.42	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	2.26	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	1.58	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	1.49	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	0.42	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	1.62	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	0.71	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.47	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	2.01	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	1.49	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

18	Leucine	EKA-CHE-SOP-84	2.66	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	3.25	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	2.43	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10057

Sample Name: S15

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Resource - High  
Protein | Batch No : 42260451HA | Unit Qty : 200g |  
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	4.67	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	9.27	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	2.51	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.20	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	1.29	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	2.66	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	1.37	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	2.30	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	1.56	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	0.80	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	2.30	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	1.25	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.47	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	1.83	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	2.37	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

18	Leucine	EKA-CHE-SOP-84	4.15	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	5.23	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	3.68	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*



Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10058

Sample Name: S16

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Whole Truth -  
Concentrate | Batch No : F2WCU144 | Unit Qty :  
1000g | Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	9.39	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	15.37	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	4.62	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.79	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	1.49	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	5.73	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	2.15	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	4.62	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	2.55	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	2.07	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	3.99	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	2.06	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.88	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	2.82	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	4.42	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732



18	Leucine	EKA-CHE-SOP-84	8.49	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	9.69	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	6.43	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10059

Sample Name: S17

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Whole Truth -  
Isolate | Batch No : F2WIU129 | Unit Qty : 1000g |  
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	9.80	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	15.70	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	4.23	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.75	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	1.32	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	5.80	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	1.58	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	4.51	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	2.49	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	2.20	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	3.91	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	2.07	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.79	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	2.53	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	4.72	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

18	Leucine	EKA-CHE-SOP-84	9.87	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	9.99	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	6.35	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10060

Sample Name: S18

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Celevida-LIV |  
Batch No : DRL24017 | Unit Qty : 400g | Time of  
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	1.22	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	4.97	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	7.75	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	2.15	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	0.97	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	0.80	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	4.59	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	1.41	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	2.17	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	1.34	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	1.03	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	6.17	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	1.00	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.45	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	1.62	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	5.50	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

18	Leucine	EKA-CHE-SOP-84	4.56	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	5.56	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	3.50	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10061

Sample Name: S19

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Kabi - Pro | Batch

No : 82SL20D037 | Unit Qty : 200g | Time of Sample

Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	5.46	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	8.44	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	2.44	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.04	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	0.85	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	3.25	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	1.16	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	2.59	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	1.33	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	1.15	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	2.27	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	1.11	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.49	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	1.60	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	2.51	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

18	Leucine	EKA-CHE-SOP-84	4.88	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	5.24	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	3.98	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*



Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10062

Sample Name: S20

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Pentasure - HP |  
Batch No : HND2409017 | Unit Qty : 400g | Time of  
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	1.55	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	5.32	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	9.42	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	2.52	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.41	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	1.52	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	2.06	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	2.68	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	2.11	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	1.75	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	0.61	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	2.25	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	0.93	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.60	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	2.43	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	2.17	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

18	Leucine	EKA-CHE-SOP-84	3.87	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	4.66	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	3.15	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10063

Sample Name: S21

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Naturaltein | Batch

No : NWP I C250502 | Unit Qty : 300g | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	8.82	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	14.18	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	3.98	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.51	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	1.20	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	5.50	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	1.73	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	4.42	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	2.16	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	1.94	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	3.71	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	1.87	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.70	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	2.33	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	4.41	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

18	Leucine	EKA-CHE-SOP-84	7.73	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	9.58	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	6.29	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10064

Sample Name: S22

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : TrueBasics Whey  
Isolate | Batch No : MMCWPV002 | Unit Qty : 1000g |  
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	8.99	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	14.59	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	4.10	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.55	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	1.23	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	5.63	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	1.74	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	4.55	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	2.19	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	1.99	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	3.75	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	1.92	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.75	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	2.37	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	4.47	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

18	Leucine	EKA-CHE-SOP-84	8.28	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	9.58	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	6.40	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*



Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10065

Sample Name: S23

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Impact Whey  
Isolate | Batch No : W419927786 | Unit Qty : 250g |  
Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	9.17	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	14.65	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	3.99	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.59	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	1.31	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	5.11	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	1.62	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	4.16	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	2.35	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	2.04	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	3.61	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	1.91	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.72	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	2.52	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	4.19	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732



18	Leucine	EKA-CHE-SOP-84	6.92	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	10.37	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	6.30	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

**Mission for Ethics and Science in Healthcare  
(MESH)**

**Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024**

**Dr. Cyriac Abby**



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10066

Sample Name: S24

Sample quantity: 30g x 5 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : As-It-Is Whey  
Isolate | Batch No : AW 5053 | Unit Qty : 250g | Time  
of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	10.09	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	16.18	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	4.56	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.69	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	1.36	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	6.12	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	1.69	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	5.01	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	2.45	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	2.23	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	3.81	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	1.90	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	2.19	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	1.09	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	2.01	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

18	Leucine	EKA-CHE-SOP-84	4.43	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	10.78	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	7.03	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10067

Sample Name: S25

Sample quantity: 40g x 2 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Fresubin HP |  
Batch No : ZHPV020325 | Unit Qty : 400g | Time of  
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	2.53	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	2.38	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	4.66	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	1.35	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	0.65	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	0.49	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	1.41	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	0.74	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	1.08	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	0.88	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	0.40	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	1.17	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	0.66	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.26	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	1.00	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	1.18	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

18	Leucine	EKA-CHE-SOP-84	1.66	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	2.85	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	1.92	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10068

Sample Name: S26

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Hepa PRO | Batch  
No : HPMFE 250301 (L2) | Unit Qty : 400g | Time of  
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	9.03	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	1.81	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	2.84	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	0.82	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	0.35	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	0.34	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	1.00	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	0.47	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	0.81	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	0.54	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	0.33	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	0.72	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	0.41	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.26	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	0.61	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	0.80	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

18	Leucine	EKA-CHE-SOP-84	1.43	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	1.85	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	1.45	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*



Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10069

Sample Name: S27

Sample quantity: 40g x 2 nos

Sample Appearance: Light Yellow colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Lamino HP | Batch

No : ZLHP051124 | Unit Qty : 7 sachets | Time of

Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	7.84	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	12.51	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	3.56	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.84	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	2.51	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	2.65	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	4.48	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	3.01	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	2.37	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	0.92	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	2.49	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	0.99	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.76	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	3.42	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	2.53	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

18	Leucine	EKA-CHE-SOP-84	4.78	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	5.65	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	4.01	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10070

Sample Name: S28

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : Pedia GOLD |  
Batch No : HND2407023 | Unit Qty : 400g | Time of  
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	16.79	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	2.12	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	3.31	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	1.01	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	0.39	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	0.37	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	1.26	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	0.60	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	0.98	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	0.54	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	0.42	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	0.89	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	0.47	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.26	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	0.68	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	1.00	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

18	Leucine	EKA-CHE-SOP-84	1.60	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	2.23	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	1.73	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10071

Sample Name: S30

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : IsoPure Whey |  
Batch No : ISC25021 | Unit Qty : 1000g | Time of  
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	9.43	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	15.16	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	4.16	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.47	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	1.31	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	5.68	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	1.64	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	4.53	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	2.34	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	2.17	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	3.84	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	2.00	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.74	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	2.46	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	4.56	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

18	Leucine	EKA-CHE-SOP-84	8.74	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	9.91	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	6.80	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*



Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10072

Sample Name: S31

Sample quantity: 36g x 4 nos

Sample Appearance: Cream Colour Powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : Trunativ | Batch No

: TNWBM-008 | Unit Qty : 400g | Time of Sample

Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	8.54	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	13.64	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	4.09	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.56	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	1.36	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	5.05	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	2.04	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	4.15	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	2.34	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	1.89	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	3.60	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	1.89	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.65	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	2.53	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	3.96	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732



18	Leucine	EKA-CHE-SOP-84	6.78	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	9.37	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	6.12	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10073

Sample Name: S32

Sample quantity: 40g x 2 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand : MN Whey

Concentrate | Batch No : MNWPCUF-25051 | Unit Qty

: 400g | Time of Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	8.98	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	14.23	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	4.26	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.63	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	1.39	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	5.50	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	2.11	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	4.46	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	2.41	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	1.97	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	3.78	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	2.02	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.71	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	2.57	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	4.32	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

18	Leucine	EKA-CHE-SOP-84	7.76	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	9.81	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	6.69	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10074

Sample Name: S33

Sample quantity: 33g x 4 nos

Sample Appearance: Light Yellow colour powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : Phab Whey | Batch

No : JP/SIB-16/25 | Unit Qty : 213g | Time of Sample

Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	8.81	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	13.76	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	3.97	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.48	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	1.31	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	5.28	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	1.76	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	4.31	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	2.21	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	1.99	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	3.50	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	1.86	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.67	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	2.33	g/100 g	0.01
17	Isoleucine	EKA-CHE-SOP-84	4.08	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

18	Leucine	EKA-CHE-SOP-84	7.14	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	9.10	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	6.08	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024

Dr. Cyriac Abby



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-06-10075

Sample Name: S34

Sample quantity: 33g x 4 nos

Sample Appearance: Off white colour powder

Condition on receipt: Good

Sample packing: Sealed Aluminium Pack

Environmental Condition: Not Applicable

Customer provided details: Brand : MAXN Whey |  
Batch No : WPAF 040625 | Unit Qty : 264g | Time of  
Sample Collection : 12:00

Received On: 28/06/2025

Analysed between: 01/07/2025 to 03/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 27/06/2025

Sampling Location: Aluva Rajagiri Hospital

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
1	Aspartic acid	EKA-CHE-SOP-84	8.52	g/100 g	0.01
2	Glutamic acid	EKA-CHE-SOP-84	13.47	g/100 g	0.01
4	Serine	EKA-CHE-SOP-84	4.04	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.47	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	1.37	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	5.06	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	1.89	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	4.18	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	2.17	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	1.90	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	3.38	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	1.86	g/100 g	0.01
16	Tryptophan	EKA-CHE-SOP-84	0.68	g/100 g	0.01
17	Phenylalanine	EKA-CHE-SOP-84	2.48	g/100 g	0.01
18	Isoleucine	EKA-CHE-SOP-84	3.78	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

19	Leucine	EKA-CHE-SOP-84	7.59	g/100 g	0.01
20	Lysine	EKA-CHE-SOP-84	8.55	g/100 g	0.01
21	Hydroxyproline	EKA-CHE-SOP-84	<0.01	g/100 g	0.01
23	Proline	EKA-CHE-SOP-84	6.22	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*



Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-07-00494

Sample Name: S2

Sample quantity: 40g x 2 nos

Sample Appearance: Off White Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand: BYBV-Concentrate

| Batch No: NLBYMWM1-004 | Unit Qty: 1000g |

Time of Sample Collection: 03:00 pm

Received On: 02/07/2025

Analysed between: 03/07/2025 to 06/07/2025

Sampling Details: Sample Colloected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 01/07/2025

Sampling Location: Rajagiri Hospital Aluva

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	< 0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	6.71	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	11.36	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	3.26	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.65	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	1.07	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	4.24	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	1.78	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	3.13	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	2.15	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	1.39	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	3.05	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	1.53	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.48	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	2.31	g/100 g	0.01

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Page 1 of 2

17	Isoleucine	EKA-CHE-SOP-84	3.19	g/100 g	0.01
18	Leucine	EKA-CHE-SOP-84	5.72	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	6.89	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	< 0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	5.90	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732

Mission for Ethics and Science in Healthcare  
(MESH)

Gowrisankaram, PRA 93B Pattoor, Pettah,  
Trivandrum-695024



Scan for Scope



Scan for Authentication

## ANALYTICAL REPORT

Sample code: EKA1-25-07-00495

Sample Name: S29

Sample quantity: 40g x 2 nos

Sample Appearance: Brown Colour Powder

Condition on receipt: Good

Sample packing: Sealed Plastic Container

Environmental Condition: Not Applicable

Customer provided details: Brand: Avvatar Whey  
Isolate | Batch No: AAVT25E11G | Unit Qty: 1000g |  
Time of Sample Collection: 03:00 pm

Received On: 02/07/2025

Analysed between: 03/07/2025 to 06/07/2025

Sampling Details: Sample Collected by Eureka

Sampling Procedure: EKA-MSP-17

Sampling date: 01/07/2025

Sampling Location: Rajagiri Hospital Aluva

Job File Reference: Not Applicable

Seal No: Not Applicable

### Test Results

Sr.No.	Test Parameter	Test Method	Result	Unit	LOQ
<b>CHEMICAL</b>					
1	Sucrose	AOAC 21 <sup>st</sup> edition 982.14:2019	<0.5	g/100 g	0.5
2	Fructose	AOAC 21 <sup>st</sup> edition 982.14:2019	< 0.5	g/100 g	0.5
<b>AMINO ACID PROFILE</b>					
3	Aspartic acid	EKA-CHE-SOP-84	9.13	g/100 g	0.01
4	Glutamic acid	EKA-CHE-SOP-84	14.60	g/100 g	0.01
5	Serine	EKA-CHE-SOP-84	4.27	g/100 g	0.01
6	Histidine	EKA-CHE-SOP-84	1.79	g/100 g	0.01
7	Glycine	EKA-CHE-SOP-84	1.35	g/100 g	0.01
8	Threonine	EKA-CHE-SOP-84	6.13	g/100 g	0.01
9	Arginine	EKA-CHE-SOP-84	1.91	g/100 g	0.01
10	Alanine	EKA-CHE-SOP-84	4.31	g/100 g	0.01
11	Tyrosine	EKA-CHE-SOP-84	2.31	g/100 g	0.01
12	Cysteine	EKA-CHE-SOP-84	1.94	g/100 g	0.01
13	Valine	EKA-CHE-SOP-84	3.87	g/100 g	0.01
14	Methionine	EKA-CHE-SOP-84	1.79	g/100 g	0.01
15	Tryptophan	EKA-CHE-SOP-84	0.91	g/100 g	0.01
16	Phenylalanine	EKA-CHE-SOP-84	2.65	g/100 g	0.01

17	Isoleucine	EKA-CHE-SOP-84	4.46	g/100 g	0.01
18	Leucine	EKA-CHE-SOP-84	7.34	g/100 g	0.01
19	Lysine	EKA-CHE-SOP-84	9.86	g/100 g	0.01
20	Hydroxyproline	EKA-CHE-SOP-84	< 0.01	g/100 g	0.01
21	Proline	EKA-CHE-SOP-84	7.25	g/100 g	0.01

LOQ: Limit of Quantification,



Mr Varaprasad A Babu

Authorised Signatory

Chemical

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

\*\*\*\*\* END OF REPORT \*\*\*\*\*

**Eureka Analytical Services Pvt Ltd,**

AB Square, #617, 5th Main, OMBR Layout, Kasturi Nagar main road, Banaswadi Bangalore-560043

Email: info@eurekaserv.com, Website: www.eurekaserv.com, CIN: U73100KA2019PTC127732