

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01925

Sample receipt date: 12/12/2025

Sample name: Paracetamol Tablets IP 650 mg

Analysed between: 12/12/2025 to 16/12/2025

Sample appearance: White oval shaped biconvex uncoated tablets,
scored on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 45 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 1 | Medicine: Acetaminophen |

Source: JAUSH | Batch No: PRT2501-160M | Exp : Dec.26

Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		850.7	mg	-	-
4	Uniformity of weight		-2.5 to + 1.8	%	-	± 5.0
5	Dissolution		92.5 to 98.7	%	650 mg	Q. Not less than 80
6	Related Substances		IP-2022			
	4-aminophenol	Not detected		%	650 mg	Not more than 0.1
	4-chloroacetanilide	Not detected		ppm		Not more than 10
	Any other secondary Impurities	Not detected		%		Not more than 0.25
7	Assay: Each uncoated tablet contains					
	Paracetamol	IP- 2022	642.6 mg (i.e. 98.9 %)	mg	650 mg	617.5 mg to 682.5 mg (i.e. 95.0 % to 105.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01926

Sample receipt date: 12/12/2025

Sample name: Bicocetamol -650 (Paracetamol Tablets IP)

Analysed between: 12/12/2025 to 16/12/2025

Sample appearance: White oval shaped biconvex uncoated tablets, scored on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 2 | Medicine: Acetaminophen |

Job file no.: Not Applicable

Source: GENERIC | Batch No: SPAC25022 | Exp : Feb.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		765.9	mg	-	-
4	Uniformity of weight		-2.1 to + 1.5	%	-	± 5.0
5	Dissolution		95.6 to 97.6	%	650 mg	Q. Not less than 80
6	Related Substances	IP-2022				
	4-aminophenol		Not detected	%	650 mg	Not more than 0.1
	4-chloroacetanilide		Not detected	ppm		Not more than 10
	Any other secondary Impurities		Not detected	%		Not more than 0.25
7	Assay: Each uncoated tablet contains					
	Paracetamol	IP-2022	643.6 mg (i.e. 99.0 %)	mg	650 mg	617.5 mg to 682.5 mg (i.e. 95.0 % to 105.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01927	Sample receipt date: 12/12/2025
Sample name: Paracetamol Tablets IP	Analysed between: 12/12/2025 to 16/12/2025
Sample appearance: White oval shaped biconvex uncoated tablets, scored on one side and plain on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 3 Medicine: Acetaminophen Source: DAVA Batch No: BHK05AAA Exp : Apr.28	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		774.4	mg	-	-
4	Uniformity of weight		-1.9 to + 2.2	%	-	± 5.0
5	Dissolution		96.1 to 98.2	%	650 mg	Q. Not less than 80
6	Related Substances		IP-2022	Not detected	%	650 mg
	4-aminophenol	Not detected		ppm	Not more than 10	
	4-chloroacetanilide	Not detected		%	Not more than 0.25	
7	Assay: Each uncoated tablet contains					
	Paracetamol	IP-2022	641.9 mg (i.e. 98.8 %)	mg	650 mg	617.5 mg to 682.5 mg (i.e. 95.0 % to 105.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01928

Sample receipt date: 12/12/2025

Sample name: Paracip-650 (Paracetamol Tablets IP 650 mg)

Analysed between: 12/12/2025 to 16/12/2025

Sample appearance: White oval shaped biconvex uncoated tablets, scored on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 45 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 4 | Medicine: Acetaminophen |

Source: BGENERIC | Batch No: ICHT4118 | Exp : Aug.27

Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		742.8	mg	-	-
4	Uniformity of weight		-2.2 to + 1.7	%	-	± 5.0
5	Dissolution		97.3 to 99.1	%	650 mg	Q. Not less than 80
6	Related Substances		IP-2022	4-aminophenol	Not detected	%
	4-chloroacetanilide	Not detected		ppm	650 mg	Not more than 10
	Any other secondary Impurities	Not detected		%		Not more than 0.25
7	Assay: Each uncoated tablet contains					
	Paracetamol	IP-2022	646.2 mg (i.e. 99.4 %)	mg	650 mg	617.5 mg to 682.5 mg (i.e. 95.0 % to 105.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01929	Sample receipt date: 12/12/2025
Sample name: Dolo-650 (Paracetamol Tablets IP)	Analysed between: 12/12/2025 to 16/12/2025
Sample appearance: White oval shaped biconvex uncoated tablets, scored on one side and having "DOLO 650" on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 45 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No: 5 Medicine: Acetaminophen Source: BRAND Batch No: DOBS4092 Exp: May.29	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		824.9	mg	-	-
4	Uniformity of weight		-1.2 to + 1.6	%	-	± 5.0
5	Dissolution		97.5 to 99.6	%	650 mg	Q. Not less than 80
6	Related Substances	IP-2022	4-aminophenol	Not detected	%	Not more than 0.1
	4-chloroacetanilide		Not detected	ppm	650 mg	Not more than 10
	Any other secondary Impurities		Not detected	%		Not more than 0.25
7	Assay: Each uncoated tablet contains					
	Paracetamol	IP-2022	647.5 mg (i.e. 99.6 %)	mg	650 mg	617.5 mg to 682.5 mg (i.e. 95.0 % to 105.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01930

Sample receipt date: 12/12/2025

Sample name: Calpol-650 (Paracetamol Tablets IP 650 mg)

Analysed between: 12/12/2025 to 16/12/2025

Sample appearance: White elongated shaped biconvex uncoated tablet having inscribed “Calpol” on one side and “650 +” on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 45 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 6 | Medicine: Acetaminophen |
Source: BRAND | Batch No: EC25203 | Exp : Sep.27


Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		860.1	mg	-	-
4	Uniformity of weight		-1.5 to + 1.9	%	-	± 5.0
5	Dissolution		96.7 to 99.4	%	650 mg	Q. Not less than 80
6	Related Substances		IP-2022			
	4-aminophenol	Not detected		%	650 mg	Not more than 0.1
	4-chloroacetanilide	Not detected		ppm		Not more than 10
	Any other secondary Impurities	Not detected		%		Not more than 0.25
7	Assay: Each uncoated tablet contains					
	Paracetamol	IP-2022	645.8 mg (i.e. 99.4 %)	mg	650 mg	617.5 mg to 682.5 mg (i.e. 95.0 % to 105.0 %)

Eureka Analytical Services Private Limited

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01931	Sample receipt date: 12/12/2025
Sample name: Azithromycin Tablets IP 500 mg	Analysed between: 12/12/2025 to 22/12/2025
Sample appearance: White elongated biconvex film coated tablet, scored on one side and plain on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 7 Medicine: Azithromycin Source: JAUSH Batch No: AMA250109 Exp : Dec.26	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		703.5	mg	-	-
4	Uniformity of weight		-2.7 to + 1.3	%	-	± 5.0
5	Dissolution		84.6 to 89.4	%	500 mg	Q. Not less than 75
6	Related Substances					
6	Azithromycin impurity B	IP-2022	Not detected	%	500 mg	Not more than 2.0
	Total other secondary Impurities		Not detected	%		Not more than 3.0
7	Assay: Each film coated tablet contains					
	Azithromycin (as Dihydrate) Eq. to Anhydrous Azithromycin	IP-2022	482.6 mg (i.e. 96.5 %)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01932

Sample receipt date: 12/12/2025

Sample name: Azithromycin Tablets IP 500 mg

Analysed between: 12/12/2025 to 22/12/2025

Sample appearance: White elongated biconvex film coated tablet,
scored on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 32 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 8 | Medicine: Azithromycin |

Job file no.: Not Applicable

Source: GENADH | Batch No: 169AE13 | Exp : Nov.26

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		623.6	mg	-	-
4	Uniformity of weight		-1.9 to + 1.2	%	-	± 5.0
5	Dissolution		86.3 to 91.7	%	500 mg	Q. Not less than 75
6	Related Substances					
6	Azithromycin impurity B	IP-2022	Not detected	%	500 mg	Not more than 2.0
	Total other secondary Impurities		Not detected	%		Not more than 3.0
7	Assay: Each film coated tablet contains					
	Azithromycin Eq. to Anhydrous Azithromycin	IP-2022	485.8 mg (i.e. 97.2 %)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01933

Sample receipt date: 12/12/2025

Sample name: Azithromycin Tablets IP 500 mg

Analysed between: 12/12/2025 to 22/12/2025

Sample appearance: White elongated biconvex film coated tablet,
scored on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 9 | Medicine: Azithromycin |

Job file no.: Not Applicable


Source: DAVA | Batch No: T6281 | Exp : Sep.26

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		718.2	mg	-	-
4	Uniformity of weight		-1.2 to + 1.9	%	-	± 5.0
5	Dissolution		87.8 to 91.6	%	500 mg	Q. Not less than 75
6	Related Substances	IP-2022				
	Azithromycin impurity B		Not detected	%	500 mg	Not more than 2.0
	Total other secondary Impurities		Not detected	%		Not more than 3.0
7	Assay: Each film coated tablet contains					
	Azithromycin Dihydrate Eq. to Azithromycin (Anhydrous)	IP-2022	486.2 mg (i.e. 97.2 %)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01934

Sample receipt date: 12/12/2025

Sample name: AZAX-500 (Azithromycin Tablets IP 500 mg)

Analysed between: 12/12/2025 to 22/12/2025

Sample appearance: Yellow coloured elongated biconvex film coated tablet, scored on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 10 | Medicine: Azithromycin |

Source: BGENERIC | Batch No: MWC0036 | Exp : May.25

Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		689.1	mg	-	-
4	Uniformity of weight		-1.1 to + 1.4	%	-	± 5.0
5	Dissolution		93.7 to 101.2	%	500 mg	Q. Not less than 75
6	Related Substances					
	Azithromycin impurity B	IP-2022	Not detected	%	500 mg	Not more than 2.0
Total other secondary Impurities	Not detected		%	Not more than 3.0		
7	Assay: Each film coated tablet contains					
	Azithromycin as Dihydrate equivalent to Azithromycin (Anhydrous)	IP-2022	503.8 mg (i.e. 100.8 %)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01935	Sample receipt date: 12/12/2025
Sample name: Azipro 500 Tablets(Azithromycin Tablets IP 500mg)	Analysed between: 12/12/2025 to 22/12/2025
Sample appearance: White elongated biconvex film coated tablet, scored on one side and plain on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 39 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 11 Medicine: Azithromycin Source: BGENERIC Batch No: 4070129 Exp : Aug.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		658.7	mg	-	-
4	Uniformity of weight		-2.3 to + 1.9	%	-	± 5.0
5	Dissolution		94.8 to 102.1	%	500 mg	Q. Not less than 75
6	Related Substances	IP-2022				
	Azithromycin impurity B		Not detected	%	500 mg	Not more than 2.0
	Total other secondary Impurities		Not detected	%		Not more than 3.0
7	Assay: Each film coated tablet contains					
	Azithromycin as Dihydrate Eq. to Azithromycin (Anhydrous)	IP-2022	504.5 mg (i.e. 100.9 %)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01936

Sample receipt date: 12/12/2025

Sample name: AZEE-500 (Azithromycin Tablets IP 500 mg)

Analysed between: 12/12/2025 to 22/12/2025

Sample appearance: White elongated biconvex film coated tablet,
scored on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample seal no.: Not Applicable

Sample quantity: 40 Nos

Sampling procedure: Not Applicable

Condition on receipt: Good

Sampling date: Not Applicable

Sample packing: Sealed Pack

Sampling location: Not Applicable

Environmental condition: Not Applicable

Job file no.: Not Applicable

Customer provided details: S.R No : 12 | Medicine: Azithromycin |

Source: BRAND | Batch No: 5SN0224 | Exp : Dec.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		672.1	mg	-	-
4	Uniformity of weight		-1.1 to + 1.5	%	-	± 5.0
5	Dissolution		96.4 to 102.5	%	500 mg	Q. Not less than 75
6	Related Substances					
	Azithromycin impurity B	IP-2022	Not detected	%	500 mg	Not more than 2.0
	Total other secondary Impurities		Not detected	%		Not more than 3.0
7	Assay: Each film coated tablet contains					
	Azithromycin as Dihydrate Eq. to Azithromycin (Anhydrous)	IP-2022	507.7 mg (i.e. 101.5 %)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01937

Sample receipt date: 12/12/2025

Sample name: Azithral-500 (Azithromycin Tablets IP 500 mg)

Analysed between: 12/12/2025 to 22/12/2025

Sample appearance: Light yellow coloured elongated biconvex film coated tablet, scored on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 13 | Medicine: Azithromycin |

Job file no.: Not Applicable


Source: BRAND | Batch No: 2508000347 | Exp : Feb.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		805.2	mg	-	-
4	Uniformity of weight		-1.5 to + 1.1	%	-	± 5.0
5	Dissolution		97.3 to 102.4	%	500 mg	Q. Not less than 75
6	Related Substances		IP-2022	Not detected	%	500 mg
	Azithromycin impurity B	Not detected		%	Not more than 3.0	
	Total other secondary Impurities	Not detected		%		
7	Assay: Each film coated tablet contains					
	Azithromycin (as Dihydrate) equivalent to Azithromycin Anhydrous	IP-2022	509.3 mg (i.e. 101.9 %)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)

Eureka Analytical Services Private Limited

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02042	Sample receipt date: 12/12/2025
Sample name: Amoxicillin Capsule IP 500 mg	Analysed between: 12/12/2025 to 19/12/2025
Sample appearance: Red/Red coloured unsealed hard gelatin capsule containing off white granular powder	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 14 Medicine: Amoxicillin Source: JAUSH Batch No: GC4205 Exp : Dec.26	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		691.6	mg	-	-
4	Average fill weight		597.6	mg	-	-
5	Uniformity of fill weight		-2.5 to +3.2	%	-	± 7.5
6	Dissolution		92.2 to 98.3	%	500 mg	Q. Not less than 80
7	Assay: Each hard gelatin capsule contains					
	Amoxicillin trihydrate Eq. to Amoxicillin	IP-2022	492.6 mg (i.e. 98.5 %)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

<p>Sample code: EKA2-25-12-02043</p> <p>Sample name: MOXILIUM- 500 (Amoxicillin Trihydrate Capsule IP)</p> <p>Sample appearance: Yellow/Yellow coloured unsealed hard gelatin capsule containing light yellow granular powder and having imprinted “MOXILIUM 500” on both cap and body</p> <p>Sample quantity: 45 Nos</p> <p>Condition on receipt: Good</p> <p>Sample packing: Sealed Pack</p> <p>Environmental condition: Not Applicable</p> <p>Customer provided details: S.R No : 15 Medicine: Amoxicillin Source: GENERIC Batch No: SPAK24007 Exp : Aug.26</p>	<p>Sample receipt date: 12/12/2025</p> <p>Analysed between: 12/12/2025 to 19/12/2025</p> <p>Sampling details: Not Sampled by Eureka</p> <p>Sample seal no.: Not Applicable</p> <p>Sampling procedure: Not Applicable</p> <p>Sampling date: Not Applicable</p> <p>Sampling location: Not Applicable</p> <p>Job file no.: Not Applicable</p>
--	--

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		707.5	mg	-	-
4	Average fill weight		607.2	mg	-	-
5	Uniformity of fill weight		-2.3 to +2.6	%	-	± 7.5
6	Dissolution		93.5 to 99.6	%	500 mg	Q. Not less than 80
7	Assay: Each hard gelatin capsule contains					
	Amoxicillin trihydrate Eq. to Amoxicillin	IP-2022	493.6 mg (i.e. 98.7 %)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02044	Sample receipt date: 12/12/2025
Sample name: Amoxicillin Trihydrate Capsule IP 500 mg	Analysed between: 12/12/2025 to 19/12/2025
Sample appearance: Yellow/Yellow coloured unsealed hard gelatin capsule containing off white granular powder and having imprinted “AMOXY” on cap and “500” on body	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 16 Medicine: Amoxicillin Source: DAVA Batch No: BC-241017/D Exp : Sep.26	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		687.6	mg	-	-
4	Average fill weight		592.2	mg	-	-
5	Uniformity of fill weight		-3.5 to +2.9	%	-	± 7.5
6	Dissolution		87.6 to 93.4	%	500 mg	Q. Not less than 80
7	Assay: Each hard gelatin capsule contains					
	Amoxicillin trihydrate Eq. to Amoxicillin	IP-2022	487.3 mg (i.e. 97.5 %)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02045	Sample receipt date: 12/12/2025
Sample name: Cipmox 500 (Amoxicillin Trihydrate Capsule IP 500 mg)	Analysed between: 12/12/2025 to 19/12/2025
Sample appearance: Yellow/Yellow coloured unsealed hard gelatin capsule containing off white granular powder and having imprinted "CIPMOX 500" on both cap and body	Sampling details: Not Sampled by Eureka
Sample quantity: 45 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 17 Medicine: Amoxicillin Source: BGENERIC Batch No: 5KMO127 Exp : Mar.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		695.8	mg	-	-
4	Average fill weight		593.4	mg	-	-
5	Uniformity of fill weight		-1.5 to +1.9	%	-	± 7.5
6	Dissolution		94.8 to 101.2	%	500 mg	Q. Not less than 80
7	Assay: Each hard gelatin capsule contains					
	Amoxicillin trihydrate Eq. to Amoxicillin	IP-2022	502.3 mg (i.e. 100.5%)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02046	Sample receipt date: 12/12/2025
Sample name: MOKCAN- 500 (Amoxicillin Capsule IP 500 mg)	Analysed between: 12/12/2025 to 19/12/2025
Sample appearance: Yellow coloured unsealed hard gelatin capsule containing off white granular powder	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 18 Medicine: Amoxicillin Source: BGENERIC Batch No: AD25001 Exp : Jan.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		680.4	mg	-	-
4	Average fill weight		583.5	mg	-	-
5	Uniformity of fill weight		-1.2 to +1.7	%	-	± 7.5
6	Dissolution		93.6 to 98.9	%	500 mg	Q. Not less than 80
7	Assay: Each hard gelatin capsule contains					
	Amoxicillin trihydrate Eq. to Amoxicillin	IP-2022	494.1 mg (i.e. 98.8 %)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02047	Sample receipt date: 12/12/2025
Sample name: MOX CAPSULES 500 mg (Amoxicillin Trihydrate Capsule IP)	Analysed between: 12/12/2025 to 19/12/2025
Sample appearance: Yellow/Yellow coloured unsealed hard gelatin capsule containing off white granular powder and having imprinted "MOX 500" on both cap and body	Sampling details: Not Sampled by Eureka
Sample quantity: 45 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 19 Medicine: Amoxicillin Source: BRAND Batch No: DFG3177A Exp : Apr.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		720.2	mg	-	-
4	Average fill weight		615.9	mg	-	-
5	Uniformity of fill weight		-1.8 to +1.3	%	-	± 7.5
6	Dissolution		96.2 to 104.1	%	500 mg	Q. Not less than 80
7	Assay: Each hard gelatin capsule contains					
	Amoxicillin trihydrate Eq. to Amoxicillin	IP-2022	505.5 mg (i.e. 101.1 %)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02048
 Sample name: Novamox 500 (Amoxicillin Trihydrate Capsule IP 500 mg)
 Sample appearance: Dark orange/dark orange coloured unsealed hard gelatin capsule containing off white granular powder and having imprinted “Novamox 500” on both cap and body
 Sample quantity: 45 Nos
 Condition on receipt: Good
 Sample packing: Sealed Pack
 Environmental condition: Not Applicable

Sample receipt date: 12/12/2025
 Analysed between: 12/12/2025 to 19/12/2025
 Sampling details: Not Sampled by Eureka
 Sample seal no.: Not Applicable
 Sampling procedure: Not Applicable
 Sampling date: Not Applicable
 Sampling location: Not Applicable
 Job file no.: Not Applicable

Customer provided details: S.R No : 20 | Medicine: Amoxicillin |
 Source: BRAND | Batch No: 5KMO189 | Exp : Apr.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		697.4	mg	-	-
4	Average fill weight		592.6	mg	-	-
5	Uniformity of fill weight		-1.4 to +1.1	%	-	± 7.5
6	Dissolution		97.2 to 103.3	%	500 mg	Q. Not less than 80
7	Assay: Each hard gelatin capsule contains					
	Amoxicillin trihydrate Eq. to Amoxicillin	IP-2022	503.9 mg (i.e. 100.8%)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01938

Sample receipt date: 12/12/2025

Sample name: Ranitidine Hydrochloride Tablets IP 150 mg

Analysed between: 12/12/2025 to 23/12/2025

Sample appearance: Orange coloured round shaped biconvex film coated tablet, plain on both sides

Sampling details: Not Sampled by Eureka

Sample seal no.: Not Applicable

Sample quantity: 40 Nos

Sampling procedure: Not Applicable

Condition on receipt: Good

Sampling date: Not Applicable

Sample packing: Sealed Pack

Sampling location: Not Applicable

Environmental condition: Not Applicable

Job file no.: Not Applicable

Customer provided details: S.R No: 21 | Medicine: Ranitidine |

Source: JAUSH | Batch No: RDHT-1053 | Exp: Jan.28

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		291.7	mg	-	-
4	Uniformity of weight		-2.5 to + 1.8	%	-	± 5.0
5	Dissolution		88.5 to 95.3	%	150 mg	Q. Not less than 80
6	Related substances	IP-2022				
	Any secondary impurity		Not detected	%	150 mg	Not more than 0.5
	One secondary impurity		Not detected	%		Not more than 0.3
Three other secondary Impurities	Not detected	%	Not more than 0.1			
7	Assay: Each film coated tablet contains					
	Ranitidine Hydrochloride Equivalent to Ranitidine	IP- 2022	145.8 mg (i.e. 97.2 %)	mg	150 mg	135.0 mg to 165.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT


Sample code: EKA2-25-12-01939	Sample receipt date: 12/12/2025
Sample name: SWASTAC-150 (Ranitidine Tablets IP 150 mg)	Analysed between: 12/12/2025 to 23/12/2025
Sample appearance: Orange coloured round shaped biconvex film coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 22 Medicine: Ranitidine	Job file no.: Not Applicable
Source: GENADH Batch No: 169DG02 Exp : Sep.26	

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit			
CHEMICAL									
1	Description	-	Complies	-	-	-			
2	Identification (A & B)	IP-2022	Complies	-	-	-			
3	Average weight		333.1	mg	-	-			
4	Uniformity of weight		-1.1 to + 1.4	%	-	± 5.0			
5	Dissolution		90.7 to 96.4	%	150 mg	Q. Not less than 80			
6	Related substances		IP-2022	Not detected	%	150 mg	Not more than 0.5		
	Any secondary impurity	Not detected						%	Not more than 0.3
	One secondary impurity	Not detected						%	Not more than 0.1
7	Three other secondary Impurities		Not detected	%		Not more than 0.1			
	Assay: Each film coated tablet contains								
	Ranitidine Hydrochloride	IP- 2022	144.5 mg	mg	150 mg	135.0 mg to 165.0 mg			
	Eq. to Ranitidine		(i.e. 96.3 %)				(i.e. 90.0 % to 110.0 %)		

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******



Scan for Authentication

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024

ANALYTICAL REPORT

Sample code: EKA2-25-12-01940

Sample receipt date: 12/12/2025

Sample name: HISTAC-150 (Ranitidine Hydrochloride Tablets IP)

Analysed between: 12/12/2025 to 23/12/2025

Sample appearance: White round shaped biconvex film coated tablet, having inscribed "HISTAC" on one side and "150" on other side

Sampling details: Not Sampled by Eureka

Sample seal no.: Not Applicable

Sampling procedure: Not Applicable

Sample quantity: 60 Nos

Sampling date: Not Applicable

Condition on receipt: Good

Sampling location: Not Applicable

Sample packing: Sealed Pack

Job file no.: Not Applicable

Environmental condition: Not Applicable

Customer provided details: S.R No : 23 | Medicine: Ranitidine |
Source: BGENERIC | Batch No: DFF7844A | Exp : May.26

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		305.5	mg	-	-
4	Uniformity of weight		-1.7 to + 1.2	%	-	± 5.0
5	Dissolution		95.6 to 102.3	%	150 mg	Q. Not less than 80
6	Related substances	IP-2022				
	Any secondary impurity		Not detected	%	150 mg	Not more than 0.5
	One secondary impurity		Not detected	%		Not more than 0.3
	Three other secondary Impurities		Not detected	%		Not more than 0.1
7	Assay: Each film coated tablet contains					
	Ranitidine Hydrochloride Equivalent to Ranitidine	IP- 2022	151.7 mg (i.e. 101.1 %)	mg	150 mg	135.0 mg to 165.0 mg (i.e. 90.0 % to 110.0 %)

Eureka Analytical Services Private Limited

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01941
 Sample name: RANITIN-150 (Ranitidine Hydrochloride Tablets IP)
 Sample appearance: White round shaped biconvex film coated tablet, having inscribed "RANITIN 150" on one side and plain on other side
 Sample quantity: 40 Nos
 Condition on receipt: Good
 Sample packing: Sealed Pack
 Environmental condition: Not Applicable

Sample receipt date: 12/12/2025
 Analysed between: 12/12/2025 to 23/12/2025
 Sampling details: Not Sampled by Eureka
 Sample seal no.: Not Applicable
 Sampling procedure: Not Applicable
 Sampling date: Not Applicable
 Sampling location: Not Applicable
 Job file no.: Not Applicable

Customer provided details: S.R No : 24 | Medicine: Ranitidine |
 Source: BRAND | Batch No: 2CH3M004 | Exp : Mar.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		270.5	mg	-	-
4	Uniformity of weight		-1.7 to + 1.1	%	-	± 5.0
5	Dissolution		95.3 to 102.9	%	150 mg	Q. Not less than 80
6	Related substances		IP-2022	Any secondary impurity	Not detected	%
	One secondary impurity	Not detected		%	Not more than 0.5	
	Three other secondary Impurities	Not detected		%	Not more than 0.3	
7	Assay: Each film coated tablet contains					
	Ranitidine Hydrochloride	IP- 2022	152.4 mg	mg	150 mg	135.0 mg to 165.0 mg

Eureka Analytical Services Private Limited

	Equivalent to Ranitidine		(i.e. 101.6 %)			(i.e. 90.0 % to 110.0 %)
--	--------------------------	--	----------------	--	--	--------------------------

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01942	Sample receipt date: 12/12/2025
Sample name: RANTAC 150 (Ranitidine Tablets IP 150 mg)	Analysed between: 12/12/2025 to 23/12/2025
Sample appearance: Orange coloured round shaped biconvex film coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 25 Medicine: Ranitidine	Job file no.: Not Applicable
Source: BRAND Batch No: TR325135 Exp : Nov.26	

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		193.1	mg	-	-
4	Uniformity of weight		-2.4 to + 2.0	%	-	± 5.0
5	Dissolution		94.9 to 100.2	%	150 mg	Q. Not less than 80
6	Related substances		IP-2022	Not detected	%	150 mg
	Any secondary impurity	Not detected		%	Not more than 0.3	
	One secondary impurity	Not detected		%	Not more than 0.1	
7	Three other secondary Impurities		Not detected	%		Not more than 0.1
	Assay: Each film coated tablet contains					
	Ranitidine Hydrochloride	IP- 2022	151.4 mg	mg	150 mg	135.0 mg to 165.0 mg
	Equivalent to Ranitidine		(i.e.100.9 %)			(i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01943

Sample receipt date: 12/12/2025

Sample name: Pantoprazole Gastro-Resistant Tablets IP 40 mg

Analysed between: 12/12/2025 to 22/12/2025

Sample appearance: Green coloured round biconvex enteric coated tablet, plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 26 | Medicine: Pantoprazole |

Job file no.: Not Applicable

Source: JAUSH | Batch No: THE25013AL | Exp : Jun.27


TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP- 2022	Complies	-	-	-
3	Average weight		120.7	mg	-	-
4	Uniformity of weight		-1.9 to + 2.7	%	-	± 7.5
5	Related substances					
	Pantoprazole related compound A	IP 2022	Not detected	%	40 mg	Not more than 0.5
	Pantoprazole related compound D		Not detected			
	Pantoprazole related compound F		Not detected			
	Pantoprazole related compound B		Not detected			Not more than 0.3
	Any other secondary impurity		Not detected			Not more than 0.2
	Sum of all the secondary impurities		Not detected			Not more than 1.0
6	Dissolution					
	A. Acid stage	IP- 2022	1.2 to 4.6	%	40 mg	Not more than 10
	B. Buffer stage		83.8 to 87.9	%		Q. Not less than 75

Eureka Analytical Services Private Limited

7	Assay: Each enteric coated tablet contains					
	Pantoprazole sodium		38.9 mg			36.0 mg to 44.0 mg
	Eq. to Pantoprazole	IP- 2022	(i.e. 97.3 %)	mg	40 mg	(i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01944	Sample receipt date: 12/12/2025
Sample name: Pantoprazole Gastro-Resistant Tablets IP 40 mg	Analysed between: 12/12/2025 to 22/12/2025
Sample appearance: Yellow coloured round biconvex enteric coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 45 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 27 Medicine: Pantoprazole Source: GENADH Batch No: PGW25003 Exp : Apr.27	Job file no.: Not Applicable


TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP- 2022	Complies	-	-	-
3	Average weight		126.2	mg	-	-
4	Uniformity of weight		-2.0 to + 3.5	%	-	± 7.5
5	Related substances					
6	Pantoprazole related compound A	IP 2022	Not detected	%	40 mg	Not more than 0.5
	Pantoprazole related compound D		Not detected			
	Pantoprazole related compound F		Not detected			
	Pantoprazole related compound B		Not detected			
	Any other secondary impurity		Not detected			
	Sum of all the secondary impurities		Not detected			
6	Dissolution	IP- 2022				
	A. Acid stage		1.9 to 5.5	%	40 mg	Not more than 10
	B. Buffer stage		86.9 to 93.4	%		Q. Not less than 75

Eureka Analytical Services Private Limited

7	Assay: Each enteric coated tablet contains					
	Pantoprazole sodium		39.1 mg			36.0 mg to 44.0 mg
	Eq. to Pantoprazole	IP- 2022	(i.e. 97.8 %)	mg	40 mg	(i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01945	Sample receipt date: 12/12/2025
Sample name: Pantoziv 40 (Pantoprazole Gastro-Resistant Tablets IP)	Analysed between: 12/12/2025 to 22/12/2025
Sample appearance: Yellow coloured round biconvex enteric coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 28 Medicine: Pantoprazole Source: GENERIC Batch No: GD25131 Exp : Jul.27	Job file no.: Not Applicable


TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP- 2022	Complies	-	-	-
3	Average weight		205.9	mg	-	-
4	Uniformity of weight		-1.7 to + 2.2	%	-	± 7.5
5	Related substances					
	Pantoprazole related compound A	IP 2022	Not detected	%	40 mg	Not more than 0.5
	Pantoprazole related compound D		Not detected			
	Pantoprazole related compound F		Not detected			
	Pantoprazole related compound B		Not detected			Not more than 0.3
	Any other secondary impurity		Not detected			Not more than 0.2
	Sum of all the secondary impurities		Not detected			Not more than 1.0
6	Dissolution					
	A. Acid stage	IP- 2022	1.5 to 5.1	%	40 mg	Not more than 10

Eureka Analytical Services Private Limited

	B. Buffer stage		84.9 to 92.7	%		Q. Not less than 75
7	Assay: Each enteric coated tablet contains					
	Pantoprazole sodium Eq. to Pantoprazole	IP- 2022	38.7 mg (i.e. 96.8 %)	mg	40 mg	36.0 mg to 44.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01946

Sample receipt date: 12/12/2025

Sample name: Pantosec (Pantoprazole Tablets IP 40 mg)

Analysed between: 12/12/2025 to 22/12/2025

Sample appearance: Yellow coloured round biconvex enteric coated tablet, plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 29 | Medicine: Pantoprazole |

Job file no.: Not Applicable

Source: BGENERIC | Batch No: PNS250614 | Exp : May.27


TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP- 2022	Complies	-	-	-
3	Average weight		84.6	mg	-	-
4	Uniformity of weight		-2.3 to + 3.3	%	-	± 7.5
5	Related substances					
	Pantoprazole related compound A	IP 2022	Not detected	%	40 mg	Not more than 0.5
	Pantoprazole related compound D		Not detected			
	Pantoprazole related compound F		Not detected			
	Pantoprazole related compound B		Not detected			Not more than 0.3
	Any other secondary impurity		Not detected			Not more than 0.2
	Sum of all the secondary impurities		Not detected			Not more than 1.0
6	Dissolution					
	A. Acid stage	IP- 2022	1.4 to 3.2	%	40 mg	Not more than 10

Eureka Analytical Services Private Limited

	B. Buffer stage		91.1 to 99.5	%		Q. Not less than 75
7	Assay: Each enteric coated tablet contains					
	Pantoprazole sodium Eq. to Pantoprazole	IP- 2022	40.6 mg (i.e. 101.5 %)	mg	40 mg	36.0 mg to 44.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01947	Sample receipt date: 12/12/2025
Sample name: PENTALOC 40 (Pantoprazole Gastro-Resistant Tablets IP 40 mg)	Analysed between: 12/12/2025 to 22/12/2025
Sample appearance: Yellow coloured oval shaped biconvex enteric coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 45 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 30 Medicine: Pantoprazole Source: BGENERIC Batch No: JKFD25014 Exp : Aug.28	Job file no.: Not Applicable


TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP- 2022	Complies	-	-	-
3	Average weight		210.8	mg	-	-
4	Uniformity of weight		-0.9 to + 2.1	%	-	± 7.5
5	Related substances					
	Pantoprazole related compound A	IP 2022	Not detected	%	40 mg	Not more than 0.5
	Pantoprazole related compound D		Not detected			
	Pantoprazole related compound F		Not detected			
	Pantoprazole related compound B		Not detected			Not more than 0.3
	Any other secondary impurity		Not detected			Not more than 0.2
	Sum of all the secondary impurities		Not detected			Not more than 1.0
6	Dissolution					
	A. Acid stage	IP- 2022	1.5 to 3.9	%	40 mg	Not more than 10

Eureka Analytical Services Private Limited

	B. Buffer stage		92.6 to 100.4	%		Q. Not less than 75
7	Assay: Each gastro-resistant tablet contains					
	Pantoprazole sodium Eq. to Pantoprazole	IP- 2022	40.6 mg (i.e. 101.5 %)	mg	40 mg	36.0 mg to 44.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01948

Sample receipt date: 12/12/2025

Sample name: Pantodac 40 (Pantoprazole Gastro-Resistant Tablets IP)

Analysed between: 12/12/2025 to 22/12/2025

Sample appearance: Yellow coloured oval shaped biconvex gastro-resistant coated tablet, plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 45 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 31 | Medicine: Pantoprazole | Source: BRAND | Batch No: I501615 | Exp : Mar.28

Job file no.: Not Applicable


TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP- 2022	Complies	-	-	-
3	Average weight		205.8	mg	-	-
4	Uniformity of weight		-1.4 to + 2.3	%	-	± 7.5
5	Related substances					
	Pantoprazole related compound A	IP 2022	Not detected	%	40 mg	Not more than 0.5
	Pantoprazole related compound D		Not detected			
	Pantoprazole related compound F		Not detected			
	Pantoprazole related compound B		Not detected			Not more than 0.3
	Any other secondary impurity		Not detected			Not more than 0.2
	Sum of all the secondary impurities		Not detected			Not more than 1.0
6	Dissolution					
	A. Acid stage	IP- 2022	1.1 to 4.3	%	40 mg	Not more than 10

Eureka Analytical Services Private Limited

	B. Buffer stage		93.8 to 102.5	%		Q. Not less than 75
7	Assay: Each gastro-resistant tablet contains					
	Pantoprazole sodium Eq. to Pantoprazole	IP- 2022	40.3 mg (i.e. 100.8 %)	mg	40 mg	36.0 mg to 44.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT


Sample code: EKA2-25-12-01949	Sample receipt date: 12/12/2025
Sample name: Pantocid 40 (Pantoprazole Tablets IP)	Analysed between: 12/12/2025 to 22/12/2025
Sample appearance: Yellow coloured round biconvex enteric coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 45 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 32 Medicine: Pantoprazole Source: BRAND Batch No: GTG2276A Exp : Jun.28	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP- 2022	Complies	-	-	-
3	Average weight		217.4	mg	-	-
4	Uniformity of weight		-2.1 to + 2 .6	%	-	± 7.5
5	Related substances					
6	Pantoprazole related compound A	IP 2022	Not detected	%	40 mg	Not more than 0.5
	Pantoprazole related compound D		Not detected			
	Pantoprazole related compound F		Not detected			
	Pantoprazole related compound B		Not detected			Not more than 0.3
	Any other secondary impurity		Not detected			Not more than 0.2
	Sum of all the secondary impurities		Not detected			Not more than 1.0
6	Dissolution					
	A. Acid stage	IP- 2022	1.2 to 4.6	%	40 mg	Not more than 10

	B. Buffer stage		94.6 to 101.4	%		Q. Not less than 75
7	Assay: Each enteric coated tablet contains					
	Pantoprazole sodium Eq. to Pantoprazole	IP- 2022	41.1 mg (i.e. 102.8 %)	mg	40 mg	36.0 mg to 44.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01950

Sample receipt date: 12/12/2025

Sample name: Omeprazole Gasto-resistant Capsule IP 20 mg

Analysed between: 12/12/2025 to 22/12/2025

Sample appearance: Blue/white coloured unsealed hard gelatin capsule containing white round pellets

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 33 | Medicine: Omeprazole |

Source: JAUSH | Batch No: Z25-812 | Exp : Jun.27

Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		253.2	mg	-	-
4	Average fill weight		202.6	mg	-	-
5	Uniformity of fill weight		-1.8 to +2.6	%	-	± 7.5
6	Dissolution					
	A. Acid stage	IP-2022	1.1 to 2.3	%	20 mg	Not more than 10
	B. Buffer stage		82.2 to 88.3	%		Q. Not less than 70
7	Loss on drying			1.21	%	-
8	Assay: Each hard gelatin capsule contains					
	Omeprazole	IP-2022	19.1 mg (i.e. 95.5 %)	mg	20 mg	18.0 mg to 22.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01951

Sample receipt date: 12/12/2025

Sample name: Swomez-C20 capsules (Omeprazole Capsules IP 20 mg)

Analysed between: 12/12/2025 to 22/12/2025

Sample appearance: Pink/white clear transparent unsealed hard gelatin capsule containing white round pellets

Sampling details: Not Sampled by Eureka

Sample quantity: 50 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Job file no.: Not Applicable

Customer provided details: S.R No : 34 | Medicine: Omeprazole |
Source: GENADH | Batch No: SD0466 | Exp : Aug.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		335.4	mg	-	-
4	Average fill weight		274.8	mg	-	-
5	Uniformity of fill weight		-2.2 to +3.2	%	-	± 7.5
6	Dissolution					
	A. Acid stage	IP-2022	3.5 to 5.9	%	20 mg	Not more than 10
	B. Buffer stage		81.4 to 86.4	%		Q. Not less than 70
7	Loss on drying		1.81	%	-	Not more than 3
8	Assay: Each hard gelatin capsule contains					
	Omeprazole	IP-2022	18.9 mg (i.e. 94.5 %)	mg	20 mg	18.0 mg to 22.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01952

Sample receipt date: 12/12/2025

Sample name: Omzed 20 (Omeprazole Capsules IP 20 mg)

Analysed between: 12/12/2025 to 22/12/2025

Sample appearance: Pink/white clear transparent unsealed hard gelatin capsule containing off white round pellets

Sampling details: Not Sampled by Eureka

Sample quantity: 45 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 35 | Medicine: Omeprazole |

Job file no.: Not Applicable

Source: GENERIC | Batch No: TBL-24C1116 | Exp : Dec.26

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		255.5	mg	-	-
4	Average fill weight		210.8	mg	-	-
5	Uniformity of fill weight		-2.6 to +1.7	%	-	± 7.5
6	Dissolution					
	A. Acid stage	IP-2022	3.4 to 6.8	%	20 mg	Not more than 10
	B. Buffer stage		84.6 to 89.7	%		Q. Not less than 70
7	Loss on drying			1.26	%	-
8	Assay: Each hard gelatin capsule contains					
	Omeprazole	IP-2022	19.3 mg (i.e. 96.5 %)	mg	20 mg	18.0 mg to 22.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01953	Sample receipt date: 12/12/2025
Sample name: Omee (Omeprazole Gastro-resistant Capsule IP 20 mg)	Analysed between: 12/12/2025 to 22/12/2025
Sample appearance: Pink/white clear transparent unsealed hard gelatin capsule containing white round pellets and having imprinted "ALKEM" on cap and "OMEE" on body	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 36 Medicine: Omeprazole Source: BGENERIC Batch No: 25281541 Exp : Jun.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		326.4	mg	-	-
4	Average fill weight		264.9	mg	-	-
5	Uniformity of fill weight		-1.2 to +1.9	%	-	± 7.5
6	Dissolution					
	A. Acid stage	IP-2022	1.5 to 3.3	%	20 mg	Not more than 10
	B. Buffer stage		92.2 to 97.6	%		Q. Not less than 70
7	Loss on drying			1.05	%	-
8	Assay: Each hard gelatin capsule contains					
	Omeprazole	IP-2022	20.3 mg (i.e. 101.5 %)	mg	20 mg	18.0 mg to 22.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01954	Sample receipt date: 12/12/2025
Sample name: Omecip (Omeprazole Gastro-resistant Capsules IP 20 mg)	Analysed between: 12/12/2025 to 22/12/2025
Sample appearance: Pink/white clear transparent unsealed hard gelatin capsule containing white round pellets	Sampling details: Not Sampled by Eureka
Sample quantity: 45 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 37 Medicine: Omeprazole Source: BGENERIC Batch No: MEP25009 Exp : Mar.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		230.7	mg	-	-
4	Average fill weight		182.5	mg	-	-
5	Uniformity of fill weight		-2.1 to +1.5	%	-	± 7.5
6	Dissolution		IP-2022	A. Acid stage	2.1 to 3.6	%
	B. Buffer stage	95.2 to 101.5		%	Q. Not less than 70	
7	Loss on drying	1.08		%	-	Not more than 3
8	Assay: Each hard gelatin capsule contains					
	Omeprazole	IP-2022	20.5 mg (i.e. 102.5 %)	mg	20 mg	18.0 mg to 22.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01955	Sample receipt date: 12/12/2025
Sample name: Ocid 20 (Omeprazole Gastro-resistant Capsules IP 20 mg)	Analysed between: 12/12/2025 to 22/12/2025
Sample appearance: Light Brown/slightly pink coloured unsealed hard gelatin capsule containing white round pellets and having imprinted “Zydus Cadila” on cap and “Ocid20” on body	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 38 Medicine: Omeprazole Source: BRAND Batch No: I501479 Exp : Dec.26	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		140.9	mg	-	-
4	Average fill weight		102.7	mg	-	-
5	Uniformity of fill weight		-0.9 to +2.3	%	-	± 7.5
6	Dissolution					
	A. Acid stage	IP-2022	1.9 to 3.5	%	20 mg	Not more than 10
	B. Buffer stage		94.8 to 104.2	%		Q. Not less than 70
7	Loss on drying			1.23	%	-
8	Assay: Each hard gelatin capsule contains					
	Omeprazole	IP-2022	20.6 mg (i.e. 103.0 %)	mg	20 mg	18.0 mg to 22.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01956	Sample receipt date: 12/12/2025
Sample name: OMEZ 20 (Omeprazole Capsules IP 20 mg)	Analysed between: 12/12/2025 to 22/12/2025
Sample appearance: Pink/white clear transparent unsealed hard gelatin capsule containing white round pellets and having imprinted a logo on cap and "OMEZ" on body	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 39 Medicine: Omeprazole Source: BRAND Batch No: E2500805 Exp : Mar.28	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		226.7	mg	-	-
4	Average fill weight		179.5	mg	-	-
5	Uniformity of fill weight		-1.5 to +2.1	%	-	± 7.5
6	Dissolution					
	A. Acid stage	IP-2022	1.5 to 2.6	%	20 mg	Not more than 10
	B. Buffer stage		93.7 to 101.6	%		Q. Not less than 70
7	Loss on drying		1.41	%	-	Not more than 3
8	Assay: Each hard gelatin capsule contains					
	Omeprazole	IP-2022	20.2 mg (i.e. 101.0 %)	mg	20 mg	18.0 mg to 22.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01957

Sample receipt date: 12/12/2025

Sample name: Metformin hydrochloride Tablets IP 500 mg

Analysed between: 12/12/2025 to 24/12/2025

Sample appearance: White elongated biconvex uncoated tablet,
plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 40 | Medicine: Metformin |

Job file no.: Not Applicable

Source: JAUSH | Batch No: CT 25260313 | Exp : Apr.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A, B & C)	IP-2022	Complies	-	-	-
3	Average weight		650.1	mg	-	-
4	Uniformity of weight		-1.1 to + 1.6	%	-	± 5.0
5	Dissolution		complies	%	500 mg	Q. Not less than 70
6	Related substances					
	Dicyandiamide	IP-2022	Not detected	%	500 mg	Not more than 0.02
	Any other secondary impurity		Not detected	%		Not more than 0.1
7	Assay: Each uncoated tablet contains					
	Metformin hydrochloride	IP- 2022	492.8 mg (i.e. 98.6 %)	mg	500 mg	475.0 mg to 525.0 mg (i.e. 95.0 % to 105.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01959

Sample receipt date: 12/12/2025

Sample name: Metformin hydrochloride Tablets IP 500 mg

Analysed between: 12/12/2025 to 24/12/2025

Sample appearance: White elongated biconvex uncoated tablet,
scored on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 42 | Medicine: Metformin |

Job file no.: Not Applicable

Source: DAVA | Batch No: AD25087 | Exp : Jun.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A, B & C)	IP-2022	Complies	-	-	-
3	Average weight		765.1	mg	-	-
4	Uniformity of weight		-1.3 to + 1.1	%	-	± 5.0
5	Dissolution		94.6 to 99.1	%	500 mg	Q. Not less than 70
6	Related substances					
	Dicyandiamide	IP-2022	Not detected	%	500 mg	Not more than 0.02
	Any other secondary impurity		Not detected	%		Not more than 0.1
7	Assay: Each uncoated tablet contains					
	Metformin hydrochloride	IP- 2022	491.6 mg (i.e. 98.3 %)	mg	500 mg	475.0 mg to 525.0 mg (i.e. 95.0 % to 105.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT


Sample code: EKA2-25-12-01961	Sample receipt date: 12/12/2025
Sample name: Glycomet (Metformin hydrochloride Tablets IP 500 mg)	Analysed between: 12/12/2025 to 24/12/2025
Sample appearance: White round flat uncoated tablet, having inscribed "USV" on one side and plain on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 44 Medicine: Metformin Source: BGENERIC Batch No: 56001928 Exp : May.28	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A, B & C)	IP-2022	Complies	-	-	-
3	Average weight		602.5	mg	-	-
4	Uniformity of weight		-0.8 to + 1.2	%	-	± 5.0
5	Dissolution		97.9 to 102.5	%	500 mg	Q. Not less than 70
6	Related substances					
	Dicyandiamide	IP-2022	Not detected	%	500 mg	Not more than 0.02
	Any other secondary impurity		Not detected	%		Not more than 0.1
7	Assay: Each uncoated tablet contains					
	Metformin hydrochloride	IP- 2022	505.7 mg (i.e. 101.1 %)	mg	500 mg	475.0 mg to 525.0 mg (i.e. 95.0 % to 105.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT


Sample code: EKA2-25-12-01962	Sample receipt date: 12/12/2025
Sample name: GLYCIPHAGE (Metformin Tablets IP 500 mg)	Analysed between: 12/12/2025 to 24/12/2025
Sample appearance: White elongated biconcave uncoated tablet, having inscribed "GLYCIPHAGE" on one side and scored on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 45 Medicine: Metformin Source: BRAND Batch No: G0375084 Exp : Mar.28	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A, B & C)	IP-2022	Complies	-	-	-
3	Average weight		557.7	mg	-	-
4	Uniformity of weight		-1.3 to + 0.8	%	-	± 5.0
5	Dissolution		96.5 to 103.6	%	500 mg	Q. Not less than 70
6	Related substances					
	Dicyandiamide	IP-2022	Not detected	%	500 mg	Not more than 0.02
	Any other secondary impurity		Not detected	%		Not more than 0.1
7	Assay: Each uncoated tablet contains					
	Metformin hydrochloride	IP- 2022	502.8 mg (i.e. 100.6 %)	mg	500 mg	475.0 mg to 525.0 mg (i.e. 95.0 % to 105.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02049

Sample receipt date: 12/12/2025

Sample name: Atorvastatin Tablets IP 10 mg

Analysed between: 12/12/2025 to 22/12/2025

Sample appearance: White diamond shaped biconvex film coated tablet, plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 30 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 46 | Medicine: Atorvastatin |

Job file no.: Not Applicable

Source: JAUSH | Batch No: BRF06037B | Exp : May.28

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		134.5	mg	-	-
4	Dissolution		82.5 to 87.7	%	10 mg	Q. Not less than 70
5	Uniformity of content		95.1 to 101.4	%		85.0 to 115.0
6	Related Substances		IP-2022	Not detected	%	10 mg
	Any secondary Impurity	Not detected		%	NMT 4.0	
	Sum of all the secondary Impurities	Not detected		%		
7	Assay: Each film coated tablet contains					
	Atorvastatin Calcium Equivalent to Atorvastatin	IP-2022	9.55 mg (i.e. 95.5 %)	mg	10 mg	9.0 mg to 11.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02050

Sample receipt date: 12/12/2025

Sample name: ATR-10 (Atorvastatin Tablets IP)

Analysed between: 12/12/2025 to 22/12/2025

Sample appearance: White round shaped biconvex film coated tablet, plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 45 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 47 | Medicine: Atorvastatin |

Job file no.: Not Applicable

Source: GENERIC | Batch No: KTT250291A | Exp : Feb.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		168.9	mg	-	-
4	Dissolution		85.7 to 89.8	%	10 mg	Q. Not less than 70
5	Uniformity of content		94.6 to 102.5	%		85.0 to 115.0
6	Related Substances		IP-2022	Not detected	%	10 mg
	Any secondary Impurity	Not detected		%	NMT 4.0	
	Sum of all the secondary Impurities	Not detected		%		
7	Assay: Each film coated tablet contains					
	Atorvastatin Calcium Eq. to Atorvastatin	IP-2022	9.68 mg (i.e. 96.8 %)	mg	10 mg	9.0 mg to 11.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02051

Sample receipt date: 12/12/2025

Sample name: Atorvastatin Tablets IP 10 mg

Analysed between: 12/12/2025 to 22/12/2025

Sample appearance: Brick red colored round shaped biconvex film coated tablet, plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 48 | Medicine: Atorvastatin |

Job file no.: Not Applicable

Source: DAVA | Batch No: CKX03ABA | Exp : May.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		147.4	mg	-	-
4	Dissolution		85.8 to 92.4	%	10 mg	Q. Not less than 70
5	Uniformity of content		94.6 to 103.5	%		85.0 to 115.0
6	Related Substances		IP-2022	Not detected	%	10 mg
	Any secondary Impurity	Not detected		%	NMT 4.0	
	Sum of all the secondary Impurities	Not detected		%		
7	Assay: Each film coated tablet contains					
	Atorvastatin Calcium Eq. to Atorvastatin	IP-2022	9.72 mg (i.e. 97.2 %)	mg	10 mg	9.0 mg to 11.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02052

Sample receipt date: 12/12/2025

Sample name: ATORBEST 10 (Atorvastatin Tablets IP 10 mg)

Analysed between: 12/12/2025 to 22/12/2025

Sample appearance: White round shaped biconvex film coated tablet, plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 49 | Medicine: Atorvastatin |

Job file no.: Not Applicable

Source: BGENERIC | Batch No: JKAL25015 | Exp : Jul.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		154.2	mg	-	-
4	Dissolution		93.4 to 102.5	%	10 mg	Q. Not less than 70
5	Uniformity of content		96.8 to 102.5	%		85.0 to 115.0
6	Related Substances		IP-2022	Not detected	%	10 mg
	Any secondary Impurity	Not detected		%	NMT 4.0	
	Sum of all the secondary Impurities	Not detected		%		
7	Assay: Each film coated tablet contains					
	Atorvastatin Calcium Equivalent to Atorvastatin	IP-2022	10.23 mg (i.e. 102.3 %)	mg	10 mg	9.0 mg to 11.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02053

Sample receipt date: 12/12/2025

Sample name: Lipvas 10 (Atorvastatin Tablets IP 10 mg)

Analysed between: 12/12/2025 to 22/12/2025

Sample appearance: White oval shaped biconvex film coated tablet,
plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 60 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 50 | Medicine: Atorvastatin |

Job file no.: Not Applicable

Source: BGENERIC | Batch No: 5BA0141 | Exp : Dec.26

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		153.3	mg	-	-
4	Dissolution		96.4 to 102.1	%	10 mg	Q. Not less than 70
5	Uniformity of content		97.2 to 102.5	%		85.0 to 115.0
6	Related Substances		IP-2022	Not detected	%	10 mg
	Any secondary Impurity	Not detected		%	NMT 4.0	
	Sum of all the secondary Impurities	Not detected		%		
7	Assay: Each film coated tablet contains					
	Atorvastatin Calcium Equivalent to Atorvastatin	IP-2022	10.27 mg (i.e. 102.7 %)	mg	10 mg	9.0 mg to 11.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02054

Sample receipt date: 12/12/2025

Sample name: Atcor 10 (Atorvastatin Tablets IP 10 mg)

Analysed between: 12/12/2025 to 22/12/2025

Sample appearance: White diamond shaped biconvex film coated tablet, having inscribed "10" on one side and "A" on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 45 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 51 | Medicine: Atorvastatin |

Job file no.: Not Applicable

Source: BRAND | Batch No: E2500729 | Exp : Mar.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		130.2	mg	-	-
4	Dissolution		96.7 to 103.5	%	10 mg	Q. Not less than 70
5	Uniformity of content		96.8 to 102.8	%		85.0 to 115.0
6	Related Substances		IP-2022	Not detected	%	10 mg
	Any secondary Impurity	Not detected		%	NMT 4.0	
	Sum of all the secondary Impurities	Not detected		%		
7	Assay: Each film coated tablet contains					
	Atorvastatin Calcium Equivalent to Atorvastatin	IP-2022	10.31 mg (i.e.103.1 %)	mg	10 mg	9.0 mg to 11.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02055	Sample receipt date: 12/12/2025
Sample name: Atorlip-10 (Atorvastatin Tablets IP 10 mg)	Analysed between: 12/12/2025 to 22/12/2025
Sample appearance: White oval shaped biconvex film coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 45 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 52 Medicine: Atorvastatin Source: BRAND Batch No: 5SN1676 Exp : Jun.28	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		154.5	mg	-	-
4	Dissolution		97.4 to 102.9	%	10 mg	Q. Not less than 70
5	Uniformity of content		96.6 to 103.5	%		85.0 to 115.0
6	Related Substances		IP-2022	Not detected	%	10 mg
	Any secondary Impurity	Not detected		%	NMT 4.0	
	Sum of all the secondary Impurities	Not detected		%		
7	Assay: Each film coated tablet contains					
	Atorvastatin Calcium Equivalent to Atorvastatin	IP-2022	10.24 mg (i.e. 102.4 %)	mg	10 mg	9.0 mg to 11.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01963	Sample receipt date: 12/12/2025
Sample name: Amlodipine Tablets IP 5 mg	Analysed between: 12/12/2025 to 18/12/2025
Sample appearance: White round flat uncoated tablet, scored on one side and plain on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 53 Medicine: Amlodipine	Job file no.: Not Applicable
Source: JAUSH Batch No: 2506108 Exp : May.27	

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		149.1	mg	-	-
4	Dissolution		88.2 to 95.1	%	5 mg	Q. Not less than 75
5	Uniformity of content		94.2 to 103.1	%		85.0 to 115.0
6	Related Substances		IP-2022	Not detected	%	5 mg
	Amlodipine impurity D	Not detected		%	Not more than 0.5	
7	Sum of all other secondary Impurities					
	Assay: Each uncoated tablet contains					
	Amlodipine Besylate	IP-2022	4.79 mg	mg	5 mg	9.0 mg to 11.0 mg
	Eq. to Amlodipine		(i.e. 95.8 %)			(i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01964

Sample receipt date: 12/12/2025

Sample name: Amlodipine Tablets IP 5 mg

Analysed between: 12/12/2025 to 18/12/2025

Sample appearance: Orange round biconvex film coated tablet,
plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 54 | Medicine: Amlodipine |

Job file no.: Not Applicable

Source: KMSCL | Batch No: ADFT1245 | Exp : Apr.26

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		109.7	mg	-	-
4	Dissolution		87.6 to 92.3	%	5 mg	Q. Not less than 75
5	Uniformity of content		94.7 to 102.7	%		85.0 to 115.0
6	Related Substances					
	Amlodipine impurity D	IP-2022	Not detected	%	5 mg	Not more than 0.5
Sum of all other secondary Impurities	Not detected		%	Not more than 0.5		
7	Assay: Each film coated tablet contains					
	Amlodipine Besylate Eq. to Amlodipine	IP-2022	4.82 mg (i.e. 96.4 %)	mg	5 mg	4.50 mg to 5.50 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01965	Sample receipt date: 12/12/2025
Sample name: Amlodipine Tablets IP 5 mg	Analysed between: 12/12/2025 to 18/12/2025
Sample appearance: White round flat uncoated tablet, scored on one side and plain on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 55 Medicine: Amlodipine	Job file no.: Not Applicable
Source: DAVA Batch No: ALDV5021 Exp : Aug.27	

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		141.1	mg	-	-
4	Dissolution		89.2 to 94.6	%	5 mg	Q. Not less than 75
5	Uniformity of content		95.9 to 101.8	%		85.0 to 115.0
6	Related Substances					
	Amlodipine impurity D	IP-2022	Not detected	%	5 mg	Not more than 0.5
Sum of all other secondary Impurities	Not detected		%	Not more than 0.5		
7	Assay: Each uncoated tablet contains					
	Amlodipine Besilate Eq. to Amlodipine	IP-2022	4.84 mg (i.e. 96.8 %)	mg	5 mg	9.0 mg to 11.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01966	Sample receipt date: 12/12/2025
Sample name: Amlapres-5 (Amlodipine Tablets IP 5 mg)	Analysed between: 12/12/2025 to 18/12/2025
Sample appearance: White round flat uncoated tablet, scored on one side and having inscribed "AP" on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 42 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 56 Medicine: Amlodipine	Job file no.: Not Applicable
Source: BGENERIC Batch No: 5SN1194 Exp : Apr.28	

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		121.42	mg	-	-
4	Dissolution		95.6 to 102.1	%	5 mg	Q. Not less than 75
5	Uniformity of content		96.2 to 103.5	%		85.0 to 115.0
6	Related Substances		IP-2022	Not detected	%	5 mg
	Sum of all other secondary Impurities	Not detected		%	Not more than 0.5	
7	Assay: Each uncoated tablet contains					
	Amlodipine Besilate Eq. to Amlodipine	IP-2022	5.04 mg (i.e. 100.8 %)	mg	5 mg	9.0 mg to 11.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01967	Sample receipt date: 12/12/2025
Sample name: Avacard-5 (Amlodipine Besilate Tablets IP 5 mg)	Analysed between: 12/12/2025 to 18/12/2025
Sample appearance: White round flat uncoated tablet, scored on one side and plain on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 57 Medicine: Amlodipine Source: BGENERIC Batch No: LAC0047 Exp : Jun.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		112.3	mg	-	-
4	Dissolution		97.1 to 103.5	%	5 mg	Q. Not less than 75
5	Uniformity of content		95.7 to 102.6	%		85.0 to 115.0
6	Related Substances					
	Amlodipine impurity D	IP-2022	Not detected	%	5 mg	Not more than 0.5
Sum of all other secondary Impurities	Not detected		%	Not more than 0.5		
7	Assay: Each uncoated tablet contains					
	Amlodipine Besilate Eq. to Amlodipine	IP-2022	5.02 mg (i.e. 100.4 %)	mg	5 mg	9.0 mg to 11.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01968

Sample receipt date: 12/12/2025

Sample name: Amlovas-5 (Amlodipine Besilate Tablets IP)

Analysed between: 12/12/2025 to 18/12/2025

Sample appearance: White round biconvex uncoated tablet, having inscribed "A 5" on scored side and plain on other side

Sampling details: Not Sampled by Eureka

Sample seal no.: Not Applicable

Sample quantity: 45 Nos

Sampling procedure: Not Applicable

Condition on receipt: Good

Sampling date: Not Applicable

Sample packing: Sealed Pack

Sampling location: Not Applicable

Environmental condition: Not Applicable

Job file no.: Not Applicable

Customer provided details: S.R No : 58 | Medicine: Amlodipine |

Source: BRAND | Batch No: TAB2401A | Exp : Jun.28

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		134.5	mg	-	-
4	Dissolution		97.6 to 104.1	%	5 mg	Q. Not less than 75
5	Uniformity of content		94.5 to 102.9	%		85.0 to 115.0
6	Related Substances					
	Amlodipine impurity D	IP-2022	Not detected	%	5 mg	Not more than 0.5
	Sum of all other secondary Impurities		Not detected	%		Not more than 0.5
7	Assay: Each uncoated tablet contains					
	Amlodipine Besilate	IP-2022	5.05 mg	mg	5 mg	9.0 mg to 11.0 mg
	Eq. to Amlodipine		(i.e. 101.0 %)			(i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01969	Sample receipt date: 12/12/2025
Sample name: Amlogard-5 mg (Amlodipine Besilate Tablets IP)	Analysed between: 12/12/2025 to 18/12/2025
Sample appearance: White round biconvex uncoated tablet, having inscribed "AML 5" on one side and scored on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 42 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 59 Medicine: Amlodipine Source: BRAND Batch No: EMV251701 Exp : Jun.28	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		201.7	mg	-	-
4	Dissolution		92.1 to 98.4	%	5 mg	Q. Not less than 75
5	Uniformity of content		93.4 to 103.4	%		85.0 to 115.0
6	Related Substances		IP-2022	Not detected	%	5 mg
	Amlodipine impurity D	Not detected		%	NMT 0.5	
7	Sum of all other secondary Impurities					
	Assay: Each uncoated tablet contains					
	Amlodipine Besilate	IP-2022	4.92 mg	mg	5 mg	9.0 mg to 11.0 mg
	Eq. to Amlodipine		(i.e. 98.4 %)			(i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01970

Sample receipt date: 12/12/2025

Sample name: Telmisartan Tablets IP 40 mg

Analysed between: 12/12/2025 to 18/12/2025

Sample appearance: Off white round biconvex uncoated tablet,
plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 60 | Medicine: Telmisartan |

Job file no.: Not Applicable

Source: JAUSH | Batch No: TEP25110AL | Exp : Mar.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		228.8	mg	-	-
4	Uniformity of weight		-1.7 to + 2.4	%	-	± 7.5
5	Dissolution		93.5 to 97.6	%	40 mg	Q. Not less than 75
6	Related Substances					
6	Any secondary impurity	IP-2022	Not detected	%	40 mg	Not more than 0.5
	Total secondary Impurities		Not detected	%		Not more than 2.0
7	Assay: Each uncoated tablet contains					
	Telmisartan	IP-2022	38.9 mg (i.e. 97.3 %)	mg	40 mg	36.0 mg to 44.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01971

Sample receipt date: 12/12/2025

Sample name: Telmitron-40 (Telmisartan Tablets IP)

Analysed between: 12/12/2025 to 18/12/2025

Sample appearance: Off white round biconvex uncoated tablet,
plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 61 | Medicine: Telmisartan |

Job file no.: Not Applicable

Source: GENERIC | Batch No: GT250631 | Exp : Feb.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		268.8	mg	-	-
4	Uniformity of weight		-1.2 to + 2.1	%	-	± 5.0
5	Dissolution		90.7 to 96.8	%	40 mg	Q. Not less than 75
6	Related Substances		IP-2022	Not detected	%	40 mg
	Any secondary impurity	Not detected		%	Not more than 2.0	
	Total secondary Impurities	Not detected		%		
7	Assay: Each uncoated tablet contains					
	Telmisartan	IP-2022	39.1 mg (i.e. 97.8 %)	mg	40 mg	36.0 mg to 44.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01972

Sample receipt date: 12/12/2025

Sample name: Telmates 40 (Telmisartan Tablets IP 40 mg)

Analysed between: 12/12/2025 to 18/12/2025

Sample appearance: Off white round biconvex uncoated tablet,
plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 45 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 62 | Medicine: Telmisartan |

Source: GENERIC | Batch No: TAS25004 | Exp : Jul.28

Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		178.6	mg	-	-
4	Uniformity of weight		-2.8 to + 1.5	%	-	± 7.5
5	Dissolution		91.7 to 96.5	%	40 mg	Q. Not less than 75
6	Related Substances					
6	Any secondary impurity	IP-2022	Not detected	%	40 mg	Not more than 0.5
	Total secondary Impurities		Not detected	%		Not more than 2.0
7	Assay: Each uncoated tablet contains					
	Telmisartan	IP-2022	38.3 mg (i.e. 95.8 %)	mg	40 mg	36.0 mg to 44.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01973	Sample receipt date: 12/12/2025
Sample name: Telmiget-40 (Telmisartan Tablets IP 40 mg)	Analysed between: 12/12/2025 to 18/12/2025
Sample appearance: Off white round flat uncoated tablet, scored on one side and plain on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 63 Medicine: Telmisartan	Job file no.: Not Applicable
Source: BGENERIC Batch No: LE125032 Exp : May.27	

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		239.8	mg	-	-
4	Uniformity of weight		-1.9 to + 1.4	%	-	± 7.5
5	Dissolution		92.7 to 98.5	%	40 mg	Q. Not less than 75
6	Related Substances		IP-2022	Not detected	%	40 mg
	Any secondary impurity	Not detected		%	Not more than 2.0	
	Total secondary Impurities	Not detected		%		
7	Assay: Each uncoated tablet contains					
	Telmisartan	IP-2022	39.1 mg (i.e. 97.8 %)	mg	40 mg	36.0 mg to 44.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01974	Sample receipt date: 12/12/2025
Sample name: Telvas 40 (Telmisartan Tablets IP 40 mg)	Analysed between: 12/12/2025 to 18/12/2025
Sample appearance: White round flat uncoated tablet, scored on one side and plain on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 45 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 64 Medicine: Telmisartan	Job file no.: Not Applicable
Source: BGENERIC Batch No: SPD250495 Exp : Mar.27	

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		251.9	mg	-	-
4	Uniformity of weight		-2.2 to + 1.7	%	-	± 5.0
5	Dissolution		97.6 to 102.2	%	40 mg	Q. Not less than 75
6	Related Substances		IP-2022	Not detected	%	40 mg
	Any secondary impurity	Not detected		%	Not more than 2.0	
	Total secondary Impurities	Not detected		%		
7	Assay: Each uncoated tablet contains					
	Telmisartan	IP-2022	40.5 mg (i.e. 101.3 %)	mg	40 mg	36.0 mg to 44.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01975	Sample receipt date: 12/12/2025
Sample name: TAZLOC-40 (Telmisartan Tablets IP 40 mg)	Analysed between: 12/12/2025 to 18/12/2025
Sample appearance: White round biconvex uncoated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 45 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 65 Medicine: Telmisartan	Job file no.: Not Applicable
Source: BRAND Batch No: 48020294 Exp : Apr.27	

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		260.7	mg	-	-
4	Uniformity of weight		-1.9 to + 1.3	%	-	± 5.0
5	Dissolution		94.3 to 101.7	%	40 mg	Q. Not less than 75
6	Related Substances		IP-2022	Not detected	%	40 mg
	Any secondary impurity	Not detected		%	Not more than 2.0	
	Total secondary Impurities	Not detected		%		
7	Assay: Each uncoated tablet contains					
	Telmisartan	IP-2022	40.3 mg (i.e.100.8 %)	mg	40 mg	36.0 mg to 44.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01958	Sample receipt date: 12/12/2025
Sample name: Metformin hydrochloride Sustained Release Tablets	Analysed between: 12/12/2025 to 28/01/2026
IP 500 mg	Sampling details: Not Sampled by Eureka
Sample appearance: White round flat uncoated sustained release tablet, scored on one, plain on other side	Sample seal no.: Not Applicable
Sample quantity: 40 Nos	Sampling procedure: Not Applicable
Condition on receipt: Good	Sampling date: Not Applicable
Sample packing: Sealed Pack	Sampling location: Not Applicable
Environmental condition: Not Applicable	Job file no.: Not Applicable
Customer provided details: S.R No : 41 Medicine: Metformin	
Source: KMSCL Batch No: MTTJ25097 Exp : Jun.27	


TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		628.5	mg	-	-
4	Uniformity of weight		-1.6 to + 1.2	%	-	± 5.0
5	Dissolution	IP-2022				
	For 1 hour		21.4 to 24.6	%	500 mg	For information only
	For 3 hours		50.6 to 55.6	%		
	For 10 hours		93.8 to 96.7	%		
5	Related substances					
	Dicyandiamide	IP-2022	Not detected	%	500 mg	Not more than 0.02
	Any other secondary impurity		Not detected	%		Not more than 0.1
6	Assay: Each uncoated sustained release tablet contains					

Eureka Analytical Services Private Limited

	Metformin hydrochloride	IP- 2022	490.7 mg (i.e. 98.1 %)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)
--	-------------------------	----------	---------------------------	----	--------	--

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

This report supersedes the report number: TR-25-EKA2- 050315-01 dated 28/12/2025” Dissolution parameters updated as per client requirement and previous version stands cancelled

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01960	Sample receipt date: 12/12/2025
Sample name: MetGem 500 (Metformin hydrochloride Extended-Release Tablets IP)	Analysed between: 12/12/2025 to 28/01/2026
Sample appearance: White oval shaped biconvex uncoated extended release tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 43 Medicine: Metformin Source: BGENERIC Batch No: SIG0821B Exp : Mar.27	Job file no.: Not Applicable


TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		660.5	mg	-	-
4	Uniformity of weight		-0.9 to + 1.3	%	-	± 5.0
5	Dissolution					
	For 1 hour	IP-2022	20.2 to 25.3	%	500 mg	For information only
	For 3 hours		52.3 to 57.4	%		
	For 10 hours		94.7 to 97.3	%		
5	Related substances					
	Dicyandiamide	IP-2022	Not detected	%	500 mg	Not more than 0.02
	Any other secondary impurity		Not detected	%		Not more than 0.1
6	Assay: Each uncoated extended release tablet contains					

Eureka Analytical Services Private Limited

	Metformin hydrochloride	IP- 2022	496.3 mg (i.e. 99.3 %)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)
--	-------------------------	----------	---------------------------	----	--------	--

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

This report supersedes the report number: TR-25-EKA2- 050317-01 dated 28/12/2025” Dissolution parameters updated as per client requirement and previous version stands cancelled

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01976

Sample receipt date: 12/12/2025

Sample name: TELSAR 40 (Telmisartan Tablets IP)

Analysed between: 12/12/2025 to 18/12/2025

Sample appearance: White round biconvex uncoated tablet, scored on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 45 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 66 | Medicine: Telmisartan |

Job file no.: Not Applicable

Source: BRAND | Batch No: 2MJ3M012 | Exp : Jun.28

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		240.8	mg	-	-
4	Uniformity of weight		-1.7 to + 2.1	%	-	± 7.5
5	Dissolution		96.7 to 102.8	%	40 mg	Q. Not less than 75
6	Related Substances		IP-2022	Not detected	%	40 mg
	Any secondary impurity	Not detected		%	Not more than 2.0	
	Total secondary Impurities	Not detected		%		
7	Assay: Each uncoated tablet contains					
	Telmisartan	IP-2022	40.8 mg (i.e. 102.0 %)	mg	40 mg	36.0 mg to 44.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01977	Sample receipt date: 12/12/2025
Sample name: Montelukast Tablets IP 10 mg	Analysed between: 12/12/2025 to 23/12/2025
Sample appearance: Light yellow coloured round shaped biconvex film coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 67 Medicine: Montelukast Source: JAUSH Batch No: BP5149 Exp : Apr.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		104.2	mg	-	-
4	Dissolution		83.9 to 88.9	%	10 mg	Q. Not less than 70
5	Uniformity of content		95.1 to 101.4	%		85.0 to 115.0
6	Related Substances		IP-2022			
	Sulphoxide impurity	Not detected		%	10 mg	Not more than 1.0
	Styrene impurity	Not detected		%		Not more than 0.5
	Any other secondary Impurity	Not detected		%		Not more than 0.5
Sum of all the secondary Impurities	Not detected	%	Not more than 2.0			
7	Assay: Each film coated tablet contains					
	Montelukast sodium	IP-2022	9.65 mg	mg	10 mg	9.0 mg to 11.0 mg

Eureka Analytical Services Private Limited

	Equivalent to Montelukast		(i.e. 96.5 %)			(i.e. 90.0 % to 110.0 %)
--	---------------------------	--	---------------	--	--	--------------------------

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01978

Sample receipt date: 12/12/2025

Sample name: SWASMONT-10 (Montelukast Sodium Tablets IP
10 mg)

Analysed between: 12/12/2025 to 23/12/2025

Sample appearance: Whight round shaped biconvex film coated
tablet, plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 45 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 68 | Medicine: Montelukast |
Source: GENADH | Batch No: 169DK01 | Exp : Apr.26

Job file no.: Not Applicable


TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		160.5	mg	-	-
4	Dissolution		90.8 to 94.9	%	10 mg	Q. Not less than 70
5	Uniformity of content		93.7 to 102.5	%		85.0 to 115.0
6	Related Substances		IP-2022	Not detected	%	10 mg
	Sulphoxide impurity	Not detected		%	Not more than 0.5	
	Styrene impurity	Not detected		%	Not more than 0.5	
	Any other secondary Impurity	Not detected		%	Not more than 2.0	
	Sum of all the secondary Impurities		Not detected	%		
7	Assay: Each film coated tablet contains					

Eureka Analytical Services Private Limited

Montelukast sodium Eq. to Montelukast	IP-2022	9.71 mg (i.e. 97.1 %)	mg	10 mg	9.0 mg to 11.0 mg (i.e. 90.0 % to 110.0 %)
--	---------	--------------------------	----	-------	---

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01979

Sample receipt date: 12/12/2025

Sample name: Montelukast Sodium Tablets IP 10 mg

Analysed between: 12/12/2025 to 23/12/2025

Sample appearance: Yellow coloured round shaped biconvex film coated tablet, plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 69 | Medicine: Montelukast |

Job file no.: Not Applicable

Source: DAVA | Batch No: SPT251461 | Exp : May.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		137.1	mg	-	-
4	Dissolution		88.2 to 93.6	%	10 mg	Q. Not less than 70
5	Uniformity of content		94.7 to 102.7	%		85.0 to 115.0
6	Related Substances		IP-2022			
	Sulphoxide impurity	Not detected		%	10 mg	Not more than 1.0
	Styrene impurity	Not detected		%		Not more than 0.5
	Any other secondary Impurity	Not detected		%		Not more than 0.5
Sum of all the secondary Impurities	Not detected	%	Not more than 2.0			
7	Assay: Each film coated tablet contains					
	Montelukast sodium	IP-2022	9.74 mg	mg	10 mg	9.0 mg to 11.0 mg

Eureka Analytical Services Private Limited

	Eq. to Montelukast		(i.e. 97.4 %)			(i.e. 90.0 % to 110.0 %)
--	--------------------	--	---------------	--	--	--------------------------

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01980	Sample receipt date: 12/12/2025
Sample name: Minolast-10 (Montelukast Sodium Tablets IP 10 mg)	Analysed between: 12/12/2025 to 23/12/2025
Sample appearance: Yellow coloured round shaped biconvex film coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 70 Medicine: Montelukast Source: BGENERIC Batch No: 6005001 Exp : Feb.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		104.3	mg	-	-
4	Dissolution		87.5 to 94.6	%	10 mg	Q. Not less than 70
5	Uniformity of content		96.7 to 102.8	%		85.0 to 115.0
6	Related Substances		IP-2022	Not detected	%	10 mg
	Sulphoxide impurity	Not detected		%	Not more than 0.5	
	Styrene impurity	Not detected		%	Not more than 0.5	
	Any other secondary Impurity	Not detected		%	Not more than 2.0	
7	Sum of all the secondary Impurities		Not detected	%		
	Assay: Each film coated tablet contains					
	Montelukast sodium	IP-2022	9.83 mg	mg	10 mg	9.0 mg to 11.0 mg

Eureka Analytical Services Private Limited

	Eq. to Montelukast		(i.e. 98.3 %)			(i.e. 90.0 % to 110.0 %)
--	--------------------	--	---------------	--	--	--------------------------

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01981

Sample receipt date: 12/12/2025

Sample name: Telekast-10 (Montelukast Tablets IP)

Analysed between: 12/12/2025 to 23/12/2025

Sample appearance: Light orange coloured round shaped biconvex film coated tablet, plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 71 | Medicine: Montelukast |

Job file no.: Not Applicable

Source: BRAND| Batch No: UB00304 | Exp : Dec.26

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		185.8	mg	-	-
4	Dissolution		96.3 to 102.7	%	10 mg	Q. Not less than 70
5	Uniformity of content		97.5 to 102.9	%		85.0 to 115.0
6	Related Substances		IP-2022			
	Sulphoxide impurity	Not detected		%	10 mg	Not more than 1.0
	Styrene impurity	Not detected		%		Not more than 0.5
	Any other secondary Impurity	Not detected		%		Not more than 0.5
Sum of all the secondary Impurities	Not detected	%	Not more than 2.0			
7	Assay: Each film coated tablet contains					
	Montelukast sodium	IP-2022	10.18 mg	mg	10 mg	9.0 mg to 11.0 mg

Eureka Analytical Services Private Limited

	Equivalent to Montelukast		(i.e. 101.8 %)			(i.e. 90.0 % to 110.0 %)
--	---------------------------	--	----------------	--	--	--------------------------

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01982

Sample receipt date: 12/12/2025

Sample name: Montek 10 (Montelukast Tablets IP)

Analysed between: 12/12/2025 to 23/12/2025

Sample appearance: Orange coloured round shaped biconvex film coated tablet, scored on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample seal no.: Not Applicable

Sample quantity: 40 Nos

Sampling procedure: Not Applicable

Condition on receipt: Good

Sampling date: Not Applicable

Sample packing: Sealed Pack

Sampling location: Not Applicable

Environmental condition: Not Applicable

Job file no.: Not Applicable

Customer provided details: S.R No : 72 | Medicine: Montelukast |

Source: BRAND| Batch No: GTG1010A | Exp : Mar.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		146.7	mg	-	-
4	Dissolution		97.6 to 103.5	%	10 mg	Q. Not less than 70
5	Uniformity of content		97.5 to 102.2	%		85.0 to 115.0
6	Related Substances		IP-2022			
	Sulphoxide impurity	Not detected		%	10 mg	Not more than 1.0
	Styrene impurity	Not detected		%		Not more than 0.5
	Any other secondary Impurity	Not detected		%		Not more than 0.5
Sum of all the secondary Impurities	Not detected	%	Not more than 2.0			
7	Assay: Each film coated tablet contains					
	Montelukast sodium	IP-2022	10.27 mg	mg	10 mg	9.0 mg to 11.0 mg

Eureka Analytical Services Private Limited

	Equivalent to Montelukast		(i.e.102.7 %)			(i.e. 90.0 % to 110.0 %)
--	---------------------------	--	---------------	--	--	--------------------------

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01983	Sample receipt date: 12/12/2025
Sample name: Ibuprofen Tablets IP 400 mg	Analysed between: 12/12/2025 to 20/12/2025
Sample appearance: Pink coloured elongated shaped biconvex film coated tablet, scored on one side and plain on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 45 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 73 Medicine: Ibuprofen Source: JAUSH Batch No: IBBT1231 Exp : Sep.26	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		524.8	mg	-	-
4	Uniformity of weight		-1.2 to + 1.4	%	-	± 5.0
5	Dissolution		93.8 to 98.9	%	400 mg	Q. Not less than 75
6	Related substances		Complies	-		-
7	Assay: Each film coated tablet contains					
	Ibuprofen	IP- 2022	389.2 mg (i.e. 97.3 %)	mg	400 mg	380.0 mg to 420.0 mg (i.e. 95.0 % to 105.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01984

Sample receipt date: 12/12/2025

Sample name: Ibuprofen Tablets IP 400 mg

Analysed between: 12/12/2025 to 20/12/2025

Sample appearance: Dark pink coloured round shaped biconvex film coated tablet, plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 74 | Medicine: Ibuprofen |

Source: GENERIC | Batch No: IBF-2402 | Exp : Apr.27

Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		580.2	mg	-	-
4	Uniformity of weight		-1.1 to + 0.9	%	-	± 5.0
5	Dissolution		95.2 to 101.5	%	400 mg	Q. Not less than 75
6	Related substances		Complies	-		-
7	Assay: Each film coated tablet contains					
	Ibuprofen	IP- 2022	393.5 mg (i.e. 98.4 %)	mg	400 mg	380.0 mg to 420.0 mg (i.e. 95.0 % to 105.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01985	Sample receipt date: 12/12/2025
Sample name: Brufen 400 (Ibuprofen Tablets IP)	Analysed between: 12/12/2025 to 20/12/2025
Sample appearance: Dark pink coloured round shaped biconvex film coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 75 Medicine: Ibuprofen Source: BRAND Batch No: 802807D7 Exp : Jul.28	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		568.2	mg	-	-
4	Uniformity of weight		-0.8 to + 1.3	%	-	± 5.0
5	Dissolution		96.1 to 102.6	%	400 mg	Q. Not less than 75
6	Related substances		Complies	-		-
7	Assay: Each film coated tablet contains					
	Ibuprofen	IP- 2022	403.7 mg (i.e. 100.9 %)	mg	400 mg	380.0 mg to 420.0 mg (i.e. 95.0 % to 105.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01986

Sample receipt date: 12/12/2025

Sample name: Thyroxine Sodium Tablets IP 100 mcg

Analysed between: 12/12/2025 to 22/12/2025

Sample appearance: White round shaped biconvex uncoated tablet,
plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 100 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 76 | Medicine: Thyroxine
Sodium | Source: JAUSH | Batch No: 15525 | Exp : Jan.26

Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		140.1	mg	-	-
4	Dissolution		91.4 to 95.6	%	100 mcg	Q. Not less than 70
5	Liothyronine Sodium		Complies	-		-
6	Uniformity of content		94.7 to 102.5	%		85.0 to 115.0
7	Assay: Each uncoated tablet contains					
	Thyroxine Sodium Equivalent to anhydrous Thyroxine Sodium	IP-2022	96.8 mcg (i.e. 96.8 %)	mcg	100 mcg	90.0 mcg to 110.0 mcg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01987	Sample receipt date: 12/12/2025
Sample name: Thyroxine Sodium Tablets IP 100 mcg	Analysed between: 12/12/2025 to 22/12/2025
Sample appearance: Light yellow coloured round shaped biconvex uncoated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 100 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 77 Medicine: Thyroxine Sodium Source: KMSCL Batch No: BGL02ACA Exp : Jul.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		101.9	mg	-	-
4	Dissolution		92.8 to 97.9	%	100 mcg	Q. Not less than 70
5	Liothyronine Sodium		Complies	-		-
6	Uniformity of content		95.3 to 103.8	%		85.0 to 115.0
7	Assay: Each uncoated tablet contains					
	Thyroxine Sodium Eq. to anhydrous Thyroxine Sodium	IP-2022	97.7 mcg (i.e. 97.7 %)	mcg	100 mcg	90.0 mcg to 110.0 mcg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01988

Sample receipt date: 12/12/2025

Sample name: Thyrosun 100 (Thyroxine Sodium Tablets IP 100 mcg)

Analysed between: 12/12/2025 to 22/12/2025

Sample appearance: White round shaped biconvex uncoated tablet, plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 120 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 78 | Medicine: Thyroxine Sodium | Source: BGENERIC | Batch No: MHT-25038 | Exp : Jan.27

Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		121.1	mg	-	-
4	Dissolution		95.5 to 102.3	%	100 mcg	Q. Not less than 70
5	Liothyronine Sodium		Complies	-		-
6	Uniformity of content		95.2 to 101.9	%		85.0 to 115.0
7	Assay: Each uncoated tablet contains					
	Thyroxine Sodium Equivalent to anhydrous Thyroxine Sodium	IP-2022	102.4 mcg (i.e. 102.4 %)	mcg	100 mcg	90.0 mcg to 110.0 mcg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01989

Sample receipt date: 12/12/2025

Sample name: Thyronorm 100 mcg (Thyroxine Sodium Tablets IP)

Analysed between: 12/12/2025 to 22/12/2025

Sample appearance: Light yellow coloured round shaped biconvex uncoated tablet, having inscribed "100" on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 120 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 79 | Medicine: Thyroxine Sodium | Source: BRAND | Batch No: TMH25174 | Exp : Jul.27

Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		102.4	mg	-	-
4	Dissolution		96.8 to 103.7	%	100 mcg	Q. Not less than 70
5	Liothyronine Sodium		Complies	-		-
6	Uniformity of content		96.2 to 102.1	%		85.0 to 115.0
7	Assay: Each uncoated tablet contains					
	Thyroxine Sodium Equivalent to anhydrous Thyroxine Sodium	IP-2022	102.8 mcg (i.e. 102.8 %)	mcg	100 mcg	90.0 mcg to 110.0 mcg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01990	Sample receipt date: 12/12/2025
Sample name: ELTROXIN Tablets (Thyroxine Sodium Tablets IP 100 mcg)	Analysed between: 12/12/2025 to 22/12/2025
Sample appearance: White round shaped biconvex uncoated tablet, having inscribed "A" on one side and scored on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 120 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 80 Medicine: Thyroxine Sodium Source: BRAND Batch No: GA7N Exp : Oct.26	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		150.8	mg	-	-
4	Dissolution		96.2 to 103.2	%	100 mcg	Q. Not less than 70
5	Liothyronine Sodium		Complies	-		-
6	Uniformity of content		95.9 to 101.9	%		85.0 to 115.0
7	Assay: Each uncoated tablet contains					
	Thyroxine Sodium (as anhydrous)	IP-2022	102.5 mcg (i.e. 102.5 %)	mcg	100 mcg	90.0 mcg to 110.0 mcg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01991	Sample receipt date: 12/12/2025
Sample name: Cetirizine Tablets IP 10 mg	Analysed between: 12/12/2025 to 15/12/2025
Sample appearance: White elongated biconvex film coated tablets, scored on side and plain on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 81 Medicine: Cetrizine Source: JAUSH Batch No: Z25-371 Exp : Mar.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description		Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		137.8	mg	-	-
4	Dissolution		85.6 to 90.3	%	10 mg	Q. Not less than 75
5	Uniformity of content		95.6 to 102.5	%		85.0 to 115.0
6	Related Substances					
	Any secondary Impurity	IP-2022	Not detected	%	10 mg	Not more than 0.5
Sum of all the secondary Impurities	Not detected		%	Not more than 1.0		
7	Assay: Each film coated tablet contains					
	Cetirizine hydrochloride	IP-2022	9.65 mg (i.e. 96.5 %)	mg	10 mg	9.00 mg to 11.00 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01992

Sample receipt date: 12/12/2025

Sample name: Swascetri (Cetirizine Tablets IP 10 mg)

Analysed between: 12/12/2025 to 15/12/2025

Sample appearance: White elongated biconvex film coated tablets,
scored on side and plain on other side

Sampling details: Not Sampled by Eureka

Sample seal no.: Not Applicable

Sample quantity: 45 Nos

Sampling procedure: Not Applicable

Condition on receipt: Good

Sampling date: Not Applicable

Sample packing: Sealed Pack

Sampling location: Not Applicable

Environmental condition: Not Applicable

Job file no.: Not Applicable

Customer provided details: S.R No : 82 | Medicine: Cetirizine |

Source: GENADH | Batch No: M25639001 | Exp : Apr.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description		Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		132.6	mg	-	-
4	Dissolution		89.7 to 92.5	%	10 mg	Q. Not less than 75
5	Uniformity of content		96.6 to 103.3	%		85.0 to 115.0
6	Related Substances					
	Any secondary Impurity	IP-2022	Not detected	%	10 mg	Not more than 0.5
Sum of all the secondary Impurities	Not detected		%	Not more than 1.0		
7	Assay: Each film coated tablet contains					
	Cetirizine hydrochloride	IP-2022	9.71 mg (i.e. 97.1 %)	mg	10 mg	9.00 mg to 11.00 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01993	Sample receipt date: 12/12/2025
Sample name: Cetirizine Hydrochloride Tablets IP 10 mg	Analysed between: 12/12/2025 to 15/12/2025
Sample appearance: White elongated biconvex film coated tablets, scored on side and plain on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 45 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 83 Medicine: Cetirizine Source: DAVA Batch No: AT-25021 Exp : Mar.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		120.5	mg	-	-
4	Dissolution		91.3 to 95.8	%	10 mg	Q. Not less than 75
5	Uniformity of content		95.7 to 102.8	%		85.0 to 115.0
6	Related Substances					
	Any secondary Impurity	IP-2022	Not detected	%	10 mg	Not more than 0.5
Sum of all the secondary Impurities	Not detected		%	Not more than 1.0		
7	Assay: Each film coated tablet contains					
	Cetirizine hydrochloride	IP-2022	9.68 mg (i.e. 96.8 %)	mg	10 mg	9.00 mg to 11.00 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT


Sample code: EKA2-25-12-01994	Sample receipt date: 12/12/2025
Sample name: Zedcet (Cetirizine Hydrochloride Tablets IP 10 mg)	Analysed between: 12/12/2025 to 15/12/2025
Sample appearance: White elongated biconvex film coated tablets, scored on side and plain on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 84 Medicine: Cetrizine	Job file no.: Not Applicable
Source: BGENERIC Batch No: SBT-3070 Exp : Mar.27	

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		173.5	mg	-	-
4	Dissolution		88.1 to 94.6	%	10 mg	Q. Not less than 75
5	Uniformity of content		94.7 to 102.8	%		85.0 to 115.0
6	Related Substances		IP-2022	Not detected	%	10 mg
	Sum of all the secondary Impurities	Not detected		%	Not more than 1.0	
7	Assay: Each film coated tablet contains					
	Cetirizine hydrochloride	IP-2022	9.88 mg (i.e. 98.8 %)	mg	10 mg	9.00 mg to 11.00 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT


Sample code: EKA2-25-12-01995	Sample receipt date: 12/12/2025
Sample name: Okacet (Cetirizine Hydrochloride Tablets IP 10 mg)	Analysed between: 12/12/2025 to 15/12/2025
Sample appearance: White elongated biconvex film coated tablets, scored on side and plain on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 85 Medicine: Cetirizine	Job file no.: Not Applicable
Source: BGENERIC Batch No: 5B50236 Exp : Jan.28	

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		124.4	mg	-	-
4	Dissolution		94.8 to 101.2	%	10 mg	Q. Not less than 75
5	Uniformity of content		96.3 to 101.9	%		85.0 to 115.0
6	Related Substances		IP-2022	Not detected	%	10 mg
	Sum of all the secondary Impurities	Not detected		%	Not more than 1.0	
7	Assay: Each film coated tablet contains					
	Cetirizine hydrochloride	IP-2022	10.12 mg (i.e. 101.2 %)	mg	10 mg	9.00 mg to 11.00 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01996

Sample receipt date: 12/12/2025

Sample name: Cetzine (Cetirizine Hydrochloride Tablets IP 10 mg)

Analysed between: 12/12/2025 to 15/12/2025

Sample appearance: White elongated biconvex film coated tablets,
scored on side and plain on other side

Sampling details: Not Sampled by Eureka

Sample seal no.: Not Applicable

Sample quantity: 45 Nos

Sampling procedure: Not Applicable

Condition on receipt: Good

Sampling date: Not Applicable

Sample packing: Sealed Pack

Sampling location: Not Applicable

Environmental condition: Not Applicable

Job file no.: Not Applicable

Customer provided details: S.R No : 86 | Medicine: Cetirizine |


Source: BRAND | Batch No: EMV251660 | Exp : Jun.28

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		117.6	mg	-	-
4	Dissolution		96.2 to 100.8	%	10 mg	Q. Not less than 75
5	Uniformity of content		95.8 to 102.6	%		85.0 to 115.0
6	Related Substances					
	Any secondary Impurity	IP-2022	Not detected	%	10 mg	Not more than 0.5
Sum of all the secondary Impurities	Not detected		%	Not more than 1.0		
7	Assay: Each film coated tablet contains					
	Cetirizine hydrochloride	IP-2022	9.92 mg (i.e. 99.2 %)	mg	10 mg	9.00 mg to 11.00 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT


Sample code: EKA2-25-12-01997	Sample receipt date: 12/12/2025
Sample name: Alerid (Cetirizine Hydrochloride Tablets IP 10 mg)	Analysed between: 12/12/2025 to 15/12/2025
Sample appearance: White round biconvex film coated tablets, having inscribed "A" on side and scored on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 87 Medicine: Cetirizine Source: BRAND Batch No: 5SB0392 Exp : Mar.28	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		185.3	mg	-	-
4	Dissolution		97.2 to 101.2	%	10 mg	Q. Not less than 75
5	Uniformity of content		95.2 to 102.1	%		85.0 to 115.0
6	Related Substances					
	Any secondary Impurity	IP-2022	Not detected	%	10 mg	Not more than 0.5
Sum of all the secondary Impurities	Not detected		%	Not more than 1.0		
7	Assay: Each film coated tablet contains					
	Cetirizine hydrochloride	IP-2022	10.22 mg (i.e. 102.2 %)	mg	10 mg	9.00 mg to 11.00 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******



Scan for Authentication

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**

ANALYTICAL REPORT

Sample code: EKA2-25-12-01998	Sample receipt date: 12/12/2025
Sample name: Clopidogrel Tablets IP 75 mg	Analysed between: 12/12/2025 to 26/12/2025
Sample appearance: Marron coloured round shaped biconvex film coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 88 Medicine: Clopidogrel	Job file no.: Not Applicable
Source: JAUSH Batch No: CT 24251296 Exp : Sep.26	

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP- 2022	Complies	-	-	-
3	Average weight		310.3	mg	-	-
4	Uniformity of weight		-1.4 to +1.8	%	75 mg	±5
5	Dissolution		91.3 to 97.4	%		Q. Not less than 80
6	Related Substances		IP- 2022	Not detected	%	75 mg
	Clopidogrel impurity A	Not detected		%	Not more than 1.5	
	Clopidogrel impurity C	Not detected		%	Not more than 0.2	
	Any other impurities excluding impurity B	Not detected		%	Not more than 2.5	
	Total impurities excluding impurity B		Not detected	%		
7	Assay: Each film coated tablet contains					
	Clopidogrel Bisulphate	IP- 2022	73.8 mg	mg	75 mg	67.5 mg to 82.5 mg

Eureka Analytical Services Private Limited

	Eq. to Clopidogrel		(i.e. 98.4 %)			(i.e. 90.0 to 110.0 %)
--	--------------------	--	---------------	--	--	------------------------

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-01999	Sample receipt date: 12/12/2025
Sample name: CLOPIPAL-75 (Clopidogrel Bisulphate Tablets IP)	Analysed between: 12/12/2025 to 26/12/2025
Sample appearance: Light pink coloured round shaped biconvex film coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 45 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 89 Medicine: Clopidogrel	Job file no.: Not Applicable
Source: GENERIC Batch No: JD25056 Exp : Mar.27	

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP- 2022	Complies	-	-	-
3	Average weight		177.9	mg	-	-
4	Uniformity of weight		-1.9 to +2.2	%	75 mg	±7.5
5	Dissolution		94.5 to 99.2	%		Q. Not less than 80
6	Related Substances		IP- 2022	Not detected		%
	Clopidogrel impurity A	Not detected		%	Not more than 1.5	
	Clopidogrel impurity C	Not detected		%	Not more than 0.2	
	Any other impurities excluding impurity B	Not detected		%	Not more than 2.5	
	Total impurities excluding impurity B		Not detected	%		
7	Assay: Each film coated tablet contains					
	Clopidogrel Bisulphate	IP- 2022	75.3 mg	mg	75 mg	67.5 mg to 82.5 mg

Eureka Analytical Services Private Limited

	Equivalent. to Clopidogrel		(i.e. 100.4 %)			(i.e. 90.0 to 110.0 %)
--	----------------------------	--	----------------	--	--	------------------------

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02000

Sample receipt date: 12/12/2025

Sample name: Clopidogrel Tablets IP 75 mg

Analysed between: 12/12/2025 to 26/12/2025

Sample appearance: Marron coloured round shaped biconvex film coated tablet, plain on both sides

Sampling details: Not Sampled by Eureka

Sample seal no.: Not Applicable

Sample quantity: 40 Nos

Sampling procedure: Not Applicable

Condition on receipt: Good

Sampling date: Not Applicable

Sample packing: Sealed Pack

Sampling location: Not Applicable

Environmental condition: Not Applicable

Job file no.: Not Applicable

Customer provided details: S.R No : 90 | Medicine: Clopidogrel |

Source: DAVA | Batch No: CKX02AAA | Exp : May.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP- 2022	Complies	-	-	-
3	Average weight		316.5	mg	-	-
4	Uniformity of weight		-1.2 to +1.9	%	75 mg	±5
5	Dissolution		93.7 to 96.5	%		Q. Not less than 80
6	Related Substances		IP- 2022	Not detected	%	75 mg
	Clopidogrel impurity A	Not detected		%	Not more than 1.5	
	Clopidogrel impurity C	Not detected		%	Not more than 0.2	
	Any other impurities excluding impurity B	Not detected		%	Not more than 2.5	
	Total impurities excluding impurity B		Not detected	%		
7	Assay: Each film coated tablet contains					
	Clopidogrel Bisulphate	IP- 2022	73.4 mg	mg	75 mg	67.5 mg to 82.5 mg

Eureka Analytical Services Private Limited

	Eq. to Clopidogrel		(i.e. 97.9 %)			(i.e. 90.0 to 110.0 %)
--	--------------------	--	---------------	--	--	------------------------

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02001	Sample receipt date: 12/12/2025
Sample name: Clopivas-75 (Clopidogrel Tablets IP)	Analysed between: 12/12/2025 to 26/12/2025
Sample appearance: Light pink coloured round shaped biconvex film coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 45 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 91 Medicine: Clopidogrel Source: BGENERIC Batch No: 5SN1330 Exp : May.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP- 2022	Complies	-	-	-
3	Average weight		275.4	mg	-	-
4	Uniformity of weight		-1.1 to +1.7	%	75 mg	±5
5	Dissolution		97.8 to 102.5	%		Q. Not less than 80
6	Related Substances		IP- 2022	Not detected	%	75 mg
	Clopidogrel impurity A	Not detected		%	Not more than 1.5	
	Clopidogrel impurity C	Not detected		%	Not more than 0.2	
	Any other impurities excluding impurity B	Not detected		%	Not more than 2.5	
	Total impurities excluding impurity B		Not detected	%		
7	Assay: Each film coated tablet contains					
	Clopidogrel Bisulphate	IP- 2022	76.3 mg	mg	75 mg	67.5 mg to 82.5 mg

Eureka Analytical Services Private Limited

	Equivalent to Clopidogrel		(i.e. 101.7 %)			(i.e. 90.0 to 110.0 %)
--	---------------------------	--	----------------	--	--	------------------------

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02002	Sample receipt date: 12/12/2025
Sample name: DEPLATT (Clopidogrel Tablets IP)	Analysed between: 12/12/2025 to 26/12/2025
Sample appearance: Light pink coloured round shaped biconvex film coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 45 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 92 Medicine: Clopidogrel Source: BGENERIC Batch No: CY32M007 Exp : Jun.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP- 2022	Complies	-	-	-
3	Average weight		267.7	mg	-	-
4	Uniformity of weight		-0.9 to +1.3	%	75 mg	±5
5	Dissolution		97.9 to 103.2	%		Q. Not less than 80
6	Related Substances		IP- 2022	Not detected	%	75 mg
	Clopidogrel impurity A	Not detected		%	Not more than 1.5	
	Clopidogrel impurity C	Not detected		%	Not more than 0.2	
	Any other impurities excluding impurity B	Not detected		%	Not more than 2.5	
	Total impurities excluding impurity B		Not detected	%		
7	Assay: Each film coated tablet contains					
	Clopidogrel Bisulphate	IP- 2022	77.1 mg	mg	75 mg	67.5 mg to 82.5 mg

Eureka Analytical Services Private Limited

	Equivalent to Clopidogrel		(i.e. 102.8 %)			(i.e. 90.0 to 110.0 %)
--	---------------------------	--	----------------	--	--	------------------------

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02003	Sample receipt date: 12/12/2025
Sample name: Clopilet (Clopidogrel Tablets IP)	Analysed between: 12/12/2025 to 26/12/2025
Sample appearance: Light pink coloured round shaped biconvex film coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 45 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 93 Medicine: Clopidogrel Source: BRAND Batch No: GTG1571A Exp : May.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP- 2022	Complies	-	-	-
3	Average weight		145.1	mg	-	-
4	Uniformity of weight		-1.4 to +1.8	%	75 mg	±7.5
5	Dissolution		98.4 to 102.7	%		Q. Not less than 80
6	Related Substances		IP- 2022	Not detected	%	75 mg
	Clopidogrel impurity A	Not detected		%	Not more than 1.5	
	Clopidogrel impurity C	Not detected		%	Not more than 0.2	
	Any other impurities excluding impurity B	Not detected		%	Not more than 2.5	
	Total impurities excluding impurity B		Not detected	%		
7	Assay: Each film coated tablet contains					
	Clopidogrel Bisulphate	IP- 2022	76.9 mg	mg	75 mg	67.5 mg to 82.5 mg

Eureka Analytical Services Private Limited

	Equivalent to Clopidogrel		(i.e. 102.5 %)			(i.e. 90.0 to 110.0 %)
--	---------------------------	--	----------------	--	--	------------------------

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02004	Sample receipt date: 12/12/2025
Sample name: Plavix (Clopidogrel Tablets IP)	Analysed between: 12/12/2025 to 26/12/2025
Sample appearance: Light pink coloured round shaped biconvex film coated tablet, having logo one side and inscribed "75" on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 42 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 94 Medicine: Clopidogrel Source: BRAND Batch No: FA4064 Exp : Aug.27	Job file no.: Not Applicable


TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP- 2022	Complies	-	-	-
3	Average weight		255.1	mg	-	-
4	Uniformity of weight		1.6 to 1.7	%	75 mg	±5
5	Dissolution		97.4 to 102.6	%		Q. Not less than 80
6	Related Substances		IP- 2022	Not detected	%	75 mg
	Clopidogrel impurity A	Not detected		%	Not more than 1.5	
	Clopidogrel impurity C	Not detected		%	Not more than 0.2	
	Any other impurities excluding impurity B	Not detected		%	Not more than 2.5	
	Total impurities excluding impurity B		Not detected	%		
7	Assay: Each film coated tablet contains					

Eureka Analytical Services Private Limited

Clopidogrel Bisulphate Equivalent to Clopidogrel	IP- 2022	76.2 mg (i.e.101.6 %)	mg	75 mg	67.5 mg to 82.5 mg (i.e. 90.0 to 110.0 %)
---	----------	--------------------------	----	-------	--

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02005	Sample receipt date: 12/12/2025
Sample name: Aspirin Gastro-Resistant Tablets IP 75 mg	Analysed between: 12/12/2025 to 26/12/2025
Sample appearance: White round shaped biconvex enteric coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 42 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 95 Medicine: Aspirin Source: JAUSH Batch No: ASA31B25 Exp : Jan.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		102.3	mg	-	-
4	Uniformity of weight		-2.1 to + 1.4	%	-	± 7.5
5	Dissolution					
	A. Acid stage	IP- 2022	3.5 to 6.1	%	75 mg	Not more than 10
	B. Buffer stage		87.3 to 94.1	%		Q. Not less than 70
6	Salicylic acid	IP- 2022	Not detected	%	75 mg	Not more than 3.0
7	Assay: Each enteric coated tablet contains					
	Aspirin	IP- 2022	73.4 mg (i.e. 97.9 %)	mg	75 mg	71.25 mg to 78.75 mg (i.e. 95.0 % to 105.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02006	Sample receipt date: 12/12/2025
Sample name: Ecosprin (Aspirin Gastro-Resistant Tablets IP 150 mg)	Analysed between: 12/12/2025 to 26/12/2025
Sample appearance: Orange coloured round shaped biconvex Gastro-Resistant tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 42 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 96 Medicine: Aspirin Source: BRAND Batch No: 56001884 Exp : Apr.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP-2022	Complies	-	-	-
3	Average weight		195.4	mg	-	-
4	Uniformity of weight		-1.6 to + 1.9	%	-	± 5.0
5	Dissolution					
	A. Acid stage	IP- 2022	2.1 to 4.6	%	150 mg	Not more than 10
	B. Buffer stage		87.3 to 94.1	%		Q. Not less than 70
6	Salicylic acid	IP- 2022	Not detected	%	150 mg	Not more than 3.0
7	Assay: Each Gastro-Resistant tablet contains					
	Aspirin	IP- 2022	152.5 mg (i.e. 101.7 %)	mg	150 mg	142.5 mg to 157.5 mg (i.e. 95.0 % to 105.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02007	Sample receipt date: 12/12/2025
Sample name: Calcium and vitamin D3 Tablets IP	Analysed between: 12/12/2025 to 26/12/2025
Sample appearance: White elongated shaped biconvex film coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 97 Medicine: Calcium+Vit D	Job file no.: Not Applicable
Source: JAUSH Batch No: 10114 Exp : May.27	

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		1.464	gm	-	-
4	Uniformity of weight		-1.1 to +1.6	%	-	±5.0
5	Dissolution (For Calcium)		92.7 to 96.6	%	500 mg	Q. Not less than 70
6	Uniformity of content (For Vitamin D3)		95.2 to 103.4	%	250 IU	85.0 to 115.0
7	Assay: Each film coated tablet contains					
	Calcium carbonate Equivalent to Elemental Calcium	IP-2022	494.3 mg (i.e. 98.9 %)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)
	Cholecalciferol (Vitamin D3)		305.2 (i.e. 122.1 %)	IU	250 IU	Not less than 225 IU (i.e. Not less than 90.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02008

Sample receipt date: 12/12/2025

Sample name: Swasthya calcium (Calcium and vitamin D₃ Tablets IP)

Analysed between: 12/12/2025 to 26/12/2025

Sample appearance: Blue coloured elongated shaped biconvex film coated tablet, scored on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 45 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 98 | Medicine: Calcium+Vit D
| Source: GENADH | Batch No: T2502049 | Exp : Jan.27

Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		1.483	gm	-	-
4	Uniformity of weight		-0.8 to +1.2	%	-	±5.0
5	Dissolution (For Calcium)		93.4 to 97.4	%	500 mg	Q. Not less than 70
6	Uniformity of content (For Vitamin D ₃)		94.3 to 105.9	%	250 IU	85.0 to 115.0
7	Assay: Each film coated tablet contains					
	Calcium carbonate Equivalent to Elemental Calcium	IP-2022	492.8 mg (i.e. 98.6 %)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)
	Cholecalciferol (Vitamin D ₃)		299.1 (i.e. 119.6 %)	IU	250 IU	Not less than 225 IU (i.e. Not less than 90.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02009

Sample receipt date: 12/12/2025

Sample name: Calcium and vitamin D3 Tablets IP

Analysed between: 12/12/2025 to 26/12/2025

Sample appearance: White elongated shaped biconvex film coated tablet, scored on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 30 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 99 | Medicine: Calcium+Vit D
| Source: DAVA | Batch No: PM31AK17 | Exp : Oct.26

Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		1.495	gm	-	-
4	Uniformity of weight		-1.3 to +1.1	%	-	±5.0
5	Dissolution (For Calcium)		91.1 to 95.3	%	500 mg	Q. Not less than 70
6	Uniformity of content (For Vitamin D3)		92.4 to 104.7	%	250 IU	85.0 to 115.0
7	Assay: Each film coated tablet contains					
	Calcium carbonate Equivalent to Elemental Calcium	IP-2022	490.7 mg (i.e. 98.1 %)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)
	Cholecalciferol (Vitamin D3)		310.5 (i.e. 124.2 %)	IU	250 IU	Not less than 225 IU (i.e. Not less than 90.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02010

Sample receipt date: 12/12/2025

Sample name: Eldecal-500 (Calcium and vitamin D₃ Tablets IP)

Analysed between: 12/12/2025 to 26/12/2025

Sample appearance: White elongated shaped biconvex film coated tablet, plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 45 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 100 | Medicine: Calcium+Vit D | Source: BGENERIC | Batch No: T50311 | Exp : Jun.27

Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		1.506	gm	-	-
4	Uniformity of weight		-0.7 to +1.4	%	-	±5.0
5	Dissolution (For Calcium)		95.1 to 102.3	%	500 mg	Q. Not less than 70
6	Uniformity of content (For Vitamin D3)		94.6 to 105.2	%	250 IU	85.0 to 115.0
7	Assay: Each film coated tablet contains					
	Calcium carbonate Equivalent to Elemental Calcium	IP-2022	503.4 mg (i.e. 100.7 %)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)
	Cholecalciferol (Vitamin D3)		345.4 (i.e. 138.2 %)	IU	250 IU	Not less than 225 IU (i.e. Not less than 90.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02011

Sample receipt date: 12/12/2025

Sample name: Shel D 500 (Calcium and vitamin D3 Tablets IP)

Analysed between: 12/12/2025 to 26/12/2025

Sample appearance: Light green coloured elongated shaped
biconvex film coated tablet, plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 45 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 101 | Medicine: Calcium+Vit
D | Source: BGENERIC | Batch No: THT-250769 | Exp : Jan.27

Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		1.522	gm	-	-
4	Uniformity of weight		-0.6 to +1.3	%	-	±5.0
5	Dissolution (For Calcium)		96.3 to 101.5	%	500 mg	Q. Not less than 70
6	Uniformity of content (For Vitamin D3)		96.9 to 105.1	%	250 IU	85.0 to 115.0
7	Assay: Each film coated tablet contains					
	Calcium carbonate Equivalent to Elemental Calcium	IP-2022	503.7 mg (i.e. 100.7 %)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)
	Cholecalciferol (Vitamin D3)		330.9 (i.e. 132.4 %)	IU	250 IU	Not less than 225 IU (i.e. Not less than 90.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02012

Sample receipt date: 12/12/2025

Sample name: Cipcal-500 (Calcium and vitamin D₃ Tablets IP)

Analysed between: 12/12/2025 to 26/12/2025

Sample appearance: White elongated shaped biconvex film coated tablet, plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 45 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 102 | Medicine: Calcium+Vit D | Source: BRAND | Batch No: AMQ365AJA | Exp : Mar.28

Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		1.501	gm	-	-
4	Uniformity of weight		-1.2 to +0.6	%	-	±5.0
5	Dissolution (For Calcium)		97.3 to 103.2	%	500 mg	Q. Not less than 70
6	Uniformity of content (For Vitamin D3)		95.7 to 104.8	%	250 IU	85.0 to 115.0
7	Assay: Each film coated tablet contains					
	Calcium carbonate Equivalent to Elemental Calcium	IP-2022	507.1 mg (i.e. 101.4 %)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 % to 110.0 %)
	Cholecalciferol (Vitamin D3)		355.9 (i.e. 142.4 %)	IU	250 IU	Not less than 225 IU (i.e. Not less than 90.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02013	Sample receipt date: 12/12/2025
Sample name: SHELICAL500 (Calcium and vitamin D ₃ Tablets IP)	Analysed between: 12/12/2025 to 26/12/2025
Sample appearance: Light green coloured elongated shaped biconvex film coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 45 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 103 Medicine: Calcium+Vit D Source: BRAND Batch No: 8LV2M203 Exp : Apr.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		1.519	gm	-	-
4	Uniformity of weight		-1.4 to +0.8	%	-	±5.0
5	Dissolution (For Calcium)		95.8 to 102.5	%	500 mg	Q. Not less than 70
6	Uniformity of content (For Vitamin D ₃)		96.3 to 102.9	%	250 IU	85.0 to 115.0
7	Assay: Each film coated tablet contains					
	Calcium carbonate Equivalent to Elemental Calcium	IP-2022	507.6 mg (i.e. 101.5 %)	mg	500 mg	450.0 mg to 550.0 mg (i.e. 90.0 to 110.0 %)
	Cholecalciferol (Vitamin D ₃)		348.7 (i.e. 139.5 %)	IU	250 IU	Not less than 225 IU (i.e. Not less than 90.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02014	Sample receipt date: 12/12/2025
Sample name: Folic acid Tablets IP 5 mg	Analysed between: 12/12/2025 to 19/12/2025
Sample appearance: Yellow coloured round shaped flat uncoated tablet, scored on one side and plain on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 45 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 104 Medicine: Folic Acid Source: JAUSH Batch No: FAT1302 Exp : Mar.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		122.8	mg	-	-
4	Dissolution		92.3 to 97.8	%	5 mg	Q. Not less than 75
5	Hydrolysis products		Complies	-		-
6	Uniformity of content		95.6 to 101.9	%		85.0 to 115.0
7	Assay: Each uncoated tablet contains					
	Folic acid	IP-2022	5.12 mg (i.e. 102.4 %)	mg	5 mg	4.50 mg to 5.75 mg (i.e. 90.0 % to 115.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02015

Sample receipt date: 12/12/2025

Sample name: Folic acid Tablets IP 5 mg

Analysed between: 12/12/2025 to 19/12/2025

Sample appearance: Yellow coloured round shaped flat uncoated tablet, scored on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 45 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 105 | Medicine: Folic Acid |

Job file no.: Not Applicable

Source: DAVA | Batch No: T-240926 | Exp : Nov.26

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		106.7	mg	-	-
4	Dissolution		96.3 to 102.6	%	5 mg	Q. Not less than 75
5	Hydrolysis products		Complies	-		-
6	Uniformity of content		95.5 to 103.5	%		85.0 to 115.0
7	Assay: Each uncoated tablet contains					
	Folic acid	IP-2022	5.15 mg (i.e. 103.0 %)	mg	5 mg	4.50 mg to 5.75 mg (i.e. 90.0 % to 115.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02016

Sample receipt date: 12/12/2025

Sample name: Folic acid Tablets IP 5 mg

Analysed between: 12/12/2025 to 19/12/2025

Sample appearance: Yellow coloured round shaped flat uncoated tablet, scored on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 106 | Medicine: Folic Acid |

Job file no.: Not Applicable

Source: BGENERIC | Batch No: T-2507019 | Exp : Jun.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		78.1	mg	-	-
4	Dissolution		96.9 to 103.2	%	5 mg	Q. Not less than 75
5	Hydrolysis products		Complies	-		-
6	Uniformity of content		96.9 to 102.7	%		85.0 to 115.0
7	Assay: Each uncoated tablet contains					
	Folic acid	IP-2022	10.29 mg (i.e. 102.9 %)	mg	5 mg	4.50 mg to 5.75 mg (i.e. 90.0 % to 115.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02017

Sample receipt date: 12/12/2025

Sample name: Folic acid Tablets IP 5 mg

Analysed between: 12/12/2025 to 19/12/2025

Sample appearance: Yellow coloured round shaped flat uncoated tablet, scored on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 45 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 107 | Medicine: Folic Acid |

Job file no.: Not Applicable

Source: BRAND | Batch No: MP6289 | Exp : Nov.26

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		71.2	mg	-	-
4	Dissolution		94.9 to 102.8	%	5 mg	Q. Not less than 75
5	Hydrolysis products		Complies	-		-
6	Uniformity of content		96.8 to 102.5	%		85.0 to 115.0
7	Assay: Each uncoated tablet contains					
	Folic acid	IP-2022	5.18 mg (i.e. 103.6 %)	mg	5 mg	4.50 mg to 5.75 mg (i.e. 90.0 % to 115.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02018

Sample receipt date: 12/12/2025

Sample name: Folic acid Tablets IP 5 mg

Analysed between: 12/12/2025 to 19/12/2025

Sample appearance: Yellow coloured round shaped flat uncoated tablet, scored on one side and having a logo on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 108 | Medicine: Folic Acid |

Job file no.: Not Applicable

Source: BRAND | Batch No: HSL030425 | Exp : Mar.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		92.5	mg	-	-
4	Dissolution		98.5 to 103.9	%	5 mg	Q. Not less than 75
5	Hydrolysis products		Complies	-		-
6	Uniformity of content		96.8 to 102.7	%		85.0 to 115.0
7	Assay: Each uncoated tablet contains					
	Folic acid	IP-2022	10.19 mg (i.e. 101.9 %)	mg	5 mg	4.50 mg to 5.75 mg (i.e. 90.0 % to 115.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02019	Sample receipt date: 12/12/2025
Sample name: Prednisolone Tablets IP 10 mg	Analysed between: 12/12/2025 to 23/12/2025
Sample appearance: White round shaped flat uncoated tablet, scored on one side and plain on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 109 Medicine: Prednisolone Source: JAUSH Batch No: PRDT-1031 Exp : Dec.26	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		200.5	mg	-	-
4	Dissolution		86.5 to 93.5	%	10 mg	Q. Not less than 70
5	Uniformity of content		96.6 to 103.3	%		85.0 to 115.0
6	Related substances		IP-2022	Not detected	%	10 mg
	Sum of all the secondary Impurities	Not detected		%	Not more than 3.0	
7	Assay: Each uncoated tablet contains					
	Prednisolone	IP-2022	9.78 mg (i.e. 97.8 %)	mg	10 mg	9.0 mg to 11.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02020	Sample receipt date: 12/12/2025
Sample name: RACECORT-10 (Prednisolone Tablets IP 10 mg)	Analysed between: 12/12/2025 to 23/12/2025
Sample appearance: White round shaped flat uncoated tablet, scored on one side and plain on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 45 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 110 Medicine: Prednisolone Source: GENERIC Batch No: GT-188 Exp : Mar.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		101.2	mg	-	-
4	Dissolution		93.3 to 102.6	%	10 mg	Q. Not less than 70
5	Uniformity of content		94.2 to 102.7	%		85.0 to 115.0
6	Related substances		IP-2022	Not detected	%	10 mg
	Any secondary Impurity	Not detected		%	Not more than 3.0	
7	Assay: Each uncoated tablet contains					
	Prednisolone	IP-2022	9.63 mg (i.e. 96.3 %)	mg	10 mg	9.0 mg to 11.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02021	Sample receipt date: 12/12/2025
Sample name: Beslone 10 (Prednisolone Tablets IP 10 mg)	Analysed between: 12/12/2025 to 23/12/2025
Sample appearance: White round shaped flat uncoated tablet, scored on one side and plain on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 60 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 111 Medicine: Prednisolone Source: BGENERIC Batch No: BLT-2404 Exp : May.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		150.2	mg	-	-
4	Dissolution		93.8 to 101.8	%	10 mg	Q. Not less than 70
5	Uniformity of content		95.8 to 101.7	%		85.0 to 115.0
6	Related substances		IP-2022	Not detected	%	10 mg
	Sum of all the secondary Impurities	Not detected		%	Not more than 3.0	
7	Assay: Each uncoated tablet contains					
	Prednisolone	IP-2022	10.12 mg (i.e. 101.2 %)	mg	10 mg	9.0 mg to 11.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02022

Sample receipt date: 12/12/2025

Sample name: Wysolone 10 (Prednisolone dispersible Tablets 10 mg)

Analysed between: 12/12/2025 to 23/12/2025

Sample appearance: White round shaped flat uncoated dispersible tablet, scored on one side and inscribed "10" on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 45 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 112 | Medicine: Prednisolone | Source: BRAND | Batch No: MR5736 | Exp : May.27

Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	In house specification	Positive of prednisolone	-	-	-
3	Average weight		110.3	mg	-	-
4	Uniformity of dispersion		Passes the test	-	-	-
5	Disintegration time		40 sec to 45 sec	minutes	-	Not more than 3
6	Uniformity of content		95.8 to 102.4	%	10 mg	85.0 to 115.0
7	Assay: Each uncoated dispersible tablet contains					
	Prednisolone	In house specification	10.15 mg (i.e. 101.5 %)	mg	10 mg	9.0 mg to 11.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02023	Sample receipt date: 12/12/2025
Sample name: Omnacortil-10 (Prednisolone dispersible Tablets 10 mg)	Analysed between: 12/12/2025 to 23/12/2025
Sample appearance: White round shaped biconvex uncoated dispersible tablet, inscribed "O 10" on score side and plain on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 113 Medicine: Prednisolone Source: BRAND Batch No: 13251010A Exp : May.29	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	In house specification	Positive of prednisolone	-	-	-
3	Average weight		104.8	mg	-	-
4	Uniformity of dispersion		Passes the test	-	-	-
5	Disintegration time		30 sec to 35 sec	minutes	-	Not more than 3
6	Uniformity of content		96.3 to 101.9	%	10 mg	85.0 to 115.0
7	Assay: Each uncoated dispersible tablet contains					
	Prednisolone	In house specification	10.23 mg (i.e. 102.3 %)	mg	10 mg	9.0 mg to 11.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02024	Sample receipt date: 12/12/2025
Sample name: Ursodeoxycholic Acid Tablets IP 300 mg	Analysed between: 12/12/2025 to 27/12/2025
Sample appearance: White elongated shaped biconvex film coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 50 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 114 Medicine: UDCA	Job file no.: Not Applicable
Source: JAUSH Batch No: BPUR24002 Exp : Apr.26	

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		614.4	mg	-	-
4	Uniformity of weight		-1.7 to + 2.1	%	-	± 5.0
5	Dissolution		85.3 to 92.7	%	300 mg	Q. Not less than 75
6	Related substances		Complies	-		-
7	Assay: Each film coated tablet contains					
	Ursodeoxycholic Acid	IP- 2022	294.2 mg (i.e. 98.1 %)	mg	300 mg	277.5 mg to 322.5 mg (i.e. 92.5 % to 107.5 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoo, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02025	Sample receipt date: 12/12/2025
Sample name: Ursodeoxycholic Acid Tablets IP 300 mg	Analysed between: 12/12/2025 to 27/12/2025
Sample appearance: Yellow coloured round shaped biconvex film coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 45 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 115 Medicine: UDCA	Job file no.: Not Applicable
Source: GENADH Batch No: 169BT11 Exp : May.27	

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		354.4	mg	-	-
4	Uniformity of weight		-1.9 to + 1.4	%	-	± 5.0
5	Dissolution		86.7 to 93.9	%	300 mg	Q. Not less than 75
6	Related substances		Complies	-		-
7	Assay: Each film coated tablet contains					
	Ursodeoxycholic Acid	IP- 2022	292.4 mg (i.e. 97.5 %)	mg	300 mg	277.5 mg to 322.5 mg (i.e. 92.5 % to 107.5 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02026

Sample receipt date: 12/12/2025

Sample name: Ursodeoxycholic Acid Tablets IP 300 mg

Analysed between: 12/12/2025 to 27/12/2025

Sample appearance: Orange coloured round shaped biconvex uncoated tablet, plain on both sides

Sampling details: Not Sampled by Eureka

Sample quantity: 50 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 116 | Medicine: UDCA |

Job file no.: Not Applicable

Source: DAVA | Batch No: IA225013 | Exp : Jul.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		372.2	mg	-	-
4	Uniformity of weight		-1.4 to + 1.2	%	-	± 5.0
5	Dissolution		84.6 to 90.1	%	300 mg	Q. Not less than 75
6	Related substances		Complies	-		-
7	Assay: Each uncoated tablet contains					
	Ursodeoxycholic Acid	IP- 2022	287.3 mg (i.e. 95.8 %)	mg	300 mg	277.5 mg to 322.5 mg (i.e. 92.5 % to 107.5 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02027	Sample receipt date: 12/12/2025
Sample name: Udicyte 300 (Ursodeoxycholic Acid Tablets IP 300 mg)	Analysed between: 12/12/2025 to 27/12/2025
Sample appearance: White elongated shaped biconvex uncoated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 45 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 117 Medicine: UDCA	Job file no.: Not Applicable
Source: BGENERIC Batch No: I25003 Exp : May.27	

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		405.4	mg	-	-
4	Uniformity of weight		-1.4 to + 0.8	%	-	± 5.0
5	Dissolution		93.4 to 99.6	%	300 mg	Q. Not less than 75
6	Related substances		Complies	-		-
7	Assay: Each uncoated tablet contains					
	Ursodeoxycholic Acid	IP- 2022	302.3 mg (i.e. 100.8 %)	mg	300 mg	277.5 mg to 322.5 mg (i.e. 92.5 % to 107.5 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02028

Sample receipt date: 12/12/2025

Sample name: Usibon-300 (Ursodeoxycholic Acid Tablets IP 300 mg)

Analysed between: 12/12/2025 to 27/12/2025

Sample appearance: White round shaped biconvex film coated tablet, scored on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 118 | Medicine: UDCA |
Source: BGENERIC | Batch No: USBS0063 | Exp : Jul.27

Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		512.2	mg	-	-
4	Uniformity of weight		-0.6 to + 1.3	%	-	± 5.0
5	Dissolution		96.4 to 101.4	%	300 mg	Q. Not less than 75
6	Related substances		Complies	-		-
7	Assay: Each film coated tablet contains					
	Ursodeoxycholic Acid	IP- 2022	304.1 mg (i.e. 101.4 %)	mg	300 mg	277.5 mg to 322.5 mg (i.e. 92.5 % to 107.5 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02029	Sample receipt date: 12/12/2025
Sample name: Udiliv 300 (Ursodeoxycholic Acid Tablets IP 300 mg)	Analysed between: 12/12/2025 to 27/12/2025
Sample appearance: White elongated shaped biconvex uncoated tablet, having inscribed "UDL 300" on one side and scored on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 119 Medicine: UDCA Source: BRAND Batch No: 792921D7 Exp : Jun.28	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		366.6	mg	-	-
4	Uniformity of weight		-2.1 to + 1.8	%	-	± 5.0
5	Dissolution		94.7 to 101.9	%	300 mg	Q. Not less than 75
6	Related substances		Complies	-		-
7	Assay: Each uncoated tablet contains					
	Ursodeoxycholic Acid	IP- 2022	303.2 mg (i.e. 101.1 %)	mg	300 mg	277.5 mg to 322.5 mg (i.e. 92.5 % to 107.5 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02030

Sample receipt date: 12/12/2025

Sample name: Ursocol 300 (Ursodeoxycholic Acid Tablets IP)

Analysed between: 12/12/2025 to 27/12/2025

Sample appearance: Maroon coloured round shaped biconvex film coated tablet, scored on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 120 | Medicine: UDCA |

Job file no.: Not Applicable

Source: BRAND | Batch No: GTG1994A | Exp : Jun.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification (A & B)	IP-2022	Complies	-	-	-
3	Average weight		565.5	mg	-	-
4	Uniformity of weight		-1.1 to + 1.5	%	-	± 5.0
5	Dissolution		96.1 to 101.7	%	300 mg	Q. Not less than 75
6	Related substances		Complies	-		-
7	Assay: Each film coated tablet contains					
	Ursodeoxycholic Acid	IP- 2022	302.7 mg (i.e. 100.9 %)	mg	300 mg	277.5 mg to 322.5 mg (i.e. 92.5 % to 107.5 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Eureka Analytical Services Private Limited



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******



Scan for Authentication

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**

ANALYTICAL REPORT

Sample code: EKA2-25-12-02031	Sample receipt date: 12/12/2025
Sample name: Rifaximin Tablets IP 400 mg	Analysed between: 12/12/2025 to 25/12/2025
Sample appearance: Orange coloured elongated shaped biconvex film coated tablet, scored on one side and plain on other side	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 121 Medicine: Rifaximin Source: DAVA Batch No: LGN09/049/02 Exp : Aug.26	Job file no.: Not Applicable


TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP Addendum 2024	Complies	-	-	-
3	Average weight		784.3	mg	-	-
4	Uniformity of weight		-0.7 to +0.9	%	-	± 5.0
5	Dissolution		93.6 to 97.8	%	400 mg	Q. Not less than 70
6	Related substances					
	Impurity D	IP Addendum 2024	Not detected	%	400 mg	Not more than 0.5
	Impurity H		Not detected	%		Not more than 0.5
	Any other secondary impurity		Not detected	%		Not more than 0.2
	Sum of all the secondary impurities		Not detected	%		Not more than 1.5
7	Assay: Each film coated tablet contains					

Eureka Analytical Services Private Limited

Rifaximin	IP Addendum 2024	390.7 mg (i.e. 97.7 %)	mg	400 mg	380.0 mg to 420.0 mg (i.e. 95.0 % to 105.0 %)
-----------	---------------------	---------------------------	----	--------	--

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02032

Sample receipt date: 12/12/2025

Sample name: RIFAXIT-400 (Rifaximin Tablets 400 mg)

Analysed between: 12/12/2025 to 25/12/2025

Sample appearance: Orange coloured elongated shaped biconvex film coated tablet, scored on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 45 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 122 | Medicine: Rifaximin |

Job file no.: Not Applicable

Source: GENERIC | Batch No: T241570 | Exp : Aug.26


TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP Addendum 2024	Complies	-	-	-
3	Average weight		690.3	mg	-	-
4	Uniformity of weight		-1.1 to + 0.8	%	-	± 5.0
5	Dissolution		94.8 to 99.2	%	400 mg	Q. Not less than 70
6	Related substances					
	Impurity D	IP Addendum 2024	Not detected	%	400 mg	Not more than 0.5
	Impurity H		Not detected	%		Not more than 0.5
	Any other secondary impurity		Not detected	%		Not more than 0.2
	Sum of all the secondary impurities		Not detected	%		Not more than 1.5
7	Assay: Each film coated tablet contains					

Eureka Analytical Services Private Limited

	Rifaximin	IP Addendum 2024	395.4 mg (i.e. 98.9 %)	mg	400 mg	380.0 mg to 420.0 mg (i.e. 95.0 % to 105.0 %)
--	-----------	---------------------	---------------------------	----	--------	--

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02033	Sample receipt date: 12/12/2025
Sample name: Rifagut-400 (Rifaximin Tablets IP)	Analysed between: 12/12/2025 to 25/12/2025
Sample appearance: Light orange coloured elongated shaped biconvex film coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 123 Medicine: Rifaximin Source: BRAND Batch No: GKG1011A Exp : May.27	Job file no.: Not Applicable


TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP Addendum 2024	Complies	-	-	-
3	Average weight		743.3	mg	-	-
4	Uniformity of weight		-1.3 to + 1.1	%	-	± 5.0
5	Dissolution		96.6 to 102.7	%	400 mg	Q. Not less than 70
6	Related substances					
	Impurity D	IP Addendum 2024	Not detected	%	400 mg	Not more than 0.5
	Impurity H		Not detected	%		Not more than 0.5
	Any other secondary impurity		Not detected	%		Not more than 0.2
	Sum of all the secondary impurities		Not detected	%		Not more than 1.5
7	Assay: Each film coated tablet contains					

Eureka Analytical Services Private Limited

	Rifaximin	IP Addendum 2024	403.7 mg (i.e. 100.9 %)	mg	400 mg	380.0 mg to 420.0 mg (i.e. 95.0 % to 105.0 %)
--	-----------	---------------------	----------------------------	----	--------	--

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02034

Sample receipt date: 12/12/2025

Sample name: Rifasan (Rifaximin Tablets IP 400 mg)

Analysed between: 12/12/2025 to 25/12/2025

Sample appearance: Light yellow coloured elongated shaped
biconvex film coated tablet, scored on one side and plain on other
side

Sampling details: Not Sampled by Eureka

Sample seal no.: Not Applicable

Sampling procedure: Not Applicable

Sample quantity: 40 Nos

Sampling date: Not Applicable

Condition on receipt: Good

Sampling location: Not Applicable

Sample packing: Sealed Pack

Job file no.: Not Applicable

Environmental condition: Not Applicable

Customer provided details: S.R No : 124 | Medicine: Rifaximin |
Source: BRAND | Batch No: ART-505 | Exp : Jul.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Unit	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	IP Addendum 2024	Complies	-	-	-
3	Average weight		750.6	mg	-	-
4	Uniformity of weight		-1.3 to + 0.8	%	-	± 5.0
5	Dissolution		97.4 to 103.6	%	400 mg	Q. Not less than 70
6	Related substances					
	Impurity D	IP Addendum 2024	Not detected	%	400 mg	Not more than 0.5
	Impurity H		Not detected	%		Not more than 0.5
	Any other secondary impurity		Not detected	%		Not more than 0.2
	Sum of all the secondary impurities		Not detected	%		Not more than 1.5
7	Assay: Each film coated tablet contains					

Eureka Analytical Services Private Limited

	Rifaximin	IP Addendum 2024	402.8 mg (i.e. 100.7 %)	mg	400 mg	380.0 mg to 420.0 mg (i.e. 95.0 % to 105.0 %)
--	-----------	---------------------	----------------------------	----	--------	--

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02035	Sample receipt date: 12/12/2025
Sample name: Febuxostat Tablets 40 mg	Analysed between: 12/12/2025 to 27/12/2025
Sample appearance: White round shaped biconvex film coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 50 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 125 Medicine: Febuxostat Source: JAUSH Batch No: BRE06207A Exp : May.28	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	In house specification	Positive for Febuxostat	-	-	-
3	Average weight		254.1	mg	-	-
4	Uniformity of weight		-1.1 to +1.2	%	-	±5.0
5	Disintegration time		6 to 7	minutes	-	Not more than 30
6	Assay: Each film coated tablet contains					
	Febuxostat	In house specification	38.3 mg (i.e. 95.8 %)	mg	40 mg	36.0 mg to 44.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02036

Sample receipt date: 12/12/2025

Sample name: Febuswas-40 (Febuxostat Tablets 40 mg)

Analysed between: 12/12/2025 to 27/12/2025

Sample appearance: Yellow coloured round shaped biconvex film coated tablet, plain on both sides

Sampling details: Not Sampled by Eureka

Sample seal no.: Not Applicable

Sample quantity: 45 Nos

Sampling procedure: Not Applicable

Condition on receipt: Good

Sampling date: Not Applicable

Sample packing: Sealed Pack

Sampling location: Not Applicable

Environmental condition: Not Applicable

Job file no.: Not Applicable

Customer provided details: S.R No : 126 | Medicine: Febuxostat |

Source: GENADH | Batch No: AGT50231 | Exp : Jan.27

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	In house specification	Positive for Febuxostat	-	-	-
3	Average weight		170.6	mg	-	-
4	Uniformity of weight		-1.7 to +2.2	%	-	±7.5
5	Disintegration time		8 to 9	minutes	-	Not more than 30
6	Assay: Each film coated tablet contains					
	Febuxostat	In house specification	38.7 mg (i.e. 96.8 %)	mg	40 mg	36.0 mg to 44.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02037	Sample receipt date: 12/12/2025
Sample name: Febuxostat Tablets 40 mg	Analysed between: 12/12/2025 to 27/12/2025
Sample appearance: Orange coloured round shaped biconvex film coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 50 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 127 Medicine: Febuxostat Source: DAVA Batch No: FXH25004 Exp : Jan.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	In house specification	Positive for Febuxostat	-	-	-
3	Average weight		167.1	mg	-	-
4	Uniformity of weight		-1.5 to +1.9	%	-	±7.5
5	Disintegration time		8 to 9	minutes	-	Not more than 30
6	Assay: Each film coated tablet contains					
	Febuxostat	In house specification	38.9 mg (i.e. 97.3 %)	mg	40 mg	36.0 mg to 44.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02038
 Sample name: Febuwal-40 (Febuxostat Tablets)
 Sample appearance: White round shaped biconvex film coated tablet, plain on both sides
 Sample quantity: 50 Nos
 Condition on receipt: Good
 Sample packing: Sealed Pack
 Environmental condition: Not Applicable
 Customer provided details: S.R No : 128 | Medicine: Febuxostat | Source: BGENERIC | Batch No: AGQ02BMA | Exp : May.27

Sample receipt date: 12/12/2025
 Analysed between: 12/12/2025 to 27/12/2025
 Sampling details: Not Sampled by Eureka
 Sample seal no.: Not Applicable
 Sampling procedure: Not Applicable
 Sampling date: Not Applicable
 Sampling location: Not Applicable
 Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	In house specification	Positive for Febuxostat	-	-	-
3	Average weight		152.9	mg	-	-
4	Uniformity of weight		-1.8 to +1.1	%	-	±7.5
5	Disintegration time		5 to 6	minutes	-	Not more than 30
6	Assay: Each film coated tablet contains					
	Febuxostat	In house specification	39.3 mg (i.e. 98.3 %)	mg	40 mg	36.0 mg to 44.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******



Scan for Authentication

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**

ANALYTICAL REPORT

Sample code: EKA2-25-12-02039	Sample receipt date: 12/12/2025
Sample name: Uristat 40 (Febuxostat Tablets 40 mg)	Analysed between: 12/12/2025 to 27/12/2025
Sample appearance: Orange coloured round shaped biconvex film coated tablet, plain on both sides	Sampling details: Not Sampled by Eureka
Sample quantity: 40 Nos	Sample seal no.: Not Applicable
Condition on receipt: Good	Sampling procedure: Not Applicable
Sample packing: Sealed Pack	Sampling date: Not Applicable
Environmental condition: Not Applicable	Sampling location: Not Applicable
Customer provided details: S.R No : 129 Medicine: Febuxostat Source: BGENERIC Batch No: DT3475B Exp : Apr.27	Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	In house specification	Positive for Febuxostat	-	-	-
3	Average weight		146.1	mg	-	-
4	Uniformity of weight		-1.3 to +1.1	%	-	±7.5
5	Disintegration time		7 to 8	minutes	-	Not more than 30
6	Assay: Each film coated tablet contains					
	Febuxostat	In house specification	39.5 mg (i.e. 98.8 %)	mg	40 mg	36.0 mg to 44.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02040

Sample receipt date: 12/12/2025

Sample name: Febutaz-40 (Febuxostat Tablets)

Analysed between: 12/12/2025 to 27/12/2025

Sample appearance: Orange coloured round shaped biconvex film coated tablet, scored on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 130 | Medicine: Febuxostat |

Job file no.: Not Applicable

Source: BRAND | Batch No: SIG1673A | Exp : Jan.28

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	In house specification	Positive for Febuxostat	-	-	-
3	Average weight		124.8	mg	-	-
4	Uniformity of weight		-1.6 to +1.0	%	-	±7.5
5	Disintegration time		5 to 6	minutes	-	Not more than 30
6	Assay: Each film coated tablet contains					
	Febuxostat	In house specification	40.4 mg (i.e. 101.0 %)	mg	40 mg	36.0 mg to 44.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.



Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******

Citizens Generic Vs Branded Drugs Project

**Mission for Ethics and Science in Healthcare (MESH),
Gowrisankaram, PRA 93B Pattoor, Pettah, 695024**



Scan for Authentication

ANALYTICAL REPORT

Sample code: EKA2-25-12-02041

Sample receipt date: 12/12/2025

Sample name: Feburic 40 (Febuxostat Tablets 40 mg)

Analysed between: 12/12/2025 to 27/12/2025

Sample appearance: White round shaped biconvex film coated tablet, scored on one side and plain on other side

Sampling details: Not Sampled by Eureka

Sample quantity: 40 Nos

Sample seal no.: Not Applicable

Condition on receipt: Good

Sampling procedure: Not Applicable

Sample packing: Sealed Pack

Sampling date: Not Applicable

Environmental condition: Not Applicable

Sampling location: Not Applicable

Customer provided details: S.R No : 131 | Medicine: Febuxostat |

Source: BRAND | Batch No: GT16155 | Exp : Jul.28

Job file no.: Not Applicable

TEST RESULTS

Sr. No	Test Parameter	Test Method	Result	Units	Label Claim	Limit
CHEMICAL						
1	Description	-	Complies	-	-	-
2	Identification	In house specification	Positive for Febuxostat	-	-	-
3	Average weight		101.9	mg	-	-
4	Uniformity of weight		-1.7 to +1.4	%	-	±7.5
5	Disintegration time		6 to 7	minutes	-	Not more than 30
6	Assay: Each film coated tablet contains					
	Febuxostat	In house specification	40.6 mg (i.e. 101.5 %)	mg	40 mg	36.0 mg to 44.0 mg (i.e. 90.0 % to 110.0 %)

Remark: All parameters are complies as per Indian pharmacopoeia specification.

Mr. Mohit Tyagi
Deputy Manager
Authorised Signatory

The results may not be reproduced except in full, without written approval from laboratory. The results relate only to the above analysed sample and results apply to the sample as received.

Note: Any modification or editing in any manner, of a test report issued by Eureka is not permitted and is illegal. Eureka retains the right to proceed with legal action against the concerned in case of any such instance coming to light.

*******End of Report*******